# Contents

#### Pulse Oximetry

| Introduction to Nonin   | 8  |
|---|----|
| Nonin 9590 Onyx Vantage Finger Oximeter                                 | 10 |
| Nonin 9570 GO2 Fingertip Pulse Oximeter                                 | 12 |
| Nonin 9550 Onyx Digital Finger Oximeter - Extreme Duty Military Version | 13 |
| Nonin 3150 WristOx2 Wrist Pulse Oximeter with USB and Bluetooth         | 14 |
| Nonin nVision 6.3 Data Management Software                              | 15 |
| Stowood Visi Download Software  | 15 |
| Nonin 8500 Series Hand Held Oximeter                                    | 16 |
| Nonin 2500 PalmSAT Hand Held Digital Oximeter                           | 17 |
| Nonin 7500 Table Top Pulse Oximeter                                     | 17 |
| Nonin 2120 AVANT SpO2 & NIBP Monitor                                    | 18 |
| Nonin 9600 AVANT Pulse Oximeter   | 18 |
| Nonin 7500FO MRI Pulse Oximeter   | 19 |
| Nonin SpO2 Sensors  | 20 |
| Nonin Accessories   | 22 |
| Nellcor SpO2 Sensors  | 24 |
| Masimo SpO2Sensors  | 26 |
| EnviteC SpO2Sensors   | 28 |
|   |    |

#### Telehealth & Bluetooth Wireless

#### Capnography

| Nonin 9840 Pulse Oximeter                       | 50 |
|---|----|
| CO2 Sampling Catheters/Lines and connectors     | 51 |
| Creative PC-900B Handheld Capnography with SpO2 | 52 |

# Multi Parameter Monitoring

| Creative PC-900PRO Vital Signs Monitor            | 54 |
|---|----|
| Creative PC-3000 Multi Parameter Monitors         | 56 |
| Creative Accessories for SpO2, ECG, Temp and NIBP | 57 |

#### Cardiac Output

NICOM Non-Invasive Haemodynamic and Cardiac Output Monitor

#### Blood Pressure Monitoring

| A&D TM-2655P GP Surgery NIBP Monitor and Printer             | 62 |
|--|----|
| A&D UA-787 Plus NIBP Monitor                                 | 62 |
| A&D UA-767PLUS NIBP Monitor                                  | 63 |
| A&D UA-705 NIBP Monitor                                      | 63 |
| Bokang Aneroid Spyngmomanometer                              | 64 |
| Bokang Electronic Mercury Free Spyngmomanometer              | 65 |
| Welch Alynn Trimline Soft Disposable Cuffs                   | 66 |
| Welch Alynn Trimline Reusable Cuffs                          | 67 |
| Welch Alynn Trimline Disposable Neonatal and Isolation Cuffs | 68 |
| Trimline Connectors  | 69 |
| Reusable Two Piece Cuffs                                     | 70 |
| Accoson Sphygmomanometers                                    | 71 |
| Accoson opnygnionianometers                                  |    |
|  |    |

#### Diagnostics

| Steth | nosco | pes |
|-------|-------|-----|
|-------|-------|-----|

# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk













58

72









# Contents

#### Temperature Monitoring

| Bokang Infra Red Forehead Thermometer - NO TOUCH                                | 74       |
|---|----------|
| MSR Infrared Tympanic 1 Second Ear Thermometer                                  | 75       |
| MSR 'Shaker' Digital Eco Thermometer  | 75       |
| 60 Second Thermometers  | 76       |
| 10 Second Animal Thermometers   | 77       |
| Two-Way Foley Catheters with Temperature Probes / Bridge General Purpose Temp P | robes 78 |
| Bridge Disposable Skin Temperature Probes                                       | 79       |
|   |          |

#### Oxygen Monitoring

| EnviteC MySign O Oxygen Monitor              | 80 |
|--|----|
| EnviteC Multi Compatible Oxygen Sensor Cells | 81 |
| Maxtec / City Tech Oxygen Sensor Cells       | 81 |
|  |    |

#### Test Devices & Simulation


| Simcube Multi Parameter Simulator - ECG, Resp, Dynamic NIBP, IBP, Pressure | 84 |
|--|----|
| SimSlim Multi Parameter Patient Simulator - ECG, Resp, IBP, CO, Temp       | 88 |
| OxSim Pulse Oximeter Tester - Multi Technology SpO2                        | 88 |
| EasySim Multi Parameter Clinical Training Simulator                        | 89 |

#### Laryngoscopes


| Laryngoscope Fitting Guide  | 90  |
|---|-----|
| Metal Max+ 90 Combi MeLED Disposable Blade & Handle Sets                      | 91  |
| Metal Max+ Combi MeLED Lever Tip Disposable Blade & Handle Sets               | 91  |
| Metal Max 100 Combi MeLED Cardiff PRO Disposable Blade & Handle Sets          | 92  |
| Metal Max 90 Combi MeLED Disposable Blade & Handle Sets                       | 92  |
| Metal Max 90 MeLED Laryngoscopes Disposable Blades                            | 93  |
| Metal Max 100 MeLED Laryngoscope Disposable Blades                            | 94  |
| Metal Max 90 MeLED Lever Tip Disposable Blades                                | 95  |
| Metal Max 100 MeLED Lever Tip Disposable Blades                               | 95  |
| Metal Max 100 MeLED Specialist Laryngoscope Disposable Blades & Handles       | 96  |
| Metal Max+ High Voltage Handles with built in Alkaline Batteries              | 97  |
| Metal Max Disposable Laryngoscope Handles                                     | 97  |
| PROACT Hydra Autoclavable Laryngoscope Handles                                | 98  |
| PROACT Reusable Standardline Laryngoscope Handles                             | 98  |
| Metal Max GS90 Green System Disposable Laryngoscope Blades                    | 99  |
| Metal Max GS90 Green System Disposable Lever Tip Blades                       | 100 |
| Metal Max GS100 Green System Disposable Laryngoscope Blades                   | 101 |
| Metal Max HPC Green System Disposable Laryngscope Blades                      | 101 |
| Metal Max GS100 Green System Disposable Specialist Laryngoscope Blades        | 102 |
| Metal Max Smoothline Green System Reusable Polished Laryngoscope Blades       | 103 |
| Metal Max Smoothline Green System Reusable Satin Finished Laryngoscope Blades | 103 |
| Metal Max Smoothine Green System Reusable Lever Tip Laryngoscope Blades       | 104 |
| Metal Max Green System Reusable Specialist Laryngoscope Blades                | 104 |
| Metal Max+ Green System Disposable Handle with Built in Alkaline Batteries    | 105 |
| Metal Max Green System Disposable Laryngoscope Handles                        | 105 |
| PROACT Smoothline Green System Reusable Laryngoscope Handles                  | 106 |
| PROACT Smoothine Comfort Grip Reusable Laryngoscope Handles                   | 106 |
| PROACT Hydra Green System Autoclavable Laryngoscope Handles                   | 107 |
|   |     |

# Airway Managment

| PRO-Breathe PVC Disposable Laryngeal Airway                             | 108 |
|---|-----|
| PRO-Breathe PVC Disposable Armourflex Laryngeal Airway                  | 108 |
| PRO-Breathe Silicone Disposable Laryngeal Airway                        | 109 |
| PRO-Breathe Silicone Disposable Armourflex Laryngeal Airway             | 109 |
| PRO-Breathe Silicone Reusable Laryngeal Airway                          | 110 |
| PRO-Breathe Silicone Reusable Armourflex Laryngeal Airway               | 110 |
| PRO-Breathe Silicone Use Oral/Nasal ET Tubes                            | 111 |
| PRO-Breathe Disposable PreFormed Nasal ET Tubes                         | 112 |
| PRO-Breathe Disposable PreFormed Oral ET Tubes                          | 113 |
| PRO-Breathe Disposable ArmourFlex ET Tubes                              | 114 |
| PRO-Breathe Disposable ET Tubes with Suction                            | 114 |
| PRO-Breathe Disposable Endobronchial Tubes                              | 115 |
| PRO-Breathe Disposable Endobronchial Blockers                           | 115 |
| PRO-Breathe Disposable Intubation Stylets                               | 116 |
| PRO-Breathe Disposable PREMIUM Introducers (Bougies)                    | 116 |
| PRO-Breathe ET Tube Introducers and Holder                              | 117 |
| PRO-Breathe Guedel Airways  | 118 |
| PRO-Breathe Nasopharyngeal Airways                                      | 118 |
| Naso-flo Nasopharyngeal Airway with O2 / optional Respiratory Indicator | 119 |
| Paediatric Emergency Care Kits  | 120 |
|   |     |













# Contents

# Recovery & Resuscitation

| PRO  | -Breathe Entonox® Filter and Mouthpiece      | 122 |
|------|--|-----|
| PRO  | -Breathe Nasal Oxygen Cannulae               | 122 |
| PRO  | -Breathe High Concentration Oxygen Mask Sets | 123 |
| PRO  | -Breathe Medium Concentration Oxygen Masks   | 123 |
| PRO  | -Breathe Oxygen Tubing                       | 124 |
| PRO  | -Breathe Nebuilizer Kits                     | 124 |
| PRO  | -Breathe Disposable Manual Resuscitator      | 125 |
| PRO  | ACT Patient Transfer Kits                    | 126 |
| Disp | osable CPR Pocket Resuscitator               | 127 |
| Suct | on Lite Manual Suction Pump and Bulb         | 127 |
| PRO  | -Breathe Puma Manual Suction Pump            | 128 |
| PRO  | -Breathe Disposable Suction Tubing           | 128 |
| PRO  | -Breathe Disposable Suction Handles          | 129 |
| PRO  | -Breathe Disposable Suction Catheters        | 129 |
| Para | medic Kit Bag Range                          | 130 |
|      |  |     |

#### Theatre & Critical Care Consumables

| Metal Max Disposable Magill Forceps                    | 132 |
|--|-----|
| Metal Max Disposable Spencer Wells Forceps             | 132 |
| Metal Max Tracheostomy Dilator Forceps                 | 132 |
| Metal Max Disposable PRO-Shears                        | 133 |
| PROACT Autoclavable Reusable Magill Forceps            | 133 |
| PROACT Autoclavable Reusable Spencer Wells Forceps     | 133 |
| PROACT Autoclavable Reusable Tracheostomy Forceps      | 133 |
| PROACT Autoclavable Reusable PRO-Shears                | 133 |
| PRO-Breathe Head Positioning Device                    | 134 |
| Thomas (Laerdal) Tube Holder                           | 134 |
| PROACT SAT (Safety Anaesthetic Trays)                  | 135 |
| Accu-PRO Pressure Infusion Bags                        | 136 |
| PRO-Breathe Disposable One Piece Anaesthetic Masks     | 137 |
| PRO-Breathe Disposable Anaestic Masks with Air Cushion | 137 |


#### NHS Supply Chain NPC Code Index

Listing of products and NHS Supply Chain NPC Purchasing Codes which are correct at time of printing. This list is regularly being updated. Please contact PROACTs Customer Service for the latest listings or to request application for an NPC Code.

#### Terms & Conditions for the Supply of Goods

Terms & Conditions Notes

146 148





Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

# Introduction

#### How to place an order - see rear of catalogue for Terms and Conditions



Order Online - Remember you can now buy the products you require online, 24 hours a day, 7 days a week from the comfort of your own home. Check out the secure PROACT Shop - www.proactshop.co.uk

By Post - Send your order to our Sales Department at the address below: PROACT Medical Ltd, 9-13 Oakley Hay Lodge, Great Folds Road, Oakley Hay Business Park, Corby, Northants, NN18 9AS. UK

By Telephone - Ring our Sales Team from 9am - 5pm (Mon - Thur) and 9am - 4pm (Fri) Sales Hotline - 01536 461981

By Fax - Fax your order to us 24 hours a day, 7 days a week Fax Order Line - 01536 461837

By E-mail - E-mail your orders to us 24 hours a day, 7 days a week Order E-mail - orders@proactmedical.co.uk

All prices exclude Delivery and VAT

Free Delivery on any NHS UK mainland orders over £100\*

\* Applies to Net value for orders to UK Mainland only

#### Please Note

All orders must include an official NHS or Company Purchase Order number (please contact our Sales or Accounts Department regarding Credit Terms)

2. All Prices are in UK Sterling and exclude Delivery Charges and VAT

3. Please quote our Part Number and Description on your Order - If in doubt please don't hesitate to contact us as orders may be delayed whilst we seek confirmation if they are not clear.

4. By placing an order you are deemed to agree to our terms and conditions for the supply of goods. This does not affect your statutory rights.

#### How to pay for your order



For BACS Payments - Please see invoice or pro-forma for BACS payment details. If in doubt please contact PROACT accounts department on 01536 461981. Please fax, 01536 461837 - or email - accounts@proactmedical.co.uk with your Remittance Advice so that we can allocate your payment correctly.



#### Payment by Cheque - Please make payable to "Proact Medical Ltd" and send to:

9 - 13 Oakley Hay Lodge, Great Folds Road, Oakley Hay Business Park, Corby, Northants. NN18 9AS, UK. Please remember to state which invoice(s) your cheque corresponds to. Items will be dispatched when payment is received



Payment by Credit Card - Call our Sales Team on 01536 461981 and we will process your payment over the telephone (sorry, we don't accept American Express due to the excessive charges incurred)

We Accept:







#### LIMITED 30 DAY MONEY BACK GUARANTEE (see also Return of Goods)

To minimise the pass-on costs of Trials, Demonstrations and Demonstration Equipment for all our Customers, PROACT Medical Ltd only supply the highest quality products and recommend that customers take advantage of our 30 Day Money Back Guarantee. Please do, however, read the conditions of this offer below.

#### PROACT Medical offer a refund to the customer only under the following conditions:-

- 1. The customer has not undertaken a demonstration / trial period prior to purchasing the product.
- 2. The customer returns the product as new, complete with original, unmarked, packaging and manuals. Please contact us for a returns authorisation number (RAN).
- 3. The customer has a valid reason for the return i.e. the product does not function as described.
- 4.. PROACT may deduct the original cost of shipping from any refund if products were sent free of charge

It is the customer's responsibility to read the product information and to check basic suitability PRIOR to ordering. If in any doubt please call one of our Product Specialists to discuss your requirements - we will be pleased to assist and ensure that you are ordering exactly what you require.

Address: PROACT Medical Ltd 9-13 Oakley Hay Lodge, Great Folds Road, Oakley Hay Business Park, Corby. Northants NN18 9AS. United Kingdom

Tel: 01536 461981 +44 1536 461981 Fax: 01536 461837

+44 1536 461837 web: www.proactmedical.co.uk

e-mail: sales@proactmedical.co.uk

VAT No: GB663285519

Company Registration No: 3096460

Registered Office: 9-13 Oakley Hay Lodge. Great Folds Road, Oakley Hay Business Park, Corby, Northants NN18 9AS United Kingdom

# Introduction

# **Delivery Times**

PROACT holds large stocks of our disposable products to ensure next working day delivery (for orders received before 2pm). As well as direct supply, they are also available via various distribution networks, including NHS Supply Chain and Bunzl (see below).

In the event that we are temporarily out of stock of an item, we will always endeavour to offer an alternative product or replenish our stocks and ship to you as soon as possible. Our Customer Support team will keep you informed of your order's progress along the way.

# Delivery Options

Free of Charge Delivery - Any NHS UK mainland orders over  $\pounds$ 100.00 are shipped free of charge via insured next day courier

1st Class Post - From £4.00 (low value items only, strictly at customer's own risk)

Next Day Courier - From £8.00 (including insurance and proof of delivery)

Emergency / Same Day Deliveries - Available on request, please call Customer Service Manager

# Return of Goods (RAN Number)

No goods will be accepted for return without a PROACT RAN (Return Authorisation Number). Please contact us to obtain a RAN with your order number or delivery note number handy. This procedure enables us to try to solve any issue you may have over the telephone. If a return is still necessary we use the RAN number to track the goods through our returns system for your benefit.

\* We reserve the right to apply a minimum 15% re-stocking charge when goods have been ordered incorrectly. Items ordered in error must be returned complete with original, unmarked packaging and manuals SUITABLE FOR RESALE AS NEW or returns may not be accepted.

# NHS Supply Chain NPC Codes

Many of our products are listed with NHS Supply Chain. If you see the logo to the right next to any of our products, please consult the index for NPC codes.

New products are added to the NHS Supply Chain catalogue all the time so please refer to this for the full listing. Alternatively you can call us, or visit our website for the most up to date list.

# Terms & Conditions - See rear of catalogue

ALL prices shown in this catalogue are in UK Sterling excluding Carriage and VAT.

Prices are intended to run until further notice. Although not our intention, we must retain the right to change prices without notice in any circumstance where this becomes necessary.

All business is subject to PROACT Medical's Terms & Conditions of Sale. Please see the back page for full terms and conditions.

Placement of a Purchase Order is deemed to constitute acceptance of our Terms and Conditions which can be found at the rear of this catalogue.



Advice / Order Hotline: 01536 461981

Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk





# NHS Supply Chain

# PROACT UK Area Sales Managers

PROACT pride ourselves on direct customer contact. We have Area Sales Managers across the United Kingdom, as well as exclusive Sales Distributors in both Northern Ireland and Eire. All our Sales Managers are trained on our full range of products. With years of experience and specialised knowledge, our Sales Managers are available to offer free of charge training to ensure you get the most out of the products you choose.

Each of our Area Sales Managers works as a team with a dedicated Office based Customer Support Advisor to ensure that all communication, quotes and queries are handled as quickly and efficiently as possible. Your Area Customer Support Advisor will offer you an excellent point of contact should you have any enquires.

On the next two pages are details of how to contact the Customer Support team along with other helpful office based contacts.



# brian.mcsherry@proactmedical.co.uk 07921 409051

Scotland Brian McSherry

Ed Fearnley

Office Contact Gerard O'Callaghan gerard.ocallaghan@proactmedical.co.uk

# 2

ed.fearnley@proactmedical.co.uk 07940 854730

**North East England** 

Office Contact Paul Kelly paul.kelly@proactmedical.co.uk

#### North West & North Wales Carl Walkden carl.walkden@proactmedical.co.uk 07872 543883

Office Contact Jayne Milne jayne.milne@proactmedical.co.uk



#### East Midlands & East Anglia Julian Wilkinson julian.wilkinson@proactmedical.co.uk

Office Contact Paul Kelly paul.kelly@proactmedical.co.uk

07738 486640

West Midlands Dave Axtell dave.axtell@proactmedical.co.uk 07841 371263

Office Contact Jayne Milne jayne.milne@proactmedical.co.uk



South West & South Wales Martin Lempriere martin.lempriere@proactmedical.co.uk 07921 409053

Office Contact Jayne Milne jayne.milne@proactmedical.co.uk



8

#### London & South East England

Greg Borein greg.borein@proactmedical.co.uk 07789 680945

Office Contact Paul Kelly paul.kelly@proactmedical.co.uk

#### London & South East England Johnny Edmonds

johnny.edmonds@proactmedical.co.uk 07860 504821

Office Contact Gerard O'Callaghan gerard.ocallaghan@proactmedical.co.uk

#### **Ambulance Service Contacts**

#### **England & Wales Ambulance Services**

Dave Axtell dave.axtell@proactmedical.co.uk 07841 371263

jayne.milne@proactmedical.co.uk

#### Scotland Ambulance Service Brian McSherry brian.mcsherry@proactmedical.co.uk 07921 409051

Office Contact Jayne Milne jayne.milne@proactmedical.co.uk

**UK Business to Business** 

Karl Kolodziejczyk

07789 748695

Office Contact

Paul Kellv

karl.k@proactmedical.co.uk

# Business to Business

**Office Contact** 

Jayne Milne

Export Carl Lawes carll@proactmedical.co.uk 07950 003251

Office Contact Lisa Tinto lisa.tinto@proactmedical.co.uk

#### Ireland Dealer Contacts

Northern Ireland Cardiac Services - Tommy Carmichael t-carmichael@cardiac-services.com 028 9066 9000 07889 658566 PROACT Office Contact Lisa Tinto lisa.tinto@proactmedical.co.uk

# paul.kelly@proactmedical.co.uk

Republic of Ireland Brennan & Company - Ivor O'Sullivan IOSullivan@brennanco.ie +353 1 2952501 00 [353] 1-295 2501 PROACT Office Contact Lisa Tinto lisa.tinto@proactmedical.co.uk

**PROACT** Product Specialists

**Dave Lester (Southern England)** 

dave.lester@proactmedical.co.uk

Colin Lyster (Northern England)

colin.lyster@proactmedical.co.uk

Brian McSherry (Scotland)

brian.mcsherry@proactmedical.co.uk

07515 974028

07540 667552

07921 409051

NICOM Non-Invasive Cardiac Output Monitor

**NICOM Non-Invasive Cardiac Output Monitor** 

**NICOM Non-Invasive Cardiac Output Monitor** 

# **PROACT** Office Staff

Customer Service Manager Gerard O'Callaghan gerard.ocallaghan@proactmedical.co.uk 01536 461981

Customer Returns - Repairs/Calibration Laura Wesson returns@proactmedical.co.uk 01536 461981

#### Quality Assurance & Regulatory Director Philip Sharman philip.sharman@proactmedical.co.uk 01536 461981

Product Manager Jennie Brownlie jennie.brownlie@proactmedical.co.uk 01536 461981

# Advice / Order Hotline: 01536 461981

## Fax Us: 01536 461837

# Nonin Proven Professional Accuracy and Value

With guidelines from organisations such as the British Thoracic Society\* now mandating the use of Pulse Oximetry as the "5th Vital Sign" alongside specified tight ranges of target patient oxygen saturation levels for oxygen therapy, can you afford anything but the most accurate Pulse Oximetry?


Reference: BTS Guideline for Emergency Oxygen use in Adult Patients - B R O'Driscoll et al - June 2008


#### PROVEN accuracy you can act on from industry leading Nonin PureSAT<sup>®</sup> & PureLight<sup>®</sup> technology


We believe that using Nonin oximeters is the best way to ensure you're getting clinically proven SpO2 accuracy, consistency and reliability in the widest range of patients and setting. Containing PureLight and PureSAT technology, Nonin Pulse Oximeters offer leading edge precision when compared to other SpO2 manufactures and against ALL of its major competitors according to several independent studies. Exceptionally accurate, from light skin to dark skin, neonates to adults, with

motion and in low perfusion scenarios, Nonin pulse oximetry systems are uncompromising. Nonin, the inventors of finger oximetry have sold towards 2 million finger oximeters globally and are, to date, the only finger oximeters to have FDA accepted claims of accuracy with low perfusion and during motion.

Please visit www.proactmedical.co.uk/nonin for videos showing comparative real time accuracy of Nonin products vs competitors under various conditions.







#### **Dark Skin Pigmentation**

Nonin demonstrates superior accuracy in the most challenging conditions such as dark skin pigmentation. See the study of the effects of oximeter probe type by John Feiner, et al. Anesthesia & Analgesia, December, 2007 for the full results.

#### Low Perfusion and Motion Nonin Purelight and PureSAT working in partnership for maximum accuracy

It is critical that the input signal of any monitoring system is as clean and as reliable as possible. Therefore Nonin use proprietry narrow band emission Purelight LEDs to give accurate and consistent input signals. This simplifies the subsequent removal of any remaining noise artefact, which is crucial to an oximeter's ability to accurately assess SpO2 in low perfusion and during motion. Nonin PureSAT technology employs powerful bespoke filtering to achieve dependable, proven accuracy in low perfusion and motion.



#### **Motion Tolerance**

Comparison of Nonin PureSAT technology vs conventional oximetry during a patient movement event. PureSAT's next generation signal processing locates the true pulse in motion. www.proactmedical.co.uk/nonin

Nonin PureSAT smart technology automatically adjusts to each patient's condition with three second averaging or less for quick, reliable readings on adult, paediatric, infant and neonate patients.

For further clinical studies, videos and product information visit our website at <u>www.proactmedical.co.uk/nonin</u>. Visit our website and see videos on the PROACT Medical YouTube Channel.



#### Patient conditions can be unpredictable. Pulse oximeter safety and accuracy shouldn't be.

The ISO 80601-20-61 international standard detailed for the first time, the basic safety and essential performance criteria, both clinical and environmental, to be achieved by Pulse Oximeters. All Nonin Pulse Oximeters are fully type tested (not just designed to comply) and comfortably exceed the requirements of ISO 80601-20-61 to give you the confidence you need.

This key international standard has specific detailed requirements for a wide range of parameters, the most important of which are:

- Pulse oximeter accuracy
- Durability and drop testing
- Basic safety features
- Alarm systems and signal inadequacy indications
- Electromagnetic compatibility
- Vibration, mechanical and noise test
- Fluid ingress to IPX2, cleaning, sterilisation
- Disinfection and biocompatibility
- Full detailed definitions of accuracy testing systems
- Accuracy data analysis and accuracy data presentation





#### **UNIQUE** 5 year 'Drop Inclusive' warranty cover\* - No competitor will match us!

We are so confident of the reliability and durability of the Nonin Oximeter professional range\* that in 2009 we are started offering a unique 5 year 'drop inclusive warranty' on Nonin finger and hand held oximeters. We are STILL the only company to do this!

This covers failure of the device in the unlikely event it should cease to operate correctly due to being dropped from a standard use operating height (around 1 metre, but we're not going to quibble). In the event that a unit needs to come back to us, we will provide the option of free of charge loan equipment whilst your unit is being repaired free of charge under warranty. (Subject to warranty conditions)

#### What does this mean to you?

Just watch the videos at www.proactmedical.co.uk/nonin of inferior quality and/or cheap finger oximeters being dropped from 1 metre and breaking very soon after.

How many times a year do you expect a finger oximeter to be dropped accidently?

How much hassle will it be trying to claim against someone elses Warranty that won't cover you then having to organise a replacement...and probably having to pay for it.

How much will these replacements, time and hassle cost you over 5 years?

With a low cost, poor quality oximeter how accurate will the readings be - can you be confident?

Experience has shown that a Nonin Professional Range Oximeter will very likely still be in service in 10 years time - how much could you save over that time?

5 year average failure rates of Nonin Professional Range oximeters are less than 0.5%...which is amazing!

#### Lowest Life Costs Example based on Nonin 9590 Onyx

Assuming list price of £149.00\* and proven average life of Onyx oximeters greater than 5 years then average cost per annum will be £149.00\* divided by 5 which equals £29.80 with no extra hassle to replace or repair and no extra costs of purchase time and delivery for replacements.

The only finger oximeters with FDA approved motion and low perfusion accuracy claims with legendary durability and ease of use for less than £30.00 per year

#### Free annual check to meet ISO 9001:2005 Calibration Record requirements

PROACT are also offering to conduct a free of charge\* annual calibration validation check on any in warranty Nonin Oximeter at our in-house service centre, Corby, UK. For an additional £10.00\*, we will also carry out Calibration Certification checks on any oximeters out of warranty as well as other manufacturer's pulse oximetry if required. Should any oximeter be out of warranty or another manufacturer and fail calibration testing then we will quote estimates for any possible repair and rectification prior to undertaking any further work.

All validated oximeters will receive a certificate which can be used to show compliance with ISO 9001:2005 QA systems. Tests are carried out using the very latest oximetry testing equipment which checks the accuracy of both the sensor and display unit against the manufacturer's original specification.

\*ex VAT and carriage



# Or Email Your Order: orders@proactmedical.co.uk

For OxSim Simulator, see page 88



9

# Nonin 9590 Onyx Vantage Finger Oximeter

- Patented auto ON / OFF when finger is inserted / removed
- Simplest, most user friendly Pulse Oximeter on the market
- Unparalleled reliability and accuracy which is trusted by hospital / EMS and clinicians World-wide
- Easily positioned on paediatric to large adult patients
- (8mm 26mm digit thickness suitable for fingers thumbs or toes) • Features a unique pulse quality indicator which offers a fast
- and simple "Green is Good" assessment of signal quality - this replaces and removes the need for a plethysmographic waveform
- Compact enough to carry at all times and weighs only 60g
- Does not display a reading until signal quality indictator is green
- The clear LED display can be read in any environment, in any light
- Fully serviceable and repairable even after expiry of the five year 'Drop Inclusive' Warranty
- · Self Tests No routine maintenance or recalibration required
- Battery: Two AAA size Alkaline batteries (included)
- New battery holder system allows no tool battery change in 15 seconds
- · Battery Operating Life: 36 hours continuous use
- Highly efficient now with 6000 spot checks from two AAA batteries
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with new International Standard for Pulse Oximeters
- See the proof for yourself comparative videos at www.proactmedical.co.uk/nonin



| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| 9590-BK  | FBC134   | 9590 Onyx <sup>™</sup> Vantage Finger Pulse Oximeter (Black)<br>Includes FREE Cushioned Carry Case, Neck Cord, 2x AAA Battery and User Manual. | Single | £149.00 |
| 9590-BL  |          | 9590 Onyx™ Vantage Finger Pulse Oximeter (Blue)<br>Includes FREE Cushioned Carry Case, Neck Cord, 2x AAA Battery and User Manual.              | Single | £149.00 |
| 9590-RD  |          | 9590 Onyx™ Vantage Finger Pulse Oximeter (Red)<br>Includes FREE Cushioned Carry Case, Neck Cord, 2x AAA Battery and User Manual.               | Single | £149.00 |
| 9590-PU  |          | 9590 Onyx™ Vantage Finger Pulse Oximeter (Purple)<br>Includes FREE Cushioned Carry Case, Neck Cord, 2x AAA Battery and User Manual.            | Single | £149.00 |

# **5 YEAR DROP WARRANTY**

The Onyx 9590 (along with all other Handheld and Finger Pulse Oximeters) comes with a 5 Year Drop Inclusive Warranty. Less than £30.00 per year for accurate and dependable Nonin Pulse Oximetry!

In addition to the usual warranty, the 'Drop Warranty' also covers failure should the device cease to operate due to being dropped from a standard operating height. Please see <u>www.proactmedical.co.uk/nonin</u> for full terms and conditions. See page 9 for full details.





You Tube

#### See the Proof - PROACT Medical YouTube Performance Comparison

Nonin pulse oximeters are scientifically proven to be accurate in the most challenging of cases. In an independent study conducted by Clinimark Clinical Testing & Validation Services, three finger pulse oximeters and one tabletop pulse oximeter were attached to a subject and for the first minute, a commercially available re-breather was used to induce hypoxia.


As the chart below illustrates, only the Nonin Onyx and Nellcor pulse oximeters were found to have significantly superior accuracy, correctly tracking the subject's de-saturation down to 81-82% SpO2, and back up to 96% SpO2. We leave you to make your own mind about the clinical acceptability of the other two representative pulse oximeters, A and B.

www.nonin.com/producttraining for videos and training material

| SpO <sub>2</sub> Values Over Time |      |      |      |      |      |      |      |      | $\left( \right)$ |      |      |      |
|-----------------------------------|------|------|------|------|------|------|------|------|------------------|------|------|------|
|                                   | 0:10 | 0:20 | 0:30 | 0:40 | 0:50 | 1:00 | 1:10 | 1:15 | 1:20             | 1:25 | 1:30 | 1:35 |
| Nonin Onyx                        | 97   | 98   | 97   | 95   | 92   | 89   | 85   | 84   | 81               | 92   | 96   | 96   |
| Nellcor™                          | 98   | 98   | 98   | 98   | 93   | 91   | 86   | 85   | 82               | 84   | 93   | 96   |
| Oximeter A                        | 98   | 98   | 97   | 97   | 98   | 96   | 96   | 95   | 95               | 95   | 98   | 98   |
| Oximeter B                        | 97   | 97   | 98   | 96   | 96   | 97   | 96   | 95   | 95               | 97   | 99   | 99   |

# SpO<sub>2</sub> Values Over Time

Only Nonin Onyx<sup>®</sup> and Nellcor<sup>™</sup> pulse oximeters accurately tracked the subject's desaturation.



#### See the Proof

View the video of the performance comparison, as well as further studies and technical reports, for yourself at http://www.proactmedical.co.uk/nonin/

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837





#### Nonin 9570 GO2 Fingertip Pulse Oximeter

- · Cost effective solution for pulse oximetry, ideal for home and personal use
- Patient facing display for ease of use
- Compact and lightweight design with easy read backlit LCD display
- Ergonomically designed for total clarity
- Easily positioned on fingers from paediatric to large adult (8mm 26mm finger thickness)
- Battery life approximately 2400 spot checks based on 21 hours of operation using one AAA alkaline battery calculated at 30 seconds/spot check
- Available in a choice of colours: orange, blue or green
- Two Year Warranty
- Auto ON / OFF when finger is inserted / removed
- · Simplest, most user friendly Pulse Oximeter on the market
- · Compact enough to carry at all times and weighs only 60g
- · Self Tests No routine maintenance or recalibration required
- Battery holder system allows no tool battery change in 15 seconds
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with new International Standard for Pulse Oximeters
- See the proof for yourself comparative videos at

www.proactmedical.co.uk/nonin



You Tube

WinDureLight SAT sensor & signal technology

GO

| Part No.  | NPC Code | Description   | Qty    | Price  |
|-----------|----------|---|--------|--------|
| 9570-B-EN |          | Nonin GO2 Pulse Oximeter (Blue) - Includes 1x AAA Battery and User Manual   | Single | £67.50 |
| 9570-G-EN | FBC189   | Nonin GO2 Pulse Oximeter (Green) - Includes 1x AAA Battery and User Manual  | Single | £67.50 |
| 9570-O-EN |          | Nonin GO2 Pulse Oximeter (Orange) - Includes 1x AAA Battery and User Manual | Single | £67.50 |
| 9500CC-P  |          | Cushioned Black Carry Case for Nonin Finger Oximeters - PROACT Branded      | Single | £1.95  |
| 9570-GO2L |          | Lanyard for the Nonin GO2 Finger Pulse Oximeter                             | Single | £6.00  |



#### 95 Onyx I Nonin 9550 Onyx Digital Finger Oximeter • The ultimate finger oximeter - huge capabilities, huge reputation · Extremely robust unit built to MIL standards and military field tested for durability in the toughest environments ever Battery shelf life of 35.000 hours (4 years) for storage/incident pods · Auto ON / OFF when finger is inserted / removed · Simplest, most user friendly Pulse Oximeter on the market · Unparalleled reliability and accuracy which is trusted by hospital / EMS and clinicians World-wide · Easily positioned on paediatric to large adult patients (8mm - 26mm digit thickness suitable for fingers thumbs or toes) · Features a unique pulse quality indicator which offers a fast and simple "Green is Good" assessment of signal quality - this replaces and removes the need for a plethysmographic waveform · Compact enough to carry at all times and weighs only 60g • Does not display a reading until signal quality indictator is green • The clear LED display can be read in any environment, in any light · Fully serviceable and repairable even after expiry of the five year 'Drop Inclusive' Warrantv · Self Tests - No routine maintenance or recalibration required · Battery: Two AAA size Alkaline batteries (included) MONT · New battery holder system allows no tool battery change in 15 seconds • Battery Operating Life: 36 hours continuous use · Highly efficient with 6000 spot checks from two AAA batteries · ISO 8060 1-20-61 Compliant - All Nonin Oximeters are fully type tested to comply with new International Standard for Pulse Oximeters You Tube · See the proof for yourself - comparative videos at www.proactmedical.co.uk/nonin NPC Code Description Part No. Qtv Price 9550 **FBC135** 9550 Onyx II™ Finger Pulse Oximeter with Soft Carry Case Single £229.00 Includes FREE Cushioned Carry Case, Lanyard, 2x AAA Battery and User Manual. 9550.1 9550 Onyx II<sup>™</sup> Finger Pulse Oximeter with Justice Hard Case £253.00 Sinale As above but Includes Justice Mark II Hard Case 80 Nonin 9560 Onyx Digital Finger Oximeter Onyx I Continua with Bluetooth Wireless Pod • All features are as above i.e 9550 Onyx Finger Oximeter EXCEPT FOR: · Secure Bluetooth 2.0 technology ensures that a secure connection is made between devices which meets the IEEE 11073 and Continua standards · Extended range of up to 100m for added mobility Connects to Microsoft® HealthVault™ online health database · Continua compliant (Nonin are a founder member of Continua) • 2 YEAR NONIN WARRANTY 😵 Bluetooth° Please see http://nonin.com/technology/telemedicine for up to date applications and solutions which are Nonin 9560 compatible

| Part No. | NPC Code | Description   | Qty    | Price   |
|----------|----------|---|--------|---------|
| 9560     |          | Nonin 9560 Bluetooth Finger Pulse Oximeter - Includes FREE Cushioned carry case, x2 AA batteries<br>and lanyard | Single | £399.50 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837




- · Designed for use with nVision Data Management Software
- · Now compatible with Visi-Download Software

Part No.

3150KIT


3150



#### Stowood Visi-Download Oximetry Analysis Now compatible with Nonin 3150 WristOx2

Includes Adult Soft Sensor, Wrist Straps and x2 AAA batteries.

- · Easily extract trend data from Pulse Oximeters, Capnographs and Sleep Recorders to compatible Windows XP/7/8 computers for viewing, analysis and reporting
- Two software levels: Basic, for those whose job is to acquire and send on data. Advanced, for a more detailed analysis
- · Report generator for easy customisation of your reports. All saveable, printable and exportable in Adobe or Microsoft Word format.
- · Simple interface provides a one step automated download, analyse and print
- · Support for six languages: English, French, German, Spanish, Italian and Dutch
- · Choose how you view your data with an intuitive interface (full control over scales, time axes and compression
- · Events are marked on traces (e.g low perfusion, artefact etc), hese or other periods may be automatically or manually by marking excluded from analysis
- Audio playback feature for sound recording
- Free trial available online at stowood.co.uk/downloads
- · Also compatible with many other manufacturers Pulse Oximeters. Contact us for a full list



Stowood

NEV 201

| Part No.  | NPC Code | Description  | Qty    | Price   |
|-----------|----------|--|--------|---------|
| STVD00011 |          | Stowood Visi-Download Data Management Software<br>Email Key Code License | Single | £495.00 |
| STVD00012 |          | Stowood Visi-Download Data Management Software Dongle License            | Single | £540.00 |

#### Nonin nVision 6.4 Data Management Software

- · New updated software with free of charge Web Download Upgrades
- · Powerful and comprehensive reporting, analysis, editing and archiving software, now with reports for Capnography respiration as well as SpO2 and Heart Rate (TrendSense memory module required for capnography only)
- All reports show user settings for fast analysis of statistics
- · User friendly and intuitive Windows based application with online help facility
- · Customise reports, PDF or print from a choice of default settings
- · Fast and simple editing saves staff administration time
- · Access patient data instantly via simple search function
- Compatible with Windows 8 / Windows 7 / 2000 / XP / Vista
- · See below for compatible Nonin monitors
- · Contact us for a free of charge demonstration trial
- Visit nonin.com/nvision for demos and support4





| Part No.     | NPC Code | Description   | Qty    | Price   |
|--------------|----------|---|--------|---------|
| NVISION3150  |          | Nonin nVision PC Software for 3150 WristOx - Includes USB download cable                | Single | £279.00 |
| NVISION2500  |          | Nonin nVision PC Software for 2500, 8500 & 9840 Models - Includes serial download cable | Single | £279.00 |
| NVISIONAVANT |          | Nonin nVision PC Software for AVANT Monitors - Includes serial Download Cable           | Single | £279.00 |

#### Using Nonin nVision Software with your Nonin Device

Designed to provide effortless viewing, professional analysis, report generation and reliable data storage, the nVISION software package is a powerful yet cost-effective solution for oximetry screening, capnography and 6MWT (six minute walk test) reporting. The simple functionality of nVISION makes it useful for nearly any screening situation where an accurate reading of blood oxygen saturation and pulse rate is needed

1) Nvision Software is ideal for: **Critical Care Departments** Cardiopulmonary Rehab Sleep Labs Home Care **Respiratory Care Departments** 2) Capture SpO2 data with: 3150 WristOx2 - nVision enables access to additional features including programmable start and stop times, display options and sample rate plus memory management 2500 / 2500A PalmSAT 8500M 7500 Series **9600 AVANT 2120 AVANT** 7500FO MRI PulseSense / RespSense / LifeSense 3) Capture CO2 RR and SpO2 data with RespSense / LifeSense - also requires Trendsense Module - see above 3) Connect the download cable to the port

of your monitor and your computer and follow the nVision data-transfer wizard

4) Analyse patient information using the user-friendly icons to:


Adjust the criteria for events which are marked and colour coded for easy reference Zoom in or out on events To see the entire study at once or view data minute-by-minute Add case specific information In a user defined field Exclude suspect data to concentrate on valid data

5) Customise reports or print from a choice of three standard reports - shown right

**Oximetry Report** Strip Chart Report **Full Study Report** 

Time base and Y axes are fully adjustable to suit your report.

6) Archive patient data in personal history file for quick retrieval or export to ASCII file. Encrypted file formats can only be viewed by nVision users. Print as PDF or direct to printer.



# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# Nonin 8500 Series Hand Held Digital Oximeter

- Hugely reliable and durable work horse hand held pulse oximeter for when you need affordable, accurate and dependable oximetry in your hand
- Features a unique pulse quality indicator which offers a fast and simple "Green is Good" assessment of signal quality
- this replaces and removes the need for a plethysmographic waveform
- Suitable for spot checks or continuous monitoring for neonates to large adults
   Comparish a suitable for an and four light Compare
- Compatible with Nonin's full range of Purelight Sensors
- Durable and rugged construction for performance in the toughest environments
   Adjustable display brightness allows battery conservation
- Adjustable display brightness allows battery conse
- Battery: Six AA Alkaline batteries (included)

*Battery Operating Life:* Up to 100 hours (160 hours with low display brightness) *Memory:* 18 hours (option available on 8500M model only - nVision compatible)

- Lowest life costs of any hand held oximeter on the market
- 5 Year Drop Inclusive Warranty on main unit (2 year warranty on soft sensor)
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to
- comply with the new International Standard for Pulse Oximeters • For sensors, full options and accessories, see from page 20
- Serves Serves Source and the server of the

| Part No. | NPC Code | Description   | Qty    | Price   |
|----------|----------|---|--------|---------|
| 8500     | FBC138   | Nonin 8500 Digital Oximeter (No alarms model)<br>Includes free cushioned Carry Case, Adult Soft Sensor (1m), 6x AA Batteries and User Manual                      | Single | £349.00 |
| 8500M    |          | Nonin 8500M Digital Oximeter with 18 hour Memory - nVision compatible Includes free cushioned Carry Case, Adult Soft Sensor (1m), 6x AA Batteries and User Manual | Single | £399.00 |

# <section-header><section-header>

#### Nonin 2500 PalmSAT Series Digital Oximeter

- Simple to use two button operation and intuitive user interface
- Unique pulse quality indicator offers simple assessment of signal quality and eliminates need for plethysmographic waveform to confirm sensor placement.
- Reliable and accurate Nonin PureSAT SpO<sub>2</sub> technology.
  Compact, rugged and lightweight portable unit
- For added durability the 2500 features a built in rubber bumper and also comes with free cushioned carry case (see Nonin 8500 page left)
- Battery: x4 1.5v AA Size Alkaline Batteries (included / or see below for charger)

*Battery Operating Life:* Up to 80 hours (x4 AA Alkaline or 40 hours on optional NiMH rechargeable battery pack

Memory: 72 hours as standard - nVision compatible

- Large red LED display can be read in all conditions
- Unique Drop Inclusive 5 Year Warranty (2 year warranty on soft sensor)
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters
- For sensors, full options and accessories, see from page 20



| Part No.   | NPC Code | Description   | Qty    | Price   |
|------------|----------|---|--------|---------|
| 2500       | FBC136   | Nonin 2500 PalmSAT with Memory<br>Includes cushioned soft Carry Case, Adult Soft Sensor (1m), Batteries and User Manual                             | Single | £449.00 |
| 2500A      | FBC137   | Nonin 2500A PalmSat with User Adjustable Alarms and Memory<br>Includes cushioned soft Carry Case, Adult Soft Sensor (1m), Batteries and User Manual | Single | £499.00 |
| 2500C-UNIV | FBC333   | Complete Charger Stand Kit for Nonin PalmSAT Monitors<br>Includes Charger Stand, NiMH Batteries and Power Cable                                     | Single | £200.00 |

7500

urel ight

#### Nonin 7500 Table Top Pulse Oximeter

- · Incredibly user friendly with clear intuitive controls and display
- · Bright LED Display offers clear readability for the user
- Features a unique pulse quality indicator which offers a fast and simple "Green is Good" assessment of signal quality
   this replaces and removes the need for a plethysmographic waveform
- Durable / rugged design and construction
- · Monitors neonate to adult patients in acute care to homecare environments
- · Lowest life costs for any quality tabletop oximeter
- Features a flexible alarm management system including patient security mode and a user-defined default that offers customisable patient settings
- Power: 7.2v NiMH built in Battery Pack (included) or mains operation Battery Operating Life (Fully Charged): 16 hours minimum Memory: 70 hours (assuming continuous operation) - nVision compatible
- Full 3 year warranty on main unit, 2 year warranty on sensor and 1 year
- warranty on all rechargeable battery packs
  ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters
- For sensors, full options and accessories, see from page 20
- •Optional Carry Case Please see page 22

| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| 7500     | FBC139   | Nonin 7500 Table Top Pulse Oximeter - Includes Adult Soft Sensor (3m), Power Cord and Charger,<br>Internal Rechargeable NiMH Battery Pack and Operators Manual | Single | £695.00 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

You Tube

#### Nonin 2120 AVANT SpO<sub>2</sub> & NIBP Monitor

- $\bullet$  Dual function NIBP and  ${\rm SpO}_2$  device with proven PureSAT  ${\rm SpO}_2$  technology
- High end hospital grade Suntech<sup>™</sup> oscillometric NIBP monitoring
- 33.5 hour SpO<sub>2</sub> memory and 300 reading on-screen full display history
  Features a unique pulse quality indicator which offers a fast
- and simple "Green is Good" assessment of signal quality - this replaces and removes the need for a plethysmographic waveform
- Suitable for transport use with optional 12VDC connector cable
- Bright LED display and colour coded icons and display to indicate status
  LED displays change colour from green to orange to red (and flash) dependant on alarm status giving totally clear information
- Power: 7.2v NiMH built in Battery Pack or mains operation
   Battery Operating Life (Fully Charged): Minimum 5 hours continuous
   Memory: 33.5 hour memory nVision (SpO2 only) compatible
- · 3 year warranty on main unit (2 years on sensor)
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters
- · For sensors, full options and accessories, see from page 20



Avant™

| Part No.     | NPC Code | Description   | Qty    | Price    |
|--------------|----------|---|--------|----------|
| 2120         |          | Nonin 2120 AVANT SpO <sub>2</sub> & NIBP Monitor with Alarms and Memory - Includes<br>Adult Soft Sensor (3m), Adult NIBP Cuff, Power Cord, Charger and Manual | Single | £1295.00 |
| X1TL-3602SMQ |          | Large Adult NIBP Cuff - For use with Nonin 2120 Monitors  | Single | £20.90   |
| X1TL-3605SMQ |          | Child NIBP Cuff - For use with Nonin 2120 Monitors  | Single | £14.90   |

Avant"

#### Nonin 9600 AVANT Table Top Pulse Oximeter

- Reliable and accurate monitor utilising Nonin PureSAT SpO2 technology
- Versatile design for use with neonates to adults, for emergency use to long term bedside monitoring
- Features a unique pulse quality indicator which offers a fast and simple "Green is Good" assessment of signal quality
- this replaces and removes the need for a plethysmographic waveform
- Suitable for transport use with optional 12VDC connector cable
- Light and compact unit, field tested for durability
- User defined settings including nurse call function
- Patient security mode prevents inadvertent setting changes
- Power: 7.2v NiMH Battery Pack (included) or mains operation
   Battery Operating Life (Fully Charged): Minimum 12 hours continuous or
   AC/DC power
- Memory: Unparalleled 115 hour memory nVision compatible
- Full 3 year warranty on main unit (2 year warranty on sensor)
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters
- For sensors, full options and accessories, see from page 20



| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| 9600     |          | Nonin 9600 Table Top Pulse Oximeter - Includes Adult Soft Sensor (3m), Power Cord and Charger,<br>Internal Rechargeable NiMH Battery Pack and Operators Manual | Single | £995.00 |

#### Nonin 7500FO MRi Conditional Dual Fibre Optic Pulse Oximeter

- MRI conditional, please call product specialist and read operators manual for installation and application requirements and advice
- Monitor unit designed for placement within control room with fibre optic cable
  passing through magnetic isolation tunnel to MRI scanner area
- No risk of RF Burns with the two way fibre optic MRi compatible non conductive sensor cables
- Uses proven Nonin PureSAT PureLight technology
- · Intuitive front mounted controls on a durable robust unit
- Large LED display which is easily read from a distance
- Pulse quality indicator detects patient movement or signal quality changes
- Sensor fault indicator indicates when the sensor has become disconnected, misaligned or has failed
- $\bullet$  User adjustable alarms with audible and visual  $\mbox{SpO}_2$  and pulse rate alarms
- Power: 7.2v NiMH built in Battery Pack or mains operation
   Battery Operating Life (Fully Charged): 12 hours minimum)
   Memory: 70 hours (assuming continuous operation) nVision compatible
- Full 3 year warranty on main unit, 1 year warranty on all rechargeable battery packs. Sensor covered for 90 days.
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters



**7500FO** 






| lesied lo |                   | the new international Standard for Pulse Oximeters  |        |          |
|-----------|-------------------|---|--------|----------|
|           |                   |   |        |          |
|           |                   | Tronin. Co C  |        |          |
|           | reLigh<br>SAI sen | t<br>sor å<br>tal technology  |        |          |
| Part No.  | NPC Code          | Description   | Qty    | Price    |
| 7500FO    | FBC184            | Nonin 7500FO Table Top MRi Pulse Oximeter - Includes Power Cord, Charger, internal NiMH battery | Single | £1395.00 |

| ran No.   |        | Description   | Gety   | THEE     |
|-----------|--------|---|--------|----------|
| 7500FO    | FBC184 | Nonin 7500FO Table Top MRi Pulse Oximeter - Includes Power Cord, Charger, internal NiMH battery pack and Operators Manual (Supplied with Pole Mount Clamp) - SENSOR NOT INCLUDED. See below | Single | £1395.00 |
| 8000FC-30 | FBC185 | Nonin Adult/Paediatric Fibre Optic MRI Compatible Sensor - 9m cable (don't forget wraps as below)   | Single | £1295.00 |
| 8000FI-30 |        | Nonin Infant/Paediatric Fibre Optic MRI Compatible Sensor - 9m cable (don't forget wraps as below)  | Single | £1295.00 |
| 8000FW    |        | Reusable Velcro Finger Wrap for use with Fibre Optic Sensors -essential for correct operation   | 2      | £10.50   |
| 8000TW    |        | Reusable Velcro Toe Wrap for use with Fibre Optic Sensors - essential for correct operation   | 2      | £10.50   |

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837



| NHS NPC Code | Description  | Qty  | Price  |
|--------------|--|--|--|
| FBC089       | Nonin Adult Articulated Clip Finger Sensor - 1m Cable              | Single   | £127.95  |
|              | Nonin Adult Articulated Clip Finger Sensor - 2m Cable              | Single   | £134.00  |
|              | Nonin Adult Articulated Clip Finger Sensor - 3m Cable              | Single   | £139.55  |
|              | Nonin Adult Articulated Clip Finger Sensor (WristOx2) - 0.3m Cable | Single   | £127.95  |
| FBC186       | Nonin Paediatric Articulated Clip Finger Sensor - 1m Cable         | Single   | £127.95  |
|              | Nonin Paediatric Articulated Clip Finger Sensor - 3m Cable         | Single   | £139.55  |
| FBC328       | Nonin Ear Clip Sensor - 1m Cable                                   | Single   | £127.95  |
|              | Nonin Reflectance Forehead Sensor - 0.5m Cable                     | Single   | £127.95  |
|              | FBC089<br><br>FBC186<br><br>FBC328                                 | FBC089       Nonin Adult Articulated Clip Finger Sensor - 1m Cable          Nonin Adult Articulated Clip Finger Sensor - 2m Cable          Nonin Adult Articulated Clip Finger Sensor - 3m Cable          Nonin Adult Articulated Clip Finger Sensor (WristOx2) - 0.3m Cable         FBC186       Nonin Paediatric Articulated Clip Finger Sensor - 1m Cable          Nonin Paediatric Articulated Clip Finger Sensor - 3m Cable         FBC328       Nonin Ear Clip Sensor - 1m Cable | FBC089       Nonin Adult Articulated Clip Finger Sensor - 1m Cable       Single          Nonin Adult Articulated Clip Finger Sensor - 2m Cable       Single          Nonin Adult Articulated Clip Finger Sensor - 3m Cable       Single          Nonin Adult Articulated Clip Finger Sensor - 3m Cable       Single          Nonin Adult Articulated Clip Finger Sensor - 3m Cable       Single         FBC186       Nonin Paediatric Articulated Clip Finger Sensor - 1m Cable       Single          Nonin Paediatric Articulated Clip Finger Sensor - 3m Cable       Single         FBC328       Nonin Ear Clip Sensor - 1m Cable       Single |

Warranty Suitable for...



#### 8000S Series Reusable Soft Silicone Sensors

· Easy clean with Kevlar cable, with amazing Nonin durability for rugged environments

| 2 years  |
|--|
| Spot Checks     Short / Medium Term Mor     8000SL - Digit Thickness |

- onitoring s: 12.5 - 25.5mm
- 8000SM Digit Thickness: 10 19mm
- 8000SS Digit Thickness: 7.5 12.5mm

| Part No.   | NHS NPC Code | Description  | Qty    | Price   |
|------------|--------------|--|--------|---------|
| 8000SL-1   | FBC091       | Nonin Large Adult Soft Finger Sensor - 1m Cable              | Single | £124.60 |
| 8000SL-3   |              | Nonin Large Adult Soft Finger Sensor - 3m Cable              | Single | £135.65 |
| 8000SL-WO2 |              | Nonin Large Adult Soft Finger Sensor (WristOx2) - 0.3m Cable | Single | £124.60 |
| 8000SM-1   |              | Nonin Adult Soft Finger Sensor - 1m Cable                    | Single | £124.60 |
| 8000SM-3   |              | Nonin Adult Soft Finger Sensor - 3m Cable                    | Single | £135.65 |
| 8000SM-WO2 |              | Nonin Adult Soft Finger Sensor (WristOx2) - 0.3m Cable       | Single | £124.60 |
| 8000SS-1   | FBC092       | Nonin Child Soft Finger Sensor - 1m Cable                    | Single | £124.60 |
| 8000SS-3   |              | Nonin Child Soft Finger Sensor - 3m Cable                    | Single | £135.65 |
| 8000SS-WO2 |              | Nonin Child Soft Finger Sensor (WristOx2) - 0.3m Cable       | Single | £124.60 |



#### 8000J Series Reusable FlexiWrap Hybrid Sensors

· Secure reusable application with disposable wrap

#### 90 days

Motion Situations

- Extended Monitoring
- 8000J Patient Size: > 20kg
- 8008J Patient Size: 2 20kg
- 8001J Patient Size < 2kg

Reusable wrap sensor held in place using soft disposable adhesive FlexiWraps

| Part No.  | NHS NPC Code | Description  | Qty    | Price  |
|-----------|--------------|--|--------|--------|
| 8000J     | FBC187       | Nonin Adult Flex Sensor - 1m Cable (includes 25 disposable Flexiwraps)         | Single | £82.95 |
| 8000J-3   |              | Nonin Adult Flex Sensor - 3m Cable (includes 25 disposable Flexiwraps)         | Single | £94.60 |
| 8000J-WO2 |              | Nonin Adult Flex Sensor (WristOx2) (includes 25 disposable Flexiwraps)         | Single | £82.95 |
| 8008J     | FBC100       | Nonin Infant Flex Sensor - 1m Cable (includes 25 disposable Flexiwraps)        | Single | £82.95 |
| 8001J     |              | Nonin Neonate Flex Sensor - 1m Cable (includes 25 disposable Flexiwraps)       | Single | £82.95 |
| 8000JFW   | FBC188       | Nonin Replacement disposable Flexiwraps for use with Nonin Adult Flex Sensor   | 25     | £16.45 |
| 8001JFW   |              | Nonin Replacement disposable Flexiwraps for use with Nonin Neonate Flex Sensor | 25     | £16.45 |
| 8008JFW   |              | Nonin Replacement disposable Flexiwraps for use with Nonin Infant Flex Sensor  | 25     | £16.45 |

jgh

s

| Image: Second                         | 7000 Series Disposable F<br>• Patient dedicated solution for infection control<br>Warranty<br>Suitable for | exi-Form Micro Foam Sensors<br>al. Single patient use.<br>Disposable<br>• Motion Situations / Infection Control<br>• Extended Monitoring<br>• 7000A - Patient Size: > 30kg<br>• 7000P - Patient Size: > 10kg<br>• 7000I - Patient Size: > 20kg<br>• 7000N - Patient Size < 2kg (>30kg for adults) |
|--|--|---|
| Part No. NHS NPC Code Description<br>7000A-24 Nonin Adult Flexi-Form Set<br>7000P-24 Nonin Paediatric Flexi-Form<br>7000I-24 Nonin Infant Flexi-Form Set<br>7000N-24 Nonin Neonatal Flexi-Form   | m Sensor - 1m Cable<br>ensor - 1m Cable  | Qty         Price           24         £255.00           24         £255.00           24         £255.00           24         £255.00           24         £255.00           24         £255.00   |
| E Constantes de la constante de la con | 6000 Series Disp<br>• Patient dedicated solution for infection contro<br>Warranty<br>Suitable for          | Single patient use.      Disposable      Motion Situations / infection Control      Extended Monitoring      6000A - Patient Size: > 30kg      6000P - Patient Size: > 10kg      6000I - Patient Size: 2 - 20kg      6000N - Patient Size < 2kg (>30kg for adults)                                |
| Part No. NHS NPC Code Description<br>6000A-24 Nonin Adult Cloth Sensor -<br>6000P-24 Nonin Paediatric Cloth Sensor<br>6000I-24 Nonin infant Cloth Sensor<br>6000N-24 Nonin Neonatal Cloth Sensor   | nsor - 1m Cable<br>- 1m Cable  | Qty         Price           24         £225.00           24         £225.00           24         £225.00           24         £225.00           24         £225.00  |
|  | Nonin Extension Cab<br>• Increased monitoring flexibility. Reusable<br>Warranty<br>Suitable for            | Extensions: 12 months<br>Interface Cables: 90 days<br>Extensions:<br>• All Nonin oximeters except the WristOx, 7500FO<br>and the 8600<br>Interface Cables:<br>• See below   |

| Part No.  | NHS NPC Code | Description  | Qty    | Price   |
|-----------|--------------|--|--------|---------|
| UNI-EXT-1 | FBC101       | Nonin Extension Cable - 1m Cable   | Single | £41.40  |
| UNI-EXT-3 |              | Nonin Extension Cable - 3m Cable   | Single | £67.17  |
| UNI-EXT-6 |              | Nonin Extension Cable - 6m Cable   | Single | £108.00 |
| UNI-EXT-9 |              | Nonin Extension Cable - 9m Cable   | Single | £138.00 |
| UNI-RA-0  |              | Nonin Right Angled Cable - 12cm Cable  | Single | £30.00  |
| 3150i     |              | Nonin Patient Interface Cable for use WristOx2 - allows use of Nonin Standard Sub-D type sensors | Single | £48.50  |

# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

|               | Finger Pulse Oximeters Acc   | essories |         |  |
|---------------|--|----------|---------|--|
| Product Code  | Description  | QTY      | Price   | Contractor of the local division of the loca |
| 9500CC-P      | Cushioned Black Carry Case for original Nonin Finger Oximeters                               | 1        | £4.95   | PROACT 9500CC-P  |
| 9500-JM2-CC   | Justice Mark II Hard Case for original Nonin Oximeters                                       | 1        | £28.17  |  |
| 9500CC-N      | Compact Finger Oximeter Case   | 1        | £1.95   |  |
| 9500L-BSINGLE | Replacement Lanyard for original Nonin Onyx 9500 Finger Oximeter only                        | 1        | £4.40   |  |
| 9500ES-SINGLE | External Spring for original Nonin Onyx 9500 Finger Oximeter                                 | 1        | £7.95   |  |
| 9500BD-SINGLE | Battery Door for original Nonin Onyx 9500 Finger Oximeter                                    | 1        | £11.15  | 9500-JM2-CC  |
| 9570-GO2L     | Lanyard for the Nonin GO2 Finger Oximeter  | 1        | £6.00   |  |
| 9570-GO2R     | Retractable Lanyard Holder for the Nonin GO2 Finger Oximeter                                 | 1        | £9.00   | Errandiv   |
| 9590-LAN      | Lanyard for the original Nonin 9590 Finger Oximeter  | 1        | £6.00   | 9500CC-N   |
|               | Hand Held Pulse Oximeters A  | ccessori | es      |  |
| HH-CC         | Deluxe Nonin Cushioned Carry Case for Hand-Held Monitors                                     | 1        | £39.95  |  |
| 2500C-PRO     | Carry Case for Nonin 2500, 8500 and 9840 Series Monitors                                     | 1        | £29.95  |  |
| 8500RB        | Protective Rubber Bumper for Nonin 8500 & 9840 Series  | 1        | £35.00  |  |
| 8500PMS       | Pole Mounting System for Nonin 8500 & 9840 Series (use with 8500MB bracket)                  | 1        | £130.00 |  |
| 8500MB        | Mounting Bracket Only for Nonin 8500 & 9840 Series Monitors                                  | 1        | £35.00  | 2500C-PRO  |
| 1293-000      | Small Battery Door for older Nonin 8500 Units (35mm x 18mm)                                  | 1        | £8.95   |  |
| 5081-000      | Large Battery Door for new Nonin 8500 Units<br>(73mm x 55mm)                                 | 1        | £8.95   | Maple or c   |
| 2500C-UNIV    | NiMH Charger Stand Kit (complete) for Nonin PalmSAT Monitors                                 | 1        | £200.00 | 80   |
| 2500B         | Spare NiMH Battery Pack for use with 2500 Charger Stand                                      | 1        | £55.75  | 15 Martin  |
| 1000MC        | Data Download Cable with Serial Port for Nonin for 2500, 8500 and 9840 Series Monitors       | 1        | £89.70  | nonin  |
| 1000RTC       | Real Time Data Download Cable with Serial Port for Nonin 2500, 8500 and 9840 Series Monitors | 1        | £89.70  | 2500C-UNIV   |
| 1000USB       | USB Adapter with 2m Cable for Nonin 2500, 8500 and 9840 Series Monitors                      | 1        | £89.70  | Rechargeable Stand Kit<br>includes Stand and<br>NiMH Battery Pack only.<br>( Does not include 2500   |
| 1000PFC       | Data Download Cable with Serial Port for Nonin 8600M and 8600FOM Monitors                    | 1        | £89.70  | Pulse Oximeter)  |

|              | Wrist Oximeter Accessor   | ries     |         |  |
|--------------|---|----------|---------|--|
| 3150WB       | Wristband for Nonin 3150 Monitor, Reposable, ONE SIZE                             | 1        | £4.85   |  |
| 3150WB-10    | Reusable Wristbands for Nonin 3150 WristOx2 (25cm)                                | 1        | £4.85   |  |
| 3150i        | Sensor Adaptor Cable for 3150 WristOx2 - allows standard Nonin Sensors to be used | 1        | £48.50  | LAR  |
| 3150WBE      | Wristband Extender for Nonin 3150 Monitor, 5cm/13" Length                         | 10       | £35.65  | HIB  |
| 3150SC       | Data Download Cable with USB Connection for Nonin 3150 WristOx2                   | 1        | £89.70  |  |
| 3150CC       | Black Deluxe Carry Case for Nonin 3150 WristOx2                                   | 1        | £19.95  |  |
|              | AVANT & Tabletop Monitors Ac  | cessorie | S       |  |
| PROSTAND     | New Multi Purpose Rolling PRO-Stand for AVANT monitors                            | 1        | £245.00 |  |
| 7500CC       | Black Cushioned Carry Case for 7500 / 7500FO                                      | 1        | £78.20  | T  |
| 7500B        | Replacement Battery Pack for Nonin 7500 Oximeters                                 | 1        | £89.95  |  |
| 4729-003     | Power Cord and A/C Adapter / Power Supply for Nonin 7500                          | 1        | £105.00 | ļ  |
| 1300PC-UK    | Spare IEC Power Cord for Nonin 7500 and AVANT models                              | 1        | £10.50  | l II   |
| AVANT12VDC   | 12V DC Vehicle Power Cable for Nonin Avant Monitors, 6m length                    | 1        | £29.50  |  |
| 7500SC       | Data Download Cable only (for nVision) with Serial port for 7500                  | 1        | £145.00 | AS   |
| AVANTCC-G    | Heavy Duty Carry Case for Nonin AVANT Monitors                                    | 1        | £89.50  | 4  |
| AVANTPC      | Pole Mount Clamp for Nonin Avant Monitors   | 1        | £94.50  |  |
| AVANTWMB     | Wall Bracket and Strap for Nonin Avant Carry Cases (CEN compliant                 | ) 1      | £68.50  |  |
| AVANTP       | Printer for Nonin AVANT Monitors  | 1        | £289.00 | Nonite D   |
| 4729-004     | Power Supply inc Mains Cable with UK Plug for Nonin Avant Monitor (except 7500s)  | s 1      | £105.00 |  |
| AVANTB       | Spare NiMH Battery Pack for Nonin AVANT Monitors                                  | 1        | £95.26  |  |
| UNI-RS232    | Download Cable only (for nVision) with Serial Port for AVANT Monitor              | rs 1     | £89.70  |  |
| X1TL-3603SMQ | Trimline Omni-Kuff Standard Adult NIBP Cuff (27.5-36.5cm) for 2120                | 1        | £16.50  | in Any a   |
| X1TL-3602SMQ | Trimline Omni-Kuff Large Adult NIBP Cuff (35.5-46cm) for Nonin 212                | 0 1      | £20.90  | The second secon |
| X1TL-3605SMQ | Trimline Omni-Kuff Child NIBP Cuff (13.8-21.5cm) for Nonin 2120                   | 1        | £14.90  |  |
| 2120TUB-ST   | Standard 12ft NIBP Air Hose for Nonin 2120  | 1        | £26.95  | See our full cuff range<br>on page 66  |
| 2120TUB-CO   | Coiled 12ft NIBP Air Hose for Nonin 2120  | 1        | £33.45  |  |

Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

#### Original Nellcor<sup>™</sup> OxiMAX<sup>™</sup> SpO<sub>2</sub> Sensors

Broad range of SpO<sub>2</sub> sensors for use in many clinical settings

If your monitor uses OxiMAX<sup>™</sup> technology you will need to purchase original Nellcor<sup>™</sup> OxiMAX<sup>™</sup> sensors from this page. If you have an older NON OxiMAX<sup>™</sup> monitor then you have the additional option of purchasing a quality Nellcor<sup>™</sup> compatible sensor from the opposite page





#### Original Nellcor<sup>™</sup> OxiMAX<sup>™</sup> Reusable SpO<sub>2</sub> Sensors

| Connection   | Sub-D OxiMAX™            |   |
|--------------|--------------------------|---|
| Warranty     | • NEL-DS-100A - 6 Months | • NEL-3220321 - 3 Months  |
| Suitable for | • NEL-DS-100A - > 40kg   | • NEL-3220321 - > 1kg (Multisite)<br>• NEL-3220321 - > 30kg (Ear) |

Part No Description Qty Pric NEL-DS-100A Nellcor™ OxiMAX™ DuraSensor DS100A Adult Finger Sensor - 1m Cable Single £119.00 NEL-3220321 Nellcor™ OxiMAX™ Dura-Y™ Multisite Sensor - 1m Cable Single £169.00 NEL-SL0466A Ear Clip for use with Nellcor<sup>™</sup> Dura-Y<sup>™</sup> Multisite Sensor £5.95 Single



#### Original Nellcor™ OxiMAX™ Reusable Extension Cables

Sub-D OxiMAX<sup>™</sup> to Sub-D (DEC cables) Sub-D OxiMAX<sup>™</sup> to 3M (DOC cables)

Warranty

Connection

3 Months

| Part No    | Description  | Qty    | Price  |
|------------|--|--------|--------|
| NEL-DEC-4  | Nellcor™ OxiMAX™ DEC-4 Extension Cable - 1.2m Cable  | Single | £68.43 |
| NEL-DEC-8  | Nellcor™ OxiMAX™ DEC-8 Extension Cable - 2.4m Cable  | Single | £79.93 |
| NEL-DOC-10 | Nellcor™ OxiMAX™ DOC-10 Interface Cable - 3.0m Cable | Single | £91.43 |



| Part No      | Description   | Qty | Price   |
|--------------|---|-----|---------|
| MAX-A(D-25)  | Nellcor™ OxiMAX™ Disposable Adult SpO <sub>2</sub> Sensors      | 24  | £230.00 |
| MAX-I (I-20) | Nellcor™ OxiMAX™ Disposable Infant SpO <sub>2</sub> Sensors     | 24  | £230.00 |
| MAX-N(N-25)  | Nellcor™ OxiMAX™ Disposable Neonatal SpO <sub>2</sub> Sensors   | 24  | £230.00 |
| MAX-P(D-20)  | Nellcor™ OxiMAX™ Disposable Paediatric SpO <sub>2</sub> Sensors | 24  | £230.00 |
| MAX-R        | Nellcor™ OxiMAX™ Disposable Nasal SpO₂ Sensors                  | 24  | £345.00 |



|                                 | Envi       | iteC Nellco   | r™ Compatible Extension Cables           |
|---------------------------------|------------|---|--|
|                                 | Connection | Sub-D Non-OxiMAX™ to Sub-D (EC4212 cables)<br>Sub-D Non-OxiMAX™ to 3M (EC4213 cables) |  |
| Non-Oximax™ Nellcor™ Compatible | Warranty   | 1 Year  | Call for Volume or Distributor Discounts |

| Part No  | Description  | Qty    | Price  |
|----------|--|--------|--------|
| EC4212-1 | EnviteC Nellcor™ Compatible Extension Cable - 1.2m Cable - Kevlar reinforced | Single | £34.32 |
| EC4212   | EnviteC Nellcor™ Compatible Extension Cable - 2.4m Cable - Kevlar reinforced | Single | £35.25 |
| EC4213   | EnviteC Nellcor™ Compatible Extension Cable - 3.0m Cable - Kevlar reinforced | Single | £86.58 |

|   | EnviteC      | Nellcor™ Compatible Disposable SpO <sub>2</sub> Sensors   |
|---|--------------|---|
|   | Connection   | Sub-D Non-OxiMAX™   |
|   | Warranty     | Out of box  |
| DW-2211 shown   | Suitable for | Adult: Patient Size: > 30kg<br>Paediatric: Patient Size: 10-50kg<br>Infant: Patient Size: 1-20kg<br>Neonate: Patient Size: < 3kg<br>Velcro: Patient Size: > 1kg |
| Non-Oximax <sup>™</sup> Nellcor <sup>™</sup> Compatible |              | Jan   |

| Part No | Description  | Qty | Price   |
|---------|--|-----|---------|
| 2211-1  | Envitec Nellcor <sup>TM</sup> Compatible Disposable SpO <sub>2</sub> Sensors - Adult     | 24  | £135.00 |
| 2211-2  | Envitec Nellcor™ Compatible Disposable SpO <sub>2</sub> Sensors - Paediatric             | 24  | £135.00 |
| 2211-5  | Envitec Nellcor™ Compatible Disposable SpO <sub>2</sub> Sensors - Infant                 | 24  | £135.00 |
| 2211-6  | Envitec Nellcor™ Compatible Disposable SpO <sub>2</sub> Sensors - Neonate                | 24  | £135.00 |
| DW-2211 | Envitec Nellcor™ Compatible Disposable Velcro Wrap SpO <sub>2</sub> Sensors - 0.9m Cable | 24  | £189.00 |

TRADE MARKS. Proof Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proad Medical Ltd or any Dark Contrading Contrading

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837



| 1   | an a  | Original Masimo® Reusable SpO <sub>2</sub> Sensors     |   |   |                                    |   |  |  |  |
|---|---|--|---|---|------------------------------------|---|--|--|--|
| 1 A   |   | Connection   |   | 3M (3) direct fit   |                                    |   |  |  |  |
|   |   | Warranty   |   | 6 Months  |                                    |   |  |  |  |
| 6   | 2:1   | Suitable for   |   | MAS1969 - Patient Size: >   | · 30kg                             |   |  |  |  |
|   |   |  |   |   |                                    |   |  |  |  |
| Part No<br>MAS1969                                  | Description<br>Original Masimo® DC12 (3M) Ad  | dult Direct Fit Finger Ser                             | nsor, 3.6m cable  |   | Qty<br>Single                      | Price<br><b>£265.00</b>                           |  |  |  |
|   |   | Origina  | al Masimo® LNC  | S® Reusable SpC   | $D_2$ Sens                         | ors   |  |  |  |
|   |   | Connection   | Sub-D (2)   |   |                                    |   |  |  |  |
|   |   | Warranty   | 6 Months  |   |                                    |   |  |  |  |
| 8   | 0   | Suitable for   | MAS1863 - Patient Size:     MAS1895 - Patient Size:                             | <ul> <li>&gt; 30kg</li> <li>• MAS1864 - Pat</li> <li>&gt; 30kg</li> </ul> | ient Size: 1                       | 0-50kg  |  |  |  |
|   |   |  |   |   |                                    |   |  |  |  |
| Part No<br>MAS1863<br>MAS1864<br>MAS1895            | Description<br>Original Masimo® LNCS® (SUB<br>Original Masimo® LNCS® (SUB<br>Original Masimo® LNCS® (SUB                                | D) DCIP Paediatric Fing                                | ger Sensor, 0.9m Cable  |   | Qty<br>Single<br>Single<br>Single  | Price<br>£149.00<br>£159.00<br>£183.00            |  |  |  |
|   | 2   | Original N   | lasimo® LNCS®   | Disposable Adhe   | sive Se                            | ensors  |  |  |  |
|   |   | Connection   | Sub-D (2)   |   |                                    |   |  |  |  |
|   |   | Warranty   | Out of box  |   |                                    |   |  |  |  |
| _   |   | Suitable for   | MAS1859 - Patient Size:     MAS1860 - Patient Size:     MAS1861 - Patient Size: | 10-50kg   | Size < 3kg                         | or > 40kg   |  |  |  |
|   |   |  |   |   |                                    |   |  |  |  |
| Part No<br>MAS1859<br>MAS1860<br>MAS1861<br>MAS1862 | Description<br>Original Masimo® LNCS® (SUB<br>Original Masimo® LNCS® (SUB<br>Original Masimo® LNCS® (SUB<br>Original Masimo® LNCS® (SUB | B D) Pdtx Disposable Pae<br>B D) Inf-L L Disposable Ir | ediatric Sensors<br>nfant Sensors   |   | Qty<br>20<br>20<br>20<br>20        | Price<br>£185.00<br>£185.00<br>£215.00<br>£205.00 |  |  |  |
|   |   | Original   | Masimo® LNCS  | Reusable Interf   | ace Ca                             | bles  |  |  |  |
|   | Re  | Connection   | Accepts LNCS® Sub-D   |   |                                    |   |  |  |  |
|   |   | Warranty   | 6 Months  |   |                                    |   |  |  |  |
|   |   |  |   |   |                                    |   |  |  |  |
| Part No<br>MASLNC4<br>MASLNC10                      | Description<br>Original Masimo® LNC4® Patie<br>Original Masimo® LNC10® Pati   |  |   |   | <sup>Qty</sup><br>Single<br>Single | Price<br>£108.00<br>£120.00                       |  |  |  |
|   |   |  |   |   | 4044                               | ~ -   |  |  |  |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

#### Any codes marked in RED have NHS Supply Chain NPC Codes EnviteC Disposable Multi-Compatible ENVITEC SpO<sub>2</sub> Sensors Way ahead in technology · Super high quality electronically matched optics for full compatibility with stated manufacturers oximeters - FDA & CE Approved · Offers major cost savings with no compromise in performance · Features unique re-alligned design for accurate placement and optimum functionality · Choice of tape strips to maximise patient comfort and allow repositioning · Helps to control cross contamination · Supplied in packs of 24 **'Direct Fit' Sensor** MONITOR SENSOR Ζ EnviteC EnviteC EnviteC EnviteC EnviteC Disposable Adult Disposable Paediatric Disposable Infant Disposable Neonatal Disposable Velcro Wrap Sensor (0.45m) **'Indirect Fit' Sensor** Sensor (0.45m) Sensor (0.9m) Sensor (0.9m) Sensor (0.9m) EXTENSION CABLE SENSOR CABLE SENSOR XIY 7 MONITOR Patient Size: Patient Size Patient Size Patient Size Patient Size > 30kg 10kg - 50kg 1kg - 20kg < 3kg > 1kg X or Z Sensor Sensor End Part No Part No Part No Part No Part No Manufacturer Oximeter Model / Part No Price Box of 24 Part No. Price Box of 24 Price Box of 24 Price Box of 24 Price Box of 24 see page 30 BCI 3100 Series, 3300 Series, 3400 Series, BCI 1300, 1301, 2221-1 2221-2 2221-5 2221-6 DW-2221 6100, 9100, Advisor, Autocorr, Mini Torr, Mini Torr Plus Sub D 1302, 1303 £169.35 £169.35 £179.80 £179.80 £252.00 501, 503, 504, 507, 508, 581, 1100, (Criticare 570SD 571SD 2281-1 2281-2 2281-5 2281-6 DW-2281 08 8100, Poet (602-3A), Scholar Systems Int'l) Sub D £179.80 572SD, 573SD £169.35 £169.35 £179.80 £252.00 503 Spot. 504Plus. 504DX, 506DXN Datascope Accusat, Accutorr 3/4 SAT, 2291-1 2291-2 2291-5 2291-6 N/A Sub D Accutorr Plus, Passport £169.35 £169.35 £179.80 £179.80 Datex AS/3, CS/3, CH/S, CH-RS, CG/2S, Cardiocap I, II, 5, Capnomac, Ultima, Light Monitor, M-Estpr, Oscar II, OSP-200, Satelite Trans Plus, ULTSV I, ULTSVO, ULTSIO, ULTS00 DMI041. DMI042. 2251-1 2251-2 2251-5 2251-6 DW-2251 01 DMI043, DMI044 Sub D £139.30 £139.30 £163.85 £163.85 £230.00 Nellcor D-25, D-20, 05 2211-1 2211-2 2211-5 2211-6 DW-2211 All Monitors I-20, N-25 Sub D £135.00 £135.00 £135.00 £135.00 £189.00 Nonin PROACT are the exclusive distributors for Nonin Medical for the UK and Eire. Please see pages 20-21 for original Sensors. Original Nonin Sensors contain PureLight® Technology which is essential for maximum accuracy of your Nonin Monitor. Nonin Sensors are extremely durable and offer the longest warranty available, as well as excellent value for money.

 Ohmeda
 Ohmeda 3700, 3710, 3770, 3775, Biox
 Call For
 O1
 2241-1
 2241-2
 2241-5
 2241-6

 0xiCap, 5250RGM, Rascal II
 Details
 Sub D
 £149.75
 £149.75
 £163.85
 £163.85

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any provide the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any provide the ownership of all Registered Trademarks belonging to Mesicom PLU Based Stratemarks. The second stratemark and the second stratemarks and the seco

#### EnviteC Patient Dedicated Velcro Wrap Sensors - Maximum Comfort and Safety at a great price

The EnviteC Disposable Velcro Wrap sensor offers an alternative to traditional adhesive  $SpO_2$  sensors. Hypoallergenic medical grade Velcro holds the sensor safely in place and allows many re-applications to the same patient without any risk of skin damage, ideal for patients with delicate skin or where repositioning is frequently required.


The soft material ensures a good fit and minimises sweating for increased patient comfort. The sensors are fast and easy to apply/adjust and they have no shelf life, saving both clinical time and money. Call us for a sample today.

# 0

|  |                        | Any codes marked in <b>RED</b> have NHS Supply Chain NPC Codes  |  |  |  |
|--|------------------------|---|--|--|--|
| EnviteC Reusable Multi-Comp<br>SpO <sub>2</sub> Sensors  | atible                 | ENVITEC<br>Way ahead in technology  |  |  |  |
| Super high quality electronically matched optics for full comp   | patibility with stated |   |  |  |  |
| manufacturers oximeters - FDA & CE Approved  |                        |   |  |  |  |
| Dedicated products for optimal performance and maximum p     Easy to clean and disinfect   | Datient comfort        |   |  |  |  |
| • Rubber Soft-Tip sensors offer superior durability in extreme   |                        |   |  |  |  |
| <ul> <li>New Soft Tip Plus autoclavable versions now available for th<br/>manufacturer's monitors including Nellcor™ and HP</li> </ul> | e most popular         | The second se |  |  |  |
| manufacturer s monitors including vencor and m   |                        |   |  |  |  |
|  |                        | Comfort Line 'EW' Range   |  |  |  |
|  | Description:           | Adult Articulated Finger Clip Sensor  |  |  |  |
|  | Warranty               | 12 Months   |  |  |  |
|  | Apply to               | Index, Middle or Ring Finger  |  |  |  |
| (3)  | Suitable for           | Spot Checks     Patient Size > 20kg     Short Term Monitoring   |  |  |  |
|  |                        | Soft Tip® 'R' Range   |  |  |  |
|  | Description:           | Adult Silicone Rubber Finger Sensor   |  |  |  |
|  | Warranty               | 24 months   |  |  |  |
|  | Apply to               | Index, Middle or Ring Finger  |  |  |  |
|  | Suitable for           | Spot Checks     Patient Size > 20kg   |  |  |  |
| KEVLAR REINFORCED CABLE  |                        | Mid Term Monitoring      Emergency / Transport  |  |  |  |
|  | Soft Tip® 'RM' Range   |   |  |  |  |
|  | Description:           | Medium Silicone Rubber Finger Sensor  |  |  |  |
|  | Warranty               | 24 months   |  |  |  |
| Contraction of the second  | Apply to               | Index, Middle or Ring Finger  |  |  |  |
| KEVLAR REINFORCED CABLE  | Suitable for           | Spot Checks     Patient Size > 20kg     Mid Term Monitoring • Emergency / Transport                             |  |  |  |
|  |                        | Soft Tip® 'RS' Range  |  |  |  |
|  | Description:           | Small Silicone Rubber Finger Sensor   |  |  |  |
|  | Warranty               | 24 months   |  |  |  |
| 3  | Apply to               | Index, Middle or Ring Finger  |  |  |  |
|  | Suitable for           | Spot Checks     Patient Size > 20kg   |  |  |  |
| KEVLAR REINFORCED CABLE  |                        | Mid Term Monitoring      Emergency / Transport  |  |  |  |
|  |                        | Comfort Line 'ES' Range   |  |  |  |
|  | Description:           | Ear Clip Sensor   |  |  |  |
|  | Warranty               | 9 months  |  |  |  |
|  | Apply to               | Ear   |  |  |  |
|  | Suitable for           | Spot Checks     Patient Size > 30kg     Mid Term Monitoring     Stress Testing                                  |  |  |  |
|  |                        | Comfort Line 'WRAP' Range   |  |  |  |
|  | Description:           | Silicone Rubber Wrap Finger Sensor  |  |  |  |
|  | Warranty               | 9 months  |  |  |  |
|  | Apply to               | Index, Middle or Ring Finger  |  |  |  |
|  | Suitable for           | Spot Checks     Patient Size > 1kg  |  |  |  |
|  |                        | Long Term Monitoring  |  |  |  |
| Advice / Order Hotline: 01536  | 6 461981               | Fax Us: 01536 461837  |  |  |  |

Or Email Your Order: orders@proactmedical.co.uk


TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nelloor™, DuraSensor™, DS-100A™, Dura-YS™, Oximax™, are registered trademarks belonging to Masimo Corporation



 Use the Compatibility Charts on the following pages to look up the Manufacturer and Model of your SpO<sub>2</sub> Monitor/System.
 For 'Direct Fit' Sensors which fit Directly to the monitor

 select the sensor with the correct end connector 'Z' to fit your monitor. You may have a choice of Cable Lengths.
 For 'Indirect Fit' Sensors which use an Extension Cable

 select the Sensor Connector 'X' to fit with the Extension Cable end connector 'Y'. Check that any newly specified Extension Cable also has the correct Monitor Connector 'Z'.



| 26 | 27 | 30 | 31 | 32 |
|----|----|----|----|----|
|    |    |    | •• | •  |
| 33 | 34 | 35 | 36 | 37 |
|    |    |    |    |    |
| 38 | 39 | 41 | 42 | 43 |
|    |    |    |    |    |
| 44 | 45 | 46 | 47 | 48 |
|    |    |    |    |    |
|    |    |    |    |    |
| 49 |    |    | 52 |    |
|    |    |    |    |    |
| 49 | 50 | 51 | 52 | 53 |

Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837 Or Email Your Order: orders@proactmedical.co.uk


# Use the compatibility chart below to identify the sensor you require

| Envire technology<br>Way ahead in technology<br>'Direct Fit' Sensor<br>'Indirect Fit' Sensor - | SENSOR CABLE  |                         |                      |                 | 7                                     |   |
|--|---|-------------------------|----------------------|-----------------|---------------------------------------|---|
|  | Original Equipment  |                         |                      |                 | EnviteC<br>Comfort Line<br>Ear Sensor | EnviteC<br>Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer   | Oximeter Model / Part No  | Sensor<br>Part No.      | X or Z<br>Sensor End | Cable<br>Length | Part No.                              | Part No.  |
| Armstrong Medical  | AD-900, 1000, 2000, 3000,<br>4000   | BCI 3044 /<br>BCI 3444N | 03<br>Sub D          | 1.2m            |                                       | EW3222-12<br><b>£58.00</b>                          |
| Artema   | Diascope  | Nellcor<br>DS100A       | 05<br>Sub D          | 0.9m            |                                       | or™ Compatible<br>ee Page 24                        |
| BCI<br>(Biochem Int'I)   | 3100, 3101, 6100, 9100,<br>Advisor, Autocon, Mini Torr,<br>Mini Torr Plus | BCI 3044 /<br>BCI 3444N | 03<br>Sub D          | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br>£58.00                                 |
|  | (same as above)   |                         | 03<br>Sub D          | 3.0m            |                                       | EW3222-30<br><b>£63.00</b>                          |
|  | 3300, 3301, 3302, 3303,<br>3304, 3401, 3402                               | BCI 3044 /<br>BCI 3444N | 03<br>Sub D          | 1.2m            |                                       | EW3222-12<br>£58.00                                 |
|  | (same as above)   |                         | 03<br>Sub D          | 3.0m            |                                       | EW3222-30<br><b>£63.00</b>                          |
| Biosys Co.<br>Ltd  | BPM-200, Vital Sign<br>Monitor SENTRY                                     | Nellcor<br>DS100A       | 05<br>Sub D          | 0.9m            |                                       | or™ Compatible<br>ee Page 24                        |
| Bird   | 4400  | CSI 511-10L             | 31<br>Lemo           | 3.0m            |                                       | EW3282-36<br><b>£97.00</b>                          |
|  | (same as above)   | CSI 511SD               | 08<br>Sub D          | 0.9m            | ES3282-9<br><b>£69.00</b>             | EW3282-9<br>£58.00                                  |
| Bruker<br>(see Odam)   |   |                         |                      |                 |                                       |   |
| Burdick<br>(see Spacelabs<br>Burdick)  |   |                         |                      |                 |                                       |   |
| Choice<br>Electronic Co.   | All Monitors  | BCI 3044 /<br>BCI 3444N | 03<br>Sub D          | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br>£58.00                                 |
| Colin  | Press-Mate SAT, BP 88,<br>BP-306, BP-508, BP-808<br>BP-88S                | Nellcor<br>DS100A       | 05<br>Sub D          | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Corometrics<br>(see GE Medical)  |   |                         |                      |                 |                                       |   |
| CSI (Criticare Systems Int'I)  | 501, 503, 504, 507, 508,<br>581, 1100, 8100, Poet<br>(602-3A), Scholar    | CSI 511SD               | 08<br>Sub D          | 0.9m            | ES3282-9<br><b>£69.00</b>             | EW3282-9<br>£58.00                                  |
|  | (same as above)   | CSI 511-10L             | 31<br>Lemo           | 3.0m            |                                       | EW3282-36<br><b>£97.00</b>                          |
|  | 503 Spot, 504Plus,<br>504DC, 506DXN                                       | CSI 511SD               | 08<br>Sub D          | 0.9m            | ES3282-9<br><b>£69.00</b>             | EW3282-9<br><b>£58.00</b>                           |

Critikon (see GE Medical)

# www.proactmedical.co.uk

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/person Nellcor<sup>™</sup>, DuraSensor<sup>™</sup>, DS-100A<sup>™</sup>, Dura-YS<sup>™</sup>, Oximax<sup>™</sup>, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Masimo Corporation This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector '**Z**' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector '**X**' to fit with the Extension Cable and End Connector '**Y**'. Check that any newly specified Extension Cable also has the correct Monitor Connector '**Z**'.



# Advice / Order Hotline: 01536 461981

Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nellcor<sup>™</sup>, DuraSensor<sup>™</sup>, Ds-100A<sup>™</sup>, Dura-YS<sup>™</sup>, Oximax<sup>™</sup>, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®.

# Use the compatibility chart below to identify the sensor you require

| Envirect Fit'<br>Way ahead in technology | SENSOR CABLE<br>SENSOR<br>CABLE XY<br>CABLE  | ≻Z<br>→Z                     |                        | 0               | 2                                     | EnviteC                                  |
|--|--|------------------------------|------------------------|-----------------|---------------------------------------|--|
|  | Original Equipment   |                              |                        |                 | EnviteC<br>Comfort Line<br>Ear Sensor | Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer                             | Oximeter Model / Part No   | Sensor<br>Part No.           | X or Z Sen-<br>sor End | Cable<br>Length | Part No.                              | Part No.                                 |
| Datascope                                | Accusat, Accutor, 3/4 SAT,<br>Accutor Plus (Datascope SpO <sub>2</sub> ),<br>Passport (Datascope SpO2) | Datascope<br>0600-00-0026-01 | 09<br>Sub D            | 0.9m            |                                       | EW3312-9<br><b>£58.00</b>                |
|  | (same as above)  | Datascope<br>0020-00-071-01  | 51<br>8 Pin Din        | 3.6m            |                                       | EW3312-36<br><b>£90.00</b>               |
|  | Expert, Passport,<br>Accutor Plus<br>(Nellcor SpO <sub>2</sub> )                                       | Nellcor<br>DS100A            | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24              |
| GE Datex (New Gen)                       | New Generation Models<br>(with C64 Connector)  |                              | 64<br>Marquette        | 3.0m            | Please call for details               | EW3513-30<br><b>£100.00</b>              |
| Datex                                    | AS/3; CS/3; CH/S; CH-RS, CG/2;<br>Cardiocap I, II, 5; Capnomac,<br>Ultima; Light                       | Datex SAS-F                  | 01<br>Sub D            | 0.9m            | ES3512-9<br><b>£68.00</b>             | EW3512-9<br><b>£51.00</b>                |
|  | (same as above)  | OXY-F-DB                     | 01<br>Sub D            | 2.0m            | ES3512-20<br><b>£76.00</b>            | EW3512-20<br><b>£63.00</b>               |
|  | (same as above)  | OXY-F4-N                     | 14<br>Nicolay          | 3.6m            | ES3512-40<br><b>£90.00</b>            | EW3512-40<br><b>£72.00</b>               |
| Datex-Ohmeda                             | Ohmeda 3700, 3710, 3770,<br>3775, Biox 3740, 3760, 3800,<br>3900, 4700, TuffSat, OxiCap                | OXY-F4-H                     | 22<br>Hypotronics      | 3.6m            | ES3412<br><b>£117.00</b>              | EW3412<br>£83.00                         |
|  | (same as above)  | OXY-F1-H                     | 22<br>Hypotronics      | 1.0m            |                                       | EW3412-10<br>£83.00                      |
|  | (same as above)  |                              | 01<br>Sub D            | 0.9m            |                                       | EW3412-9<br><b>£58.00</b>                |
| Digicare                                 | Digimax 5500   | BCI 3044 /<br>BCI 3444N      | 03<br>Sub D            | 1.2m            | ES3222-12<br>£69.00                   | EW3222-12<br>£58.00                      |
| Drager                                   | Drager Oxipac 2000, 2500   | BCI 3044 /<br>BCI 3444N      | 03<br>Sub D            | 1.2m            | ES3222-12<br>£69.00                   | EW3222-12<br>£58.00                      |
|  | Vitalert 1000, Cicero, GammaXL,<br>DeltaXL, Kappa  | Nellcor<br>DS100A            | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24              |
|  | Narkomed   | Nellcor<br>DS100A            | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24              |
| Elmed                                    | PSO1000  | BCI 3044 /<br>BCI 3444N      | 03<br>Sub D            | 1.2m            | ES3222-12<br>£69.00                   | EW3222-12<br>£58.00                      |
| Entri Medical                            | Propaq 102, 104, 106   | Nellcor<br>DS100A            | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24              |
| EnviteC                                  | PulsiQuant 8040  | BCI 3044 /<br>BCI 3444N      | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br>£58.00                      |
| Fukuda Denshi                            | HG302 Module, DS-5100E,<br>DS5300W   | Nellcor<br>DS100A            | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24              |
|  | LX-5230  |                              | 45<br>Direct           | 0.33m           |                                       | EW2182-3<br><b>£76.00</b>                |

This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector '**Z**' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector '**X**' to fit with the Extension Cable and End Connector '**Y**'. Check that any newly specified Extension Cable also has the correct Monitor Connector '**Z**'.

|   |  |   |                                     |                      | 6                                     |                          | E ST                 | ENVI'<br>/ay ahead in t | <b>FEC</b><br>echnology |
|---|--|---|-------------------------------------|----------------------|---------------------------------------|--------------------------|----------------------|-------------------------|-------------------------|
| EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Adult) | EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Medium) | EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Small) | EnviteC<br>Rubber<br>WRAP<br>Sensor | Envit                | nviteC Adaptor Cables EnviteC Extensi |                          |                      | C Extension (           | Cables                  |
| Part No.  | Part No.   | Part No.  | Part No.                            | Connectors<br>Y to Z | Cable<br>Length                       | Part No.                 | Connectors<br>Y to Z | Cable<br>Length         | Part No.                |
|   |  |   |                                     | 60 > 51              | 3.0m                                  | EC4312-1<br>£93.60       |                      |                         |                         |
|   |  |   |                                     |                      |                                       |                          |                      |                         |                         |
| For A   | LL Nellcor™ Compat                               | ible Sensors See Pa                             | ge 24                               |                      |                                       |                          |                      | See Page 24             |                         |
| R3513-30<br><b>£180.00</b>                      | RM3513-30<br><b>£180.00</b>                      | RS3513-30<br><b>£180.00</b>                     |                                     |                      |                                       |                          |                      |                         |                         |
| R3512-9<br><b>£128.70</b>                       | RM3512-9<br><b>£128.70</b>                       | RS3512-9<br><b>£128.70</b>                      |                                     | 60 > 14              | 3.0m                                  | EC4512<br><b>£69.42</b>  |                      |                         |                         |
| R3512-20<br><b>£146.85</b>                      | RM3512-20<br><b>£146.85</b>                      |   | W3512-20<br><b>£97.00</b>           | 60 > 14              | 3.0m                                  | EC4512<br><b>£69.42</b>  |                      |                         |                         |
| R3512-40<br><b>£165.00</b>                      | RM3512-40<br><b>£165.00</b>                      | RS3512-40<br><b>£165.00</b>                     |                                     |                      |                                       |                          |                      |                         |                         |
| R3412<br><b>£165.00</b>                         | RM3412<br><b>£165.00</b>                         | RS3412<br><b>£165.00</b>                        |                                     |                      |                                       |                          |                      |                         |                         |
|   |  |   |                                     |                      |                                       |                          |                      |                         |                         |
| R3412-9<br><b>£128.70</b>                       | RM3412-9<br><b>£128.70</b>                       | RS3412-9<br><b>£128.70</b>                      | W3412-9<br><b>£76.00</b>            | 60 > 22              | 2.4m                                  |                          |                      |                         |                         |
| R3222-12<br><b>£128.70</b>                      | RM3222-12<br><b>£128.70</b>                      | RS3222-12<br><b>£128.70</b>                     | W3222-12<br><b>£83.00</b>           |                      |                                       |                          | 60 > 03              | 2.4m                    | EC4222<br>£38.22        |
| R3222-12<br><b>£128.70</b>                      | RM3222-12<br>£128.70                             | RS3222-12<br><b>£128.70</b>                     | W3222-12<br>£83.00                  |                      |                                       |                          | 60 > 03              | 2.4m                    | EC4222<br>£38.22        |
| For A   | LL Nellcor™ Compat                               | ible Sensors See Pa                             | ge 24                               | 60 > 39              | 2.4m                                  | EC5712<br><b>£138.84</b> |                      |                         |                         |
| For A   | LL Nellcor™ Compat                               | ible Sensors See Pa                             | ge 24                               |                      |                                       |                          |                      |                         |                         |
| R3222-12<br><b>£128.70</b>                      | RM3222-12<br>£128.70                             | RS3222-12<br><b>£128.70</b>                     | W3222-12<br>£83.00                  |                      |                                       |                          | 60 > 03              | 2.4m                    | EC4222<br>£38.22        |
| For A   | LL Nellcor™ Compat                               | ible Sensors See Pa                             | ge 24                               |                      |                                       |                          |                      |                         |                         |
| R3222-12<br><b>£128.70</b>                      | RM3222-12<br><b>£128.70</b>                      | RS3222-12<br><b>£128.70</b>                     | W3222-12<br>£83.00                  |                      |                                       |                          | 60 > 03              | 2.4m                    | EC4222<br>£38.22        |
| For A   | LL Nellcor™ Compat                               | ible Sensors See Pa                             | ge 24                               |                      |                                       |                          |                      | See Page 24             |                         |
| R2182-3<br><b>£155.00</b>                       | RM2182-3<br>£138.00                              | RS2182-3<br><b>£155.00</b>                      |                                     |                      |                                       |                          |                      |                         |                         |

# Advice / Order Hotline: 01536 461981

Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk


TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nellcor<sup>™</sup>, DuraSensor<sup>™</sup>, Ds-100A<sup>™</sup>, Dura-YS<sup>™</sup>, Oximax<sup>™</sup>, are registered trademarks belonging to Masimo Corporation

# Use the compatibility chart below to identify the sensor you require

| Envirect Fit'<br>Way ahead in technology | SENSOR CABLE<br>SENSOR EXTENSION<br>CABLE XY<br>CABLE  | ≻Z                       |                        |                 | EnviteC                       | EnviteC                                  |
|--|--|--------------------------|------------------------|-----------------|-------------------------------|--|
|  | Original Equipment   |                          |                        |                 | Comfort Line<br>Ear Sensor    | Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer                             | Oximeter Model / Part No   | Sensor<br>Part No.       | X or Z Sen-<br>sor End | Cable<br>Length | Part No.                      | Part No.                                 |
| GE Medical<br>Systems                    | 7000 Series, TRAM A R, TRAM<br>200SL, 400SL, 600SL, 800A,<br>800SL                           | Ohmeda 6051-<br>0000-035 | 22<br>Hypotronics      | 2.95m           | ES3412<br><b>£117.00</b>      | EW3412<br><b>£83.00</b>                  |
|  | (same as above)  |                          | 01<br>Sub D            | 0.9m            |                               | EW3412-9<br><b>£58.00</b>                |
|  | Eagle, Dash, SOLAR, TRAM<br>Modular, 250SL, 450SL, 650SL,<br>850A, 850SL,                    | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
|  | Hellige Eagle 1000, 3000 SMU,<br>SMK, SMV, Corometrics 120,<br>510, 511, 118                 | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
|  | Corometrics 556, 570   |                          | 22<br>Hypotronics      | 3.6m            |                               | EW3412<br><b>£83.00</b>                  |
|  | Critikon Dinamap 8700 /<br>8710 / 8720 PLUS  | Critikon 9084 +<br>8731  | 46<br>Compu-<br>Shield | 0.9m            |                               |  |
|  | Critikon Dinamap 9700 / 9710 /<br>9720, Plus, Compact, MP5, Se-<br>lect, Dinamap Pro 100-400 | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
| Hellige (see GEMedical)                  |  |                          |                        |                 |                               |  |
| Hewlett Packard (see Phillips)           |  |                          |                        |                 |                               |  |
| Invacare                                 | All Monitors   | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>    | EW3222-12<br>£58.00                      |
| Invivo<br>Research                       | 4500 Plus 2  | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
| lvy<br>Biomedical                        | 405A, 405D   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
|  | 405P, 40ST   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
| Lynn Medical                             | All Monitors   | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>    | EW3222-12<br><b>£58.00</b>               |
| Magna Medical                            | MON-MTEK-30, 33, 35, 40, 85,<br>1200, 1201, 1300, 1401, 1406,<br>1411, 1413, 1501, 1503      | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>    | EW3222-12<br>£58.00                      |
| Mallinckrodt                             | All Monitors   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellcon<br>Sensors Se |  |
| Marquette (see GEMedical)                |  |                          |                        |                 |                               |  |

ademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other compar ging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Masimo Co

This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector 'Z' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector 'X' to fit with the Extension Cable and End Connector 'Y'. Check that any newly specified Extension Cable also has the correct Monitor Connector 'Z'.



### Advice / Order Hotline: 01536 461981

#### Fax Us: 01536 461837


Or Email Your Order: orders@proactmedical.co.uk

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nellcor<sup>™</sup>, DuraSensor<sup>™</sup>, Ds-100A<sup>™</sup>, Dura-YS<sup>™</sup>, Oximax<sup>™</sup>, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®.

### Use the compatibility chart below to identify the sensor you require

| ENVITEC       'Direct Fit'         Way ahead in technology       'Indirect Fit'         Sensor       'Indirect Fit' | SENSOR CABLE<br>SENSOR EXTENSION<br>CABLE X Y   | →Z                       |                        |                 | 7                                     |   |
|---|---|--------------------------|------------------------|-----------------|---------------------------------------|---|
|   | Original Equipment  |                          |                        |                 | EnviteC<br>Comfort Line<br>Ear Sensor | EnviteC<br>Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer  | Oximeter Model / Part No  | Sensor<br>Part No.       | X or Z Sen-<br>sor End | Cable<br>Length | Part No.                              | Part No.  |
| Masimo  | All Models  | Masimo®                  | 41<br>3M               |                 | For ALL MASIM<br>Sensors Se           |   |
| Mediana   | YM-2002 Series  | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       |   |
| MEDLAB  | NANOX2, NANOXeco  | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br>£69.00                   | EW3222-12<br><b>£58.00</b>                          |
|   | PEARL10, NANOX10,<br>NANOX10C   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellco<br>Sensors Se          |   |
| Mennen  | Horizon XL (Ohmeda $SpO_2$ )  | Mennen<br>0800-060-540   | 22<br>Hypotronics      | 2.95m           | ES3412<br><b>£117.00</b>              | EW3412<br>£83.00                                    |
|   | (same as above)   |                          | 01<br>Sub D            | 0.9m            |                                       | EW3412-9<br><b>£58.00</b>                           |
|   | 1200, MR 1303   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellco<br>Sensors Se          |   |
| Mindray   | PM-600, PM 5000, PM-6000,<br>PM-7000, PM-8000, PM-9000,<br>MEC-1000   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellco<br>Sensors Se          |   |
| Minolta   | PulseOx-3   |                          | 45<br>Direct           | 0.33m           |                                       | EW2182-3<br><b>£76.00</b>                           |
| Nellcor   |   |                          |                        |                 | For ALL Nellco<br>Sensors Se          |   |
| Nihon<br>Kohden   | AK-800PA Module; BSM-1101,<br>2101/2, 3101, 7100,<br>7200;OLV-1100A, Lifescope  | N.K TL-101S              | 18<br>Nicolay          | 2.95m           |                                       |   |
|   | (same as above)   |                          | 01<br>Sub D            | 0.9m            |                                       |   |
|   | AL-900P Module; BSM-1102,<br>8510, OGS-2000   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellco<br>Sensors Se          |   |
|   | BSM-4104A, 4114A  | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            | For ALL Nellco<br>Sensors Se          |   |
|   | BSM-2301K, BSM-2303K,<br>BSM-2351, BSM-2353, BSM-<br>4103, BSM-4113   | N.K TL-201T              | 10<br>Sub D            | 1.6m            | ES2203-16<br><b>£110.00</b>           | EW2203-16<br><b>£97.00</b>                          |
| Nonin   | PROACT are the exclusive distributors f<br>Sensors contain PureLight® Technolog<br>durable and offer the longest warranty a | y which is essential for | maximum accuracy       | of your Non     |                                       |   |
| Novametrix  | 510, 511, 505, 515B/C, 520,<br>7000, 7100, Oxypleth   | Novametrix<br>8776-00    | 21<br>Hypotronics      | 2.95m           |                                       | EW3262<br>£97.00                                    |
|   | (same as above)   |                          | 01<br>Sub D            | 0.9m            |                                       |   |
| Odam  | All Models  | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br><b>£58.00</b>                          |

This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector '**Z**' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector '**X**' to fit with the Extension Cable and End Connector '**Y**'. Check that any newly specified Extension Cable also has the correct Monitor Connector '**Z**'.



Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

TRADE MARKS. Proot Medical L1d recognise and respect the ownership of all Registered Trademarks contained hereins to be the property of their respective Owners and do not imply any endorsement or affiliation with Proad Medical L1 or any processing of their company/experiments to the property of their respective Owners and do not imply any endorsement or affiliation with Proad Medical L1 or any processing of their company/experiments to their company/experiments to the their optical medical table any processing of the ownership of all Registered Trademarks belowing to the Network Owner Condition. Networks of the ownership of all Registered Trademarks belowing to the Network Owner Condition. Networks of the Networks Owner Condition. Netwo

### Use the compatibility chart below to identify the sensor you require

| Envirect Fit' Sensor<br>Way ahead in technology | SENSOR CABLE<br>SENSOR EXTENSION<br>CABLE  | >Z<br>→Z                |                        |                 | 2                                     |   |
|---|--|-------------------------|------------------------|-----------------|---------------------------------------|---|
|   | Original Equipment   |                         |                        |                 | EnviteC<br>Comfort Line<br>Ear Sensor | EnviteC<br>Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer                                    | Oximeter Model / Part No   | Sensor<br>Part No.      | X or Z Sen-<br>sor End | Cable<br>Length | Part No.                              | Part No.  |
| Ohmeda<br>(See Datex)                           |  |                         |                        |                 |                                       |   |
| Pace Tech                                       | Vitalmax 800 Series (black face, Nellcor SpO <sub>2</sub> )                        | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|   | Modell 520   |                         | 47<br>Pacetech         | 3.6m            |                                       |   |
| Palco   | All Models   |                         | 43<br>Western          | 0.9m            |                                       |   |
| Phillips<br>Medical                             | 78352C, 78354C, 78834C,<br>M1020A, M1025B, M1025A,<br>M1350B, M1722A/B             | M1190A                  | 17<br>Nicolay          | 2.95m           |                                       | EW2412<br>£83.00                                    |
|   | (same as above)  | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|   | MP20, MP30, MP40, MP50,<br>MP60, MP70, MP90, M4S29A,<br>Telemetry; M2600A (M2601A) | M1191A/B                | 19<br>HP Small         | 1.5m            | ES2414-15<br><b>£117.00</b>           | EW2414-15<br><b>£67.00</b>                          |
|   | (same as above)  | M1191A/B                | 19<br>HP Small         | 2.95m           |                                       |   |
|   | (same as above)  | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Physio Control                                  | Lifepak 12   | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Protocol (See Welch Allyn)                      |  |                         |                        |                 |                                       |   |
| RGB Medical Devices                             | Omicrom FT,<br>Omicron PREMIUM   | BCI 3044 /<br>BCI 3444N | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br><b>£58.00</b>                          |
|   | (same as above)  |                         | 33<br>Lemo             | 3.0m            |                                       | EW3222-30<br><b>£63.000</b>                         |
| S&W<br>(see Artema)                             |  |                         |                        |                 |                                       |   |
| Schiller  | CM8  | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|   | Argus TM-7   | Nellcor<br>DS100A       | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Sensor<br>Medics                                | Oxyshuttle I, II   |                         | 46<br>Compu<br>Shield  | 0.9m            |                                       |   |
|   |  |                         |                        |                 |                                       |   |

This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector '**Z**' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector '**X**' to fit with the Extension Cable and End Connector '**Y**'. Check that any newly specified Extension Cable also has the correct Monitor Connector '**Z**'.

| <   |  |   |                                     |                      | 8               | $\bigcirc$              | BPST J               | ENVI<br>Vay ahead in | TEC                     |
|---|--|---|-------------------------------------|----------------------|-----------------|-------------------------|----------------------|----------------------|-------------------------|
| EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Adult) | EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Medium) | EnviteC<br>Soft-Tip<br>Finger Sensor<br>(Small) | EnviteC<br>Rubber<br>WRAP<br>Sensor | Envit                | eC Adaptor C    | ables                   | Envite               | C Extension          | Cables                  |
| Part No.  | Part No.   | Part No.  | Part No.                            | Connectors<br>Y to Z | Cable<br>Length | Part No.                | Connectors<br>Y to Z | Cable<br>Length      | Part No.                |
| For A   | LL Nellcor™ Compat                               | ible Septers See Pa                             | 24                                  |                      |                 |                         |                      |                      |                         |
|   |  |   | ye 24                               |                      |                 |                         |                      |                      |                         |
|   |  |   |                                     |                      |                 |                         |                      |                      |                         |
| R2412<br><b>£146.85</b>                         | RM2412<br>£165.00                                | RS2412<br><b>£165.00</b>                        | W2412<br><b>£110.00</b>             |                      |                 |                         |                      |                      |                         |
| For A   | LL Nellcor™ Compat                               | tible Sensors See Pag                           | ge 24                               | 60 > 17              | 3.0m            | EC5412<br><b>£69.42</b> | 62 > 17              | 2.0m                 | EC5414<br><b>£86.58</b> |
| R2414-15<br><b>£128.70</b>                      | RM2414-15<br><b>£128.70</b>                      | RS2414-15<br><b>£128.70</b>                     | W2414-15<br><b>£104.00</b>          |                      |                 |                         | 62 > 19              | 2.0m                 | EC5415<br><b>£86.58</b> |
| R2414-30<br><b>£159.00</b>                      | RM2414-30<br><b>£165.00</b>                      |   |                                     |                      |                 |                         |                      |                      |                         |
| For A   | LL Nellcor™ Compa                                | tible Sensors See Pag                           | ge 24                               | 60 > 19              | 1.1m            | EC5416<br><b>£86.58</b> |                      |                      |                         |
| For A   | LL Nellcor™ Compa                                | tible Sensors See Pa                            | ge 24                               |                      |                 |                         |                      |                      |                         |
|   |  |   |                                     |                      |                 |                         |                      |                      |                         |
| R3222-12<br><b>£128.70</b>                      | RM3222-12<br><b>£128.70</b>                      | RS3222-12<br><b>£128.70</b>                     | W3222-12<br><b>£83.00</b>           | 60 > 33              | 2.4m            | EC4223<br><b>£72.54</b> |                      |                      |                         |
|   |  |   |                                     |                      |                 |                         |                      |                      |                         |
|   |  |   |                                     |                      |                 |                         |                      |                      |                         |
| For A   | LL Nellcor™ Compa                                | ible Sensors See Pag                            | ge 24                               |                      |                 |                         |                      |                      |                         |
| For A   | LL Nellcor™ Compa                                | tible Sensors See Pa                            | ge 24                               |                      |                 |                         |                      |                      |                         |
| R3912<br><b>£165.00</b>                         | RM3912<br><b>£165.00</b>                         | RS3912<br><b>£165.00</b>                        |                                     | 61 > 42              | 3.0m            |                         |                      |                      |                         |
|   |  |   |                                     |                      |                 |                         |                      |                      |                         |

Advice / Order Hotline: 01536 461981

Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nellcor™, DuraSensor™, DS-100A™, Dura-YS™, Oximax™, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are r

### Use the compatibility chart below to identify the sensor you require

| ENVITEC<br>Way ahead in technology | or SENSOR EXTENSIO   |                          |                        |                 | 2                                     |   |
|------------------------------------|--|--------------------------|------------------------|-----------------|---------------------------------------|---|
|                                    | Original Equipment   |                          |                        |                 | EnviteC<br>Comfort Line<br>Ear Sensor | EnviteC<br>Comfort Line<br>Finger Sensor<br>(Adult) |
| Manufacturer                       | Oximeter Model / Part No   | Sensor<br>Part No.       | X or Z Sen-<br>sor End | Cable<br>Length | Part No.                              | Part No.  |
| Siemens<br>Medical                 | Sirecust 700, 630;<br>Siren SpO <sub>2</sub> Module                        | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|                                    | SC 6002, SC 7000,<br>SC 8000, SC 9000XL                                    | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Smiths Medical<br>(see BCI)        |  |                          |                        |                 |                                       |   |
| Spacelabs<br>Burdick               | PRO2   | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br>£69.00                   | EW3222-12<br>£58.00                                 |
| Spacelabs<br>Medical               | 90419, 90501, 90651A-03  |                          | 21<br>Hypotronics      | 3.0m            |                                       |   |
|                                    | 90419-01, 90651A-07  | Spacelabs<br>015-0130-00 | 21<br>Hypotronics      | 3.0m            |                                       | EW3262<br>£97.00                                    |
|                                    | (same as above)  |                          | 01<br>Sub D            | 0.9m            |                                       |   |
|                                    | 90351-D/G, 90465, 90466.<br>90467, 90489,<br>90631-07/08, 90651A           | Spacelabs<br>015-0130-00 | 21<br>Hypotronics      | 3.0m            |                                       | EW3262<br>£97.00                                    |
|                                    | (same as above)  |                          | 25<br>Hypotronics      | 3.6m            |                                       |   |
|                                    | 90351-0/6, 90465, 90466,<br>90467, 90651A-08, PC Ex-<br>press, 90489, IM77 | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|                                    | 90651A-08, 90489, 90466,<br>90467, 90465, 90351-D/G,<br>90308, PC Express  |                          | 24<br>Hypotronics      | 3.1m            |                                       |   |
|                                    | 90496 Ultraview<br>(Nellcor SpO <sub>2</sub> )                             | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
|                                    | 90496 Ultraview<br>(Novametrix SpO <sub>2</sub> )                          | Spacelabs<br>015-0130-00 | 21<br>Hypotronics      | 2.95m           |                                       | EW3262<br>£97.00                                    |
| Takaoka                            | All Monitors   |                          | 36<br>Lemo             | 3.0m            |                                       |   |
| Тусо                               | All Monitors   | Masimo®                  | 41<br>3M               |                 |                                       | IO® Compatible<br>ee Page 26                        |
| Welch Allyn<br>Protocol            | Propaq 206-EL, 204-EL,<br>202-EL, 106-EL                                   | Nellcor<br>DS100A        | 05<br>Sub D            | 0.9m            |                                       | r™ Compatible<br>ee Page 24                         |
| Weinmann                           | Oxycount Mini  | BCI 3044 /<br>BCI 3444N  | 03<br>Sub D            | 1.2m            | ES3222-12<br><b>£69.00</b>            | EW3222-12<br><b>£58.00</b>                          |


This chart lists the most popular sensors - Please contact PROACT if you cannot find the sensor for your monitor

## www.proactmedical.co.uk

42 TRADE MARKS. Nellcor™, DuraSe

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/pers Nellcor™, DuraSensor™, DS-100A™, Dura-YS™, Oximax™, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®, LNCS® etc are registered trademarks belonging to Masimo Corporat

This chart will help you to identify which sensor you require. For **Direct Fit Sensors** which fit directly into the monitor, select the sensor with the correct end connector '**Z**' (see page 30 for connector fittings) to fit your monitor. You may have a choice of cable lengths. For **indirect Sensors** which use an extension cable - select the Sensor Connector '**X**' to fit with the Extension Cable and End Connector '**Y**'. Check that any newly specified Extension Cable also has the correct Monitor Connector '**Z**'.



### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons Nellcor<sup>™</sup>, DuraSensor<sup>™</sup>, Ds-100A<sup>™</sup>, Dura-YS<sup>™</sup>, Oximax<sup>™</sup>, are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®. LNCS® etc are registered trademarks belonging to Physio-Control Inc or its affiliates, such as Nellcor Puritan Bennett, Covidien. Masimo LNOP®.

#### Nonin 9560 Onyx Digital Finger Oximeter with Bluetooth Wireless Pod

- Based on the top selling premium finger oximeter, the Onyx 9550
- Unparallelled reliability and accuracy with Nonins PureSAT and PureLight technologies ensuring accurate readings every time
- Secure Bluetooth 2.0 technology ensures that a secure connection is made between devices which meets the IEEE 11073 and Continua standards
- · Ergonomic design fitting the widest range of fingers from -child to large adult
- The 9560 provides an extended range of up to 100m for added mobility
- Unique pulse quality indicator with tri-colour readout
- Convenient enough to carry around and only weighing 60g
- Unlike traditional bluetooth devices, the Onyx 9560 had a power saving feature allowing at least 600 spot checks on x2 AAA batteries
- Clear LED display can be read in any environment at any angle
- · Military tested robust design for durability in the toughest environments
- Battery shelf life of 35,000 hours (4 years)
- Fully serviceable and repairable even after expiry of 2 year
- 2 year Warranty

# Bluetooth 2.0 PROTOCOLS AVAILABLE

| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| 9560     |          | Nonin 9560 Bluetooth Finger Pulse Oximeter - Includes  | Single | £399.50 |
|          |          | FREE Cushioned carry case, x2 AA batteries and lanyard |        |         |

95 Onyx I

Continua

#### **®**CREATIVE Creative PC-60NW1 Bluetooth Google play MEDICAL Finger Oximeter with Realtime PC Software Free Android Phone App · Bluetooth enabled wireless Pulse Oximeter · Cost effective solution for realtime Wireless Pulse Oximetry Data Transfer PC Data Management software available, offering full reporting functionality with real time data display (Spo2 & HR), Plethysomgraphic Waveform and customizable graphic trending Innovative 4 Directional Dual Colour OLED Display · Selectable display of HR or PI · Fully Automatic power On/Off · Fully user adjustable Audible & Visual Alarm for Spo2 and HR • Suitable for use on Paediatric to Adult patients (8mm-22mm) • Accurate to +/- 2% Spo2 and HR · 35 hours operation on 2x AAA Batteries Bluetooth Version 2.0 · Free Android app available from Windows App store, search for 'Shenzhen Creative' Bluetooth<sup>®</sup> 2.0 · Custom software available to suit your application 1 Year Warranty Realtime SpO2 waveform and data example from PROTOCOLS AVAILABLE Android phone

| Part No.   | NPC Code | Description  | Qty    | Price  |
|------------|----------|--|--------|--------|
| CR-PC60NW1 |          | PC-60NW-1 Finger Oximeter (Bluetooth v2.0 Data Transfer). Includes Carry<br>Bag, AAA Batteries, Lanyard & Data Management Software | Single | £95.00 |

### Creative POD-1W Fingertip Pulse Oximeter

· Wireless data transmission for communication with PC, iOS and Android

Bluetooth enabled Finger Pulse Oximeter

· Bi-directional display screen

• Automatic Power On/Off · Low battery voltage indication • Bluetooth Version 4.0

2 Year Warranty

Smart Phones, Supplied with free PC software

• 35 hours operation on x2 AAA batteries (supplied) Accurately measures SpO2 and Pulse Rate







Download on the App Store











🚯 Bluetooth 🕹 4.0 PROTOCOLS AVAILABLE



Realtime Bluetooth 4.0 Data Transfer, display and trending plus storage


| Part No. | NPC Code | Description   | Qty    | Price  |
|----------|----------|---|--------|--------|
| CR-POD1W |          | POD-1W Finger Pulse Oximeter (Bluetooth v4.0 Data Transfer)<br>with 2 x AAA Batteries, lanyard, pouch | Single | £95.00 |

### **Creative Telehealth Bluetooth Monitoring**

These innovative products offer Bluetooth connectivity to both PC, Smart phone and Tablet with real time display, trending and data management at amazing prices.

Easy to use, clinically accurate, the Creative range offer PC and Bluetooth data to a wide range of connectivity options. Bluetooth protocols are available for all devices for custom applications.





Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837



| Fait NO. | NFC Coue | Description  | Qty    | FIICe   |
|----------|----------|--|--------|---------|
| CR-PC201 |          | PC-201 NIBP Monitor (USB/Bluetooth v2.0/4.0 Data Transfer)<br>with Adult BP Cuff, USB Download & Charging Cables   | Single | £160.00 |
| CR-PC202 |          | PC-202 SpO2 & NIBP Monitor (USB/Bluetooth Data Transfer v2.0/4.0)<br>with Adult Sensor, Adult BP Cuff, USB Download & Charging Cables                              | Single | £199.00 |
| CR-PC203 |          | PC-203 SpO2, NIBP & Temperature Monitor (USB/Bluetooth Data Transfer v2.0/4.0)<br>with Adult Sensor, Adult BP Cuff, Tympanic Probe, USB Download & Charging Cables | Single | £240.00 |








PROTOCOLS AVAILABLE

| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| CR-PC301 |          | PC-301 NIBP Monitor (USB/Bluetooth v2.0 Data Transfer)<br>with Adult BP Cuff, USB Download & Charging Cables   | Single | £290.00 |
| CR-PC302 |          | PC-302 SpO2 & NIBP Monitor (USB/Bluetooth Data Transfer v2.0)<br>with Adult Sensor, Adult BP Cuff, USB Download & Charging Cables                              | Single | £305.00 |
| CR-PC303 |          | PC-303 SpO2, NIBP & Temperature Monitor (USB/Bluetooth Data Transfer v2.0)<br>with Adult Sensor, Adult BP Cuff, Tympanic Probe, USB Download & Charging Cables | Single | £325.00 |




### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837



| CR-PC80B PC-80B Easy ECG Monitor (USB/Bluetooth Data Transfer v2.0) Single £199.00 | Part No. | NPC Code | Description   | Qty    | Price   |
|--|----------|----------|---|--------|---------|
| War oury bug, 2 x w w balantos, oob ouble a bala management contraite              | CR-PC80B |          | PC-80B Easy ECG Monitor (USB/Bluetooth Data Transfer v2.0)<br>with Carry Bag, 2 x AAA Batteries, USB Cable & Data Management Software | Single | £199.00 |



### Creative PC-68B Wrist Pulse Oximeter

- Bluetooth enabled Wrist Pulse Oximeter
- Small, light and easy to wear, applicable for longtime continuous monitoring
   and recording
- Bright, easy to read, colour OLED display. Shows SpO2, PR, PI, Bar Graph and Waveform
- Automatic starting measurement when the finger is out of the sensor or no key operation for 20 seconds
- · Audible, visual and vibrational, adjustable over limit indication
- Real time SpO2 and Pulse Rate value with data trend review
- Up to 528 hours of data storage (recording date every 1/4/8 seconds)
- Data records can be uploaded to PC by USB cable (the PC software "Oxygen Data Manager" is available)
- Optional wireless function
- Bluetooth Version 4.0, realtime output to Android, iPhone, iPad and PC
- iOS and Android apps available from Apple/Windows App store, search for 'Shenzhen Creative'.
- · Smart power management with low battery indication
- Compatible with Stoward Scientific Visi Download Software available soon, please call for details



80

Real time display

1.0



| Part No. | NPC Code | Description   | Qty    | Price   |
|----------|----------|---|--------|---------|
| CR-PC68B |          | PC-68B Wrist Pulse Oximeter (USB/Bluetooth v4.0 Data Transfer)<br>with Adult Soft Sensor, 2 x AAA Batteries, USB Cable & Data Management Software | Single | £295.00 |

| Image: Section of the section of th |  |   |
|---|--|---|
| ware downloads are available for all Creative nealth Monitors   | Custom Event Settings for user specific data | Patient Records archived for quick and easy, analysis and archiving |

### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### Nonin 9840 Pulse Oximeter & Mainstream Ruggedised CO2 Detector





()

100

- Ideal for EMS, Disaster and Resus use Extreme duty
- Easy to use, lightweight mainstream sensor and no calibration needed
- "First Breath" Active no warm-up required.
- Breath beep, audible indication of detected breath
- Features a tricolour SpO2 perfusion detector
- Amazingly durable, rugged construction with free carry case
- Available in non-alarm (9843) and audible alarm (9847) versions
- Semi-quantitative technology with mainstream sampling
- PureSAT® SpO<sub>2</sub> artifact-free technology provides accuracy you can trust in the most challenging conditions, such as motion and low perfusion
- 3 Year Warranty on main unit and sensor
- Memory for up to 24 hours of data storage nVision compatible for SpO2
- Requires 6x AA batteries to give combined SpO2, EtCO2 use of up to 24 hours
- ISO 80601-20-61 Compliant All Nonin Oximeters are fully type tested to comply with the new International Standard for Pulse Oximeters
- For sensors, see page 20



| Part No. | NPC Code | Description  | Qty    | Price   |
|----------|----------|--|--------|---------|
| 9843     |          | 9843 Pulse Oximeter & CO2 Detector (no alarms)   | Single | £925.00 |
| 9847     | FBC267   | 9847 Pulse Oximeter & CO2 Detector (with alarms)   | Single | £995.00 |
|          |          | Both models include Carry Case, Adult Soft Sensor (1m), CO2 Sensor, 3x Airway Adapter Tubes, Batteries and User Manual |        |         |
| 9840AAT  |          | Disposable Airway Adapter Tubes for Nonin 9840 Series Monitors   | 12     | £79.00  |
| 9840SA   |          | Spare Mainstream CO2 Sensor for Nonin 9840 Series Monitors   | Single | £225.00 |

#### Nasal CO2 Sampling Cannula



- · Option of cannula with curved, tapered nasal prongs
- Simultaneous O2 delivery or oral/nasal sampling lines available
- $\ensuremath{\cdot}$  Soft, lightweight material for patient comfort during long term use
- ${\mbox{\cdot}}$  Clear material doesn't interfere with patient observation
- Supplied in a standard 1.27mm (0.05") ID
- Available in adult and paediatric sizes



| Part No. | NPC Code | Description   | Qty | Price   |
|----------|----------|---|-----|---------|
| MA4000   |          | Nasal CO2 Sample Line, Adult, 2.1m with Male Luer                       | 25  | £89.00  |
| MA4100   |          | Nasal CO2 Sample Line, Paediatric, 2.1m with Male Luer                  | 25  | £89.00  |
| MA4707   |          | Nasal CO2 Sample Line with O2 Delivery, Adult, 2.1m with Male Luer      | 25  | £115.00 |
| MA4703   |          | Nasal CO2 Sample Line with O2 Delivery, Paediatric, 2.1m with Male Luer | 25  | £115.00 |

#### Q Series Anaesthesia Gas Sampling Lines

Designed for use with Anaesthesia Gases but also ideal for Capnography

• DEHP and Phthalate free specially formulation PVC material is tested and ensures that anaesthetic gases do not cause a cross contamination or inaccuracy of sampling or possible damage to gas analysers

- Incorporates Q Guard anti bacterial protection to minimise the risk of cross infection between patients
- · High strength, anti kink / occlusion design
- Inner diameter of 1.27mm I.D. optimised for fast sampling response
- Supplied in bulk packs of 50 lines



| Part No.    | NPC Code | Description   | Qty | Price  |
|-------------|----------|---|-----|--------|
| QPS8103-50  | FDC831   | QGuard Gas Sampling Line, Male/Female Luers, 1.27mm ID x 3.0m | 50  | £65.00 |
| QPS8002-50  | FDC829   | QGuard Gas Sampling Line, Male/Male Luers, 1.27mm ID x 2.0m   | 50  | £50.00 |
| QPS8003-50  | FDC830   | QGuard Gas Sampling Line, Male/Male Luers, 1.27mm ID x 3.0m   | 50  | £55.00 |
| QPP1009CO2P |          | QGuard Elbow Connector, 22F/15M with Female Luer Port and Cap | 50  | £40.00 |

### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

#### Creative PC-900B Handheld Sidestream Capnograph & Oximeter

- Very compact and lightweight with extremely simple user interface
- Clear full colour 7.5cm TFT display
- Temperature, pressure compensation system and zero re-adjustment system
- Balanced gas compensation minimising influence against other gases
- $\ensuremath{\cdot}$  Lung pressure and temperature compensation (BTPS compensation) available
- Suitable for intubated or non-intubated patients
- $\ensuremath{\cdot}$  Pump flow rate adjustable for adult and infant and low flow sample lines
- $\ensuremath{\cdot}$  Water filter specially designed for heavy humidity environment
- Adjustable audio and visual alarms for exceeding limits and Apnoea
- 24 hours graphic trend can be stored after power-off
- Standard with MoveOxy SpO2, optional Nellcor OxiMAX SpO2
- Built in rechargeable Li-Ion batteries with up to 10 hours working time
- USB Connectivity for data transfer

1 Year Warranty

Physical Dimensions (Out of Carry Case) Weight: 0.6kg

Width: 70mm Height: 160mm





| Part No.         Part Component of Com                 |                |          |  |        |          |
|--|----------------|----------|--|--------|----------|
| CR-PC900B-12      Hand Held SideStream EtCO2 and SpO2 (Nellcor® Oximax) Monitor with Adult Soft Sensor     Single     É1995.00       CR-PC900B-12     For CO2 Lines please see previous page. For SpO2 Sensors please see below or page 24 for<br>Nellcor® OxiMAX and Masimo Sensors as required     Single     £1995.00       CR-MSA900B     Combined Water Trap/Filter T3 and Male to Male Luer Lock Adapter - Assembled Ready for<br>Use. Offers Male Luer Connector for Sample Lines with Female Luer Connector     10     £55.00       CR2500-0000218      Water Trap/Filter T3 for Creative PC-900B Monitor with Female Luer Connector     10     £55.00       QPP1009CO2P      QGuard Elbow Connector, 22F/15M with Female Luer Port and Cap     50     £40.00       QPS8003-50      QGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m     50     £85.00       MA4000      Nasal CO2 Sample Line, Adult, 2.1m     25     £89.00       MA4100      Nasal CO2 Sample Line, Adult, 2.1m     25     £115.00       MA4707      Nasal CO2 Sample Line (with O2 delivery) Adult, 2.1m     25     £115.00       MA4703      Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m     25     £115.00       MA4703      Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m     25     £115.00       CR2302-000010      Nasal CO2 Sample Line (with O2 deliver  | Part No.       | NPC Code | Description  | Qty    | Price    |
| For CO2 Lines please see previous page. For SpO2 Sensors please see below or page 24 for<br>Neilcor® OxiMAX and Masimo Sensors as required     Image: Comparison of the c        | CR-PC900B-11   |          | Hand Held SideStream EtCO2 and SpO2 (Creative) Monitor with Adult Soft Sensor          | Single | £1595.00 |
| Index     Nellcor® OxiMAX and Masimo Sensors as required     Index       CR-MSA900B     Combined Water Trap/Filter T3 and Male to Male Luer Lock Adapter - Assembled Ready for<br>Use. Offers Male Luer Connector of Sample Lines with Female End Connector.     10     £55.00       CR2500-0000218     Index     Water Trap/Filter T3 for Creative PC-900B Monitor with Female Luer Connector.     100     £55.00       QP1009C02P     Index     QGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m     500     £50.00       QP58003-50     Intubated Adult/Paediatric Airway Sampling Kit - includes Water Trap/Filter T3, Elbow<br>Connector and Gas Sampling Line (Assembled Ready for Use)     100     £85.00       MA4000     Intubated Adult/Paediatric Airway Sampling Kit - includes Water Trap/Filter T3, Elbow<br>Connector and Gas Sampling Line (Assembled Ready for Use)     100     £85.00       MA400     Intubated Adult/Paediatric, 2.1m     225     £89.00       MA4707     Intubated Adult/Paediatric, 2.1m     225     £89.00       MA4707     Intubatel CO2 Sample Line (with O2 delivery) Adult, 2.1m     255     £115.00       MA4707     Intubatel CO2 Sample Line (with O2 delivery) Adult, 2.1m     255     £49.50       RC2302-00001     Intubater Connector Intubater for PC-900B Connorth Mit Frame     500     £49.50       RC3302-00001     Intubater Connector Intubater for PC-900B Caporaph     Single     £49.50       RC3202-00001     Intu   | CR-PC900B-12   |          | Hand Held SideStream EtCO2 and SpO2 (Nellcor® Oximax) Monitor with Adult Soft Sensor   | Single | £1995.00 |
| IdeaUse. Offers Male Luer Connector for Sample Lines with Female End Connector.IdeaIdeaCR2500-0000218IWater Trap/Filter T3 for Creative PC-900B Monitor with Female Luer Connector1005500QPP1009CO2PIQGuard Elbow Connector, 22F/15M with Female Luer Port and Cap500560.00QP58003-50IQGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m500550.00CR-ASK900BIQGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m500560.00CR-ASK900BINasal CO2 Sample Line, Adult, 2.1m100550.00MA4000INasal CO2 Sample Line, Adult, 2.1m255568.00MA4100INasal CO2 Sample Line, Adult, 2.1m255568.00MA4707INasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255561.00MA4703INasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255561.00MA4704INasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255561.00MA4705INasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255561.00CR2302-000010INasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255561.00CR2302-000010INasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m255561.00CR2302-000010IReplacement Lithium Battery for PC-900B Monitor with Strap561.6056.00CR2302-000010IStrape Cable (US B to mini USB) with AC Mains AdapterSin  |                |          |  |        |          |
| QPP1099C02PQGuard Elbow Connector, 22F/15M with Female Luer Port and Cap50E44.00QPS8003-50QGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m500550.0CR-ASK900BIntubated Adult/Paediatric Airway Sampling Kit - Includes Water Trap/Filter T3, Elbow105850.00MA4000Nasal CO2 Sample Line, Adult, 2.1m25589.00MA4100Nasal CO2 Sample Line, Paediatric, 2.1m255115.00MA4707Nasal CO2 Sample Line (with O2 delivery) Adult, 2.1m255115.00MA4703Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m255115.00MA4703Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m255115.00MA4703Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m255115.00PROBAG-CAPNasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m255115.00CR2302-000010Neary Duty Transport Carry Case for Creative PC-900B Monitor with StrapSingle529.00CR2302-000010Replacement Lithium Battery for PC-900B CapnographSingle529.00CR2302-000010Charger Cable (USB to mini USB) with AC Mains AdapterSingle529.00CR12VDC9B12V DC Vehicle Power Adapter for use with aboveSingle529.00CR1504002212V DC Vehicle Power Adapter to SV DC Mini USB for Creative PC-900B Monitor, 3m lengthSingle529.50CR15040025 <td>CR-MSA900B</td> <td></td> <td></td> <td>10</td> <td>£75.00</td>   | CR-MSA900B     |          |  | 10     | £75.00   |
| Arrore and a construct part of the second construct part o | CR2500-0000218 |          | Water Trap/Filter T3 for Creative PC-900B Monitor with Female Luer Connector           | 10     | £55.00   |
| NameNameNameNameNameCR-ASK900BIntubated Adult/Paediatric Airway Sampling Kit - includes Water Trap/Filter T3, Elbow<br>Connector and Gas Sampling Line (Assembled Ready for Use)10£85.00MA4000IIIINasal CO2 Sample Line, Adult, 2.1m25£89.00MA4100IIIIINasal CO2 Sample Line, Paediatric, 2.1m25£115.00MA4707IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII   | QPP1009CO2P    |          | QGuard Elbow Connector, 22F/15M with Female Luer Port and Cap                          | 50     | £40.00   |
| IndexConnector and Gas Sampling Line (Assembled Ready for Use)IndexIndexMA4000Image: Image: I   | QPS8003-50     |          | QGuard Gas Sampling Line, Male/Male Luers 1.27mm ID x 3.0m                             | 50     | £50.00   |
| IndexConnector and Gas Sampling Line (Assembled Ready for Use)IndexIndexMA4000Image: Image: I   |                |          |  |        |          |
| MA4100Image: Construction of the construc          | CR-ASK900B     |          |  | 10     | £85.00   |
| MA4707Image: Ansatr Construction of the sector           | MA4000         |          | Nasal CO2 Sample Line, Adult, 2.1m   | 25     | £89.00   |
| MA4703Anal CO2 Sample Line (with O2 delivery) Paediatric, 2.1mCRMA4703Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m25£115.00PROBAG-CAPHeavy Duty Transport Carry Case for Creative PC- 900B Monitor with StrapSingle£49.50CR2302-000010Replacement Lithium Battery for PC-900B CapnographSingle£39.50CR2903-200010Charger Cable (USB to mini USB) with AC Mains AdapterSingle£20.00ACA-USB2UK5V DC Mini USB to UK Plug Adapter for use with aboveSingle£9.50CR12VDC9B12V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m lengthSingle£29.50CR15040022Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040055Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle£49.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle£49.50  | MA4100         |          | Nasal CO2 Sample Line, Paediatric, 2.1m  | 25     | £89.00   |
| IndicationIndicationIndicationIndicationIndicationPROBAG-CAPHeavy Duty Transport Carry Case for Creative PC- 900B Monitor with StrapSingle£49.50CR2302-000010Replacement Lithium Battery for PC-900B CapnographSingle£29.50CR2903-2000010Charger Cable (USB to mini USB) with AC Mains AdapterSingle£20.00ACA-USB2UK5V DC Mini USB to UK Plug Adapter for use with aboveSingle£29.50CR-12VDC9B12V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m lengthSingle£29.50CR15040022Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle5ingle£49.50CR15040055Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle\$1249.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle\$1249.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle\$1249.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Cl   | MA4707         |          | Nasal CO2 Sample Line (with O2 delivery) Adult, 2.1m                                   | 25     | £115.00  |
| CR2302-000010Image of the property for PC-900B CapnographSingleSingle£39.50CR2903-200010Image of the property for PC-900B CapnographSingleSingle£20.00ACA-USB2UKImage of the property for PC-900B CapnographSingleSingle£20.00CR-12VDC9BImage of the property for PC-900B CapnographSingleSingle£9.50CR-12VDC9B12V DC Vehicle Power Adapter for use with aboveSingle£29.50CR15040022Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle£49.50CR15040051Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle\$1000000000000000000000000000000000000   | MA4703         |          | Nasal CO2 Sample Line (with O2 delivery) Paediatric, 2.1m                              | 25     | £115.00  |
| CR2302-000010Image of the property for PC-900B CapnographSingleSingle£39.50CR2903-200010Image of the property for PC-900B CapnographSingleSingle£20.00ACA-USB2UKImage of the property for PC-900B CapnographSingleSingle£20.00CR-12VDC9BImage of the property for PC-900B CapnographSingleSingle£9.50CR-12VDC9B12V DC Vehicle Power Adapter for use with aboveSingle£29.50CR15040022Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle£49.50CR15040051Image of the property for SPO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle\$1000000000000000000000000000000000000   |                |          |  |        |          |
| CR2903-2000101   | PROBAG-CAP     |          | Heavy Duty Transport Carry Case for Creative PC- 900B Monitor with Strap               | Single | £49.50   |
| ACA-USB2UK5V DC Mini USB to UK Plug Adapter for use with aboveSingle£9.50CR-12VDC9B12V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m lengthSingle£29.50CR1504002212V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m lengthSingle£29.50CR15040025Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040050Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m CableSingle£49.50CR15040051Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m CableSingle£49.50   | CR2302-0000010 |          | Replacement Lithium Battery for PC-900B Capnograph                                     | Single | £39.50   |
| CR-12VDC9B       12V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m length       Single       £29.50         CR-15040022        Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040055        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040051        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50  | CR2903-2000010 |          | Charger Cable (USB to mini USB) with AC Mains Adapter                                  | Single | £20.00   |
| CR15040022       Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040055        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040051        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50  | ACA-USB2UK     |          | 5V DC Mini USB to UK Plug Adapter for use with above                                   | Single | £9.50    |
| CR15040055        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040051        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50   | CR-12VDC9B     |          | 12V DC Vehicle Power Adapter to 5V DC Mini USB for Creative PC-900B Monitor, 3m length | Single | £29.50   |
| CR15040055        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50         CR15040050        Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable       Single       £49.50         CR15040051        Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50   |                |          |  |        |          |
| CR15040050      Creative Sp02 Sensor (Sub-D), Finger Clip, Adult, 2m Cable     Single     £49.50       CR15040051      Creative Sp02 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable     Single     £49.50   | CR15040022     |          | Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable                             | Single | £49.50   |
| CR15040051       Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable       Single       £49.50   | CR15040055     |          | Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable                        | Single | £49.50   |
|  | CR15040050     |          | Creative SpO2 Sensor (Sub-D), Finger Clip, Adult, 2m Cable                             | Single | £49.50   |
| CR15040017 Creative SpO2 Sensor (Sub-D), Silicone Wrap, Neonate Single £45.00  | CR15040051     |          | Creative SpO2 Sensor (Sub-D), Finger Clip, Paediatric, 2m Cable                        | Single | £49.50   |
|  | CR15040017     |          | Creative SpO2 Sensor (Sub-D), Silicone Wrap, Neonate                                   | Single | £45.00   |

<sup>®</sup>CREATIVE

MEDICAL

Case -Optional Extra



### **Parameter Specifications**

| $ETCO_2$ and $FiCO_2$       |  | ICON MENU |   |
|-----------------------------|--|-----------|---|
| Mode of measurement         | Sidestream (non-dispersive infrared)                 |           |   |
| Range                       | 0 to 150mmHg or 0 to 20kPa                           |           | ON / OFF  |
| Accuracy:                   | ±2mmHg for EtCO2 range 0 to 40mmHg                   |           |   |
|                             | ±5% for EtCO2 range from 41 to 70mmHg                |           | M   |
|                             | ±8% for EtCO2 range from 71 to 100mmHg               |           | Menu  |
|                             | Over 100mmHg ±10%                                    |           |   |
| Jpdate Frequency:           | Option of every breath or 10, 20 or 30 seconds       |           | Alarm / Silence   |
| Varm Up Time:               | < 20 seconds   |           | Aldini / Olience  |
| Sample Flow Rate:           | 50 to 250 ml/min User adjustable. Default=100ml/min  |           |   |
| lemory:                     | 24 hours on screen trend and numeric                 |           | Cursor Select Adjust  |
|                             | _  |           |   |
| <b>RESPIRATION RAT</b>      | E  |           |   |
| ange:                       | 3 - 150 breaths/minute                               |           | Enter   |
| Accuracy:                   | ±1% of reading or ±1 breath/min whichever is greater |           |   |
| lemory:                     | 24 hours   |           |   |
|                             |  |           | -   |
| PO <sub>2</sub>             |  |           |   |
| lange:                      | 0 to 100%  |           |   |
| ccuracy:                    | ±2% for SpO2 range from 70 to 100%,                  |           |   |
| ····                        | ±3% for SpO2 range from 50 to 69%                    | 26:26     | :15 4   |
| lemory:                     | 24 hours   | EtCO2     | mmHg  |
|                             |  | 31        | .3  |
|                             |  | RR        | FICO2   |
| PULSE RATE                  |  | 10        |   |
| Range:                      | 30 to 250bpm   |           |   |
| ccuracy:                    | ±2% for PR range from 30 - 250bpm                    | 541       |   |
| lemory:                     | 24 hours   |           |   |
|                             |  |           |   |
| OWER                        |  |           |   |
| C Input:                    | 100V to 250V, 50Hz/60 Hz with 5V mini USB adapter    |           |   |
|                             | Optional Vehicle 12V to 5V Mini USB Charger Lead     |           | ETCO2 + SpO2  |
|                             |  |           | the second se |
| BATTERY                     |  |           |   |
|                             | Built-in rechargeable lithium battery pack (3.6V,    |           |   |
| уре:                        | 3000mAH)   |           | $(\mathbf{X})$  |
| Charging Time:              | 4 Hours  |           |   |
| Dperating Time:             | 10 hours   |           |   |
|                             |  |           |   |
| OPERATING COND              | ITIONS   |           |   |
| Temperature                 | -5 to 50°C   |           | ▼   ①   |
|                             |  |           |   |
| Humidity:                   | <93% (non-condensing) = <29.45 hPa                   |           |   |
| Atmospheric pressure:       | 70 to 120kpA   |           |   |
|                             |  |           |   |
| STORAGE CONDIT              |  |           |   |
| Temperature:                | -30 to 70°C  |           | 0.0   |
| Humidity:                   | <93% (non-condensing)                                |           |   |
| Atmospheric pressure:       | 50 to 120kpA   |           |   |
|                             |  |           |   |
| DIMENSIONS                  |  |           | 31.3  |
| Size:                       | 72 x 155 x 40mm (W x H x D)                          |           | 16  |
| Weight:                     | 600g (Weight of sampling kit on ETT/LMA: <25g)       |           | LAA   |
|                             |  |           | Excas + lyde  |
| <b>NARRANTY AND C</b>       | ALIBRATION   |           |   |
| One year warranty on main u |  |           |   |
| · ·                         | al calibration check recommended                     |           |   |
| IP rating                   | IP32 when used with specified supplied Carry Case    |           |   |
| · J                         |  | /         |   |
| CE & Compliance             |  | //        |   |
| 93/42/EEC Medical Device D  | pirective Compliant                                  |           | Table top stand and   |
|                             |  | 10 11     | rubber bumper are<br>included as standard   |
| CE 0123                     | Shenzhen Creative Industry Co. Ltd                   |           |   |

Or Email Your Order: orders@proactmedical.co.uk

### Fax Us: 01536 461837

53

### Multi Parameter Monitors

#### Creative PC-900Pro Vital Signs Monitors

- · Lightweight with user friendly, simple interface for use with adults & paediatrics
- Very large, clear, colour coded numeric displays
- 3.5" colour LCD display of waveforms, trend list, event list and setup menu
- Fully user adjustable alarms
- Basic functions of NIBP, SpO2, Pulse Rate with optional Temperature
- Storage for data collection and on screen trending
- Manual/Auto/STAT BP mode
- Built in rechargeable Lithium battery with 6 hour continuous working time
- Optional built-in thermal printer to print out history data and trend graph
- Nurse call function
- Ethernet network compatible
- ${\scriptstyle \bullet}$  USB connectivity for data uploading and software upgrading
- 2 year warranty (optional five year warranty upgrade available, call for details)







MEDICAL

Optional extension to 5 years

| Part No.         | NPC Code     | Description  | Qty    | Price    |
|------------------|--------------|--|--------|----------|
| CR-PC900P-31     | FBC334       | PC-900Pro Vital Signs Monitor (SpO2 (Creative), PR & NIBP)<br>with Adult Soft Sensor and NIBP Cuff                               | Single | £595.00  |
| CR-PC900P-32     |              | PC-900Pro Vital Signs Monitor (SpO2 (Nellcor® Oximax), PR & NIBP)<br>with Adult Soft Sensor and NIBP Cuff                        | Single | £995.00  |
| CR-PC900P-41     |              | PC-900Pro Vital Signs Monitor (SpO2 (Creative), PR, NIBP & Temp)<br>with Adult Soft Sensor, NIBP Cuff and Temperature Sensor     | Single | £645.00  |
| CR-PC900P-42     |              | PC-900Pro Vital Signs Monitor (SpO2 (Nellcor® Oximax), PR, NIBP & Temp) with Adult Soft Sensor, NIBP Cuff and Temperature Sensor | Single | £1045.00 |
| PC-900 PRO Acces | sories - For | SpO2 Sensors and NIBP Cuffs see top of page 57   |        |          |
| CR-WADD3-91      |              | Warranty Extension for PC-900Pro Monitors, 5 Years Total (Creative SpO2)*  | Single | £195.00  |
| CR-WADD3-92      |              | Warranty Extension for PC-900Pro Monitors, 5 Years Total (Nellcor SpO2)*   | Single |          |
| CR2607-0000010   |              | Wall Mount for PC-900Pro Monitor   | Single | £80.00   |
| CR2600-2500030   |              | Pole Mount Clamp for PC-900Pro Monitor   | Single | £62.00   |
| CR-PROSTAND2     |              | Rolling PROStand with Mounting Plate for Creative PC-900Pro Monitor  | Single | £245.00  |
| CR2302-0000005   |              | Li-ion Battery for Creative PC-900Pro Monitor  | Single | £98.00   |
| CR2301-0000007   |              | Power Supply Module for Creative PC-900PRO Monitor   | Single | £154.00  |
| CR2203-0000002   |              | Printer Module for PC-900Pro Monitor (includes 10 rolls of paper)  | Single | £125.00  |
| CR5101-5236310   |              | Printer Paper for PC-900Pro Internal Printer (10 rolls)  | 10     | £20.00   |

### Multi Parameter Monitors

100-240VAC, 50/60Hz

3.5" color LCD and digital LEDs

חר 98

۵ . ۵ ۵

User adjustable Audible & Visual Alarm

| NIBP                       |   | TEMP (OPTION             | AL)               |   |  |
|----------------------------|---|--------------------------|-------------------|---|--|
|                            | Creative™ NIBP meets ANSI/AAMI SP10               | Technology               | YSI 400 con       | npatible                                |  |
| Standards                  | standard.   | Measuring Range          | 25.0°C-45.0       | °C                                      |  |
| Technique                  | Oscillometric                                     | Measuring Accuracy       | ±0.2°C            |   |  |
| Cuff Pressure Range        | 0mmHg - 300mmHg                                   | Responding Time          | <45s              |   |  |
| Pressure Precision         | ±3mmHg  |                          |                   |   |  |
| Cuff Inflation Time        | <10 Seconds (typical adult cuff)                  | PRINTER (OPT             | IONAL)            |   |  |
| Overpressure Protection    | Adult 300mmHg                                     | Туре                     |                   | Built in thermal printe                 |  |
|                            | Paediatric 240mmHg                                | Recording Speed          |                   | 25 mm/s                                 |  |
|                            | Neonate 150mmHg                                   |                          |                   |   |  |
| BP Measuring Range         |   | OTHER                    |                   |   |  |
| Systolic pressure          | Adult 40mmH-275mmHg                               | Built In Power Supply    |                   | 100-240VAC, 50/60H                      |  |
|                            | Paediatric 40mmHg-200mmHg                         | Built In Rechargeable    |                   | 11 1)/ 1100 Ab                          |  |
|                            | Neonatal 40mmHg- 135mmHg                          | Li-Ion Battery           |                   | 11.1V 4400mAh                           |  |
| Diastolic Pressure         | Adult 10mmHg -210mmHg                             | Display                  |                   | 3.5" color LCD and d                    |  |
|                            | Paediatric 10mmHg - 150mmHg                       | Alarms                   |                   | User adjustable Audil<br>& Visual Alarm |  |
|                            | Neonatal 10mmHg - 95mmHg                          | Communication            |                   | Serial/Ethernet                         |  |
| Mean Arterial Pressure     | Adult 20mmHg-230mmHg                              |                          |                   |   |  |
|                            | Paediatric 20mmHg-165mmHg                         | OPTIONAL ACC             | CESSORIES         |   |  |
|                            | Neonatal 20mmHg - 110mmHg                         | Trolley Roll Stand, Wall | Mount and EMS/    | Transport Case                          |  |
| BP Measuring Accuracy      | Maximal mean difference ±5mmHg                    | Creative™ also supply    | compatible Centra | I Monitoring options                    |  |
| Maximal Standard Deviation | 8mmHg   |                          |                   |   |  |
| Measurement Modes          | Adjustable Inflation Pressure, Manual, Auto, STAT | NIBP                     | Cycle Time Set    |   |  |
|                            |   | Power                    | r Saving Mode     | PC-900                                  |  |
| SpO <sub>2</sub>           |   | Alarm                    | Mute              |   |  |
| Transducer / Technology    | Dual-wave length LED                              | Print                    |                   | 8.8                                     |  |
|                            | Creative™ LFC™ Patented Technology                |                          |                   | 8.8                                     |  |
| SpO2 Measuring Range       | 35% - 100% (Adult and Paediatrics)                | NIBP                     | Start             | *** = 9                                 |  |
| Low Perfusion Capability   | 0.4% - 5%   | Scroll                   | Up                |   |  |
| SpO2 Measuring Accuracy    | ARMS < or = 2% for SpO2 range from 70-<br>100%    | Seleci                   | t                 | 1444                                    |  |
| ISO 80601-2-61:2011 (super | cedes ISO 9919)                                   | Scroll                   | Down              |   |  |
| PR Measuring Range         | 30bpm - 240bpm                                    |                          | ge Screen         | 00:0                                    |  |
|                            |   |                          | 10 0010011        |   |  |



## Advice / Order Hotline: 01536 461981 Or Email Your Order: orders@proactmedical.co.uk

±2bpm or ±2% whichever is greater

PR Measuring Accuracy

TRADE MARKS. Proact Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do not imply any endorsement or affiliation with Proact Medical Ltd or any other company/persons. Nellocid<sup>®</sup>. DuraSensor<sup>®</sup>, DiraSensor<sup>®</sup>, DS-100A<sup>®</sup>, Dura-YS<sup>®</sup>, Oximax<sup>®</sup>, are registered trademarks belonging to Tyco<sup>®</sup> International. Tyco<sup>®</sup> Healthcare Group, Nellocid<sup>®</sup> Purial Bennett Inc (Coviden) or its affiliates. Masimo LNOP®, LNCS® etc are registered trademarks belonging to the demand so that the second source of the demand source of the de

55

### Multi Parameter Monitors

#### Creative PC-3000 Multi Parameter Monitors

- 7" high resolution (800 x 480 pixel) colour TFT display
- Very simple to use with clear ergonomic user interface
- User configurable options from waveforms to extra large ward numeric displays
- Storage for data collection and on screen trending
- Optional mainstream or sidestream capnography
- Optional 60 hour ECG waveform storage, recall with arrythmia/ST analysis
- 1000 hour data trends for all parameters with graphic and list view
- 12V DC Vehicle Charger option
- Compact size, weighing only 3kg
- Protection against defibrillator interference
- Adult / Infant measurement modes
- User configurable visual and audible alarms
- 2 year warranty (optional five year warranty upgrade available, call for details)

Call to arrange a trial and for unbeatable volume discount pricing All PC-3000 Monitors are supplied with Adult Silicone SpO2 Sensor, Adult NIBP Cuff, Temperature Interface Cable YSI400 & Sensor Sample Pack (if applicable), Bedrail Hook and 220-240VAC Power Supply. If specified 3 lead ECG cable provided as standard. 5 Lead cable can be requested as a no cost option.



Optional stand

<sup>®</sup>CREATIVE

MEDICAL

Optional extension to 5 years

Waveform Display mode



## Vital Signs Monitors - Field Upgradable to include ECG for only £245.00

| Part No.     | NPC Code | Description  | Qty    | Price    |
|--------------|----------|--|--------|----------|
| CR-PC3000-41 |          | PC-3000 Vital Signs Monitor (SpO2 (Creative), PR, NIBP, Temp)<br>with Adult Soft Sensor Field upgradable to include ECG at a later date                      | Single | £850.00  |
| CR-PC3000-42 |          | PC-3000 Vital Signs Monitor (SpO2 (Nellcor® Oximax), PR, NIBP, Temp)<br>with Adult Soft Sensor - Field upgradable to include ECG at a later date             | Single | £1250.00 |
| CR-PC3000-01 |          | PC-3000 Patient Monitor (SpO2 (Creative), PR, Resp Rate, NIBP, ECG, Temp) with Adult Soft Sensor   | Single | £995.00  |
| CR-PC3000-02 |          | PC-3000 Patient Monitor (SpO2 (Nellcor Oximax), PR, Resp Rate, NIBP, ECG, Temp) with Adult Soft Sensor   | Single | £1395.00 |
| CR-PC3000-11 |          | PC-3000 Patient Monitor (SpO2 (Creative), PR, Resp Rate, EtCO2 (Sidestream), NIBP, ECG)<br>with Adult Soft Sensor (Carry Case PROBAG-OPB recommended)        | Single | £2645.00 |
| CR-PC3000-12 |          | PC-3000 Patient Monitor (SpO2 (Nellcor® Oximax), PR, Resp Rate, EtCO2 (Sidestream), NIBP,<br>ECG) with Adult Soft Sensor (Carry Case PROBAG-OPB recommended) | Single | £3045.00 |
| CR-PC3000-21 |          | PC-3000 Patient Monitor (SpO2 (Creative), PR, Resp Rate, EtCO2 (Mainstream), NIBP, ECG)<br>with Adult Soft Sensor (Carry Case PROBAG-OPB recommended)        | Single | £2850.00 |

| Comparison Chart |              |          |    |            |      |     |      |
|------------------|--------------|----------|----|------------|------|-----|------|
| Range            | Part Number  | SpO2     | PR | EtCO2      | NIBP | ECG | Temp |
| PC-3000 VSM      | CR-PC3000-41 | Creative | 0  |            | 0    |     | 0    |
| PC-3000 VSM      | CR-PC3000-42 | Nellcor® | 0  |            | 0    |     | 0    |
|                  |              |          |    |            |      |     |      |
| PC-3000 PM       | CR-PC3000-01 | Creative | 0  |            | 0    | 0   | 0    |
| PC-3000 PM       | CR-PC3000-02 | Nellcor® | 0  |            | 0    | 0   | 0    |
| PC-3000 PM       | CR-PC3000-11 | Creative | 0  | Sidestream | 0    | 0   |      |
| PC-3000 PM       | CR-PC3000-12 | Nellcor® | 0  | Sidestream | 0    | 0   |      |
| PC-3000 PM       | CR-PC3000-21 | Creative | 0  | Mainstream | 0    | 0   |      |

#### Creative Multi Parameter Accessories



#### Common Accessories for PC-900Pro and PC-3000

| <br>Creative SpO2 Sensor (Round Connector), Finger Clip, Adult (2.5m Cable)        | Single  | £49.50  |
|--|---|---|
| <br>Creative SpO2 Sensor (Round Connector), Soft Silicone, Adult (2.5m Cable)      | Single  | £49.50  |
| <br>Creative SpO2 Sensor (Round Connector), Finger Clip, Paediatric (2.5m Cable)   | Single  | £49.50  |
| <br>Creative SpO2 Sensor (Round Connector), Soft Silicone, Paediatric (2.5m Cable) | Single  | £49.50  |
| <br>Creative SpO2 Sensor (Round Connector), Foam Wrap, Neonate (Limited Use)       | Single  | £45.00  |
| <br>Creative SpO2 Sensor (Round Connector), Ear Clip                               | Single  | £45.00  |
| <br>Creative SpO2 Sensor (Round Connector), Y Type with Silicone Wrap (2.5m Cable) | Single  | £45.00  |
| <br><br>   | Creative SpO2 Sensor (Round Connector), Soft Silicone, Adult (2.5m Cable)          Creative SpO2 Sensor (Round Connector), Finger Clip, Paediatric (2.5m Cable)          Creative SpO2 Sensor (Round Connector), Soft Silicone, Paediatric (2.5m Cable)          Creative SpO2 Sensor (Round Connector), Soft Silicone, Paediatric (2.5m Cable)          Creative SpO2 Sensor (Round Connector), Foam Wrap, Neonate (Limited Use)          Creative SpO2 Sensor (Round Connector), Ear Clip | Creative SpO2 Sensor (Round Connector), Soft Silicone, Adult (2.5m Cable)       Single          Creative SpO2 Sensor (Round Connector), Finger Clip, Paediatric (2.5m Cable)       Single          Creative SpO2 Sensor (Round Connector), Soft Silicone, Paediatric (2.5m Cable)       Single          Creative SpO2 Sensor (Round Connector), Soft Silicone, Paediatric (2.5m Cable)       Single          Creative SpO2 Sensor (Round Connector), Foam Wrap, Neonate (Limited Use)       Single          Creative SpO2 Sensor (Round Connector), Ear Clip       Single |

For compatible Nellcor® sensors see page 24.

For Temperature Probes see page 78 and for NIBP cuffs (single tube, male bayonet connector see page 66-67)



Heavy Duty Paramedic Case



Basic Carry Case

#### PC-3000 Accessories

| CR3101-0000019  | <br>Basic Carry Case for PC-3000 Monitor   | Single | £45.00  |
|-----------------|--|--------|---------|
| PROBAG-OPB      | <br>Heavy Duty (Cordura) Paramedic Carry Case for PC-3000 Monitor                          | Single | £149.00 |
| CR-PROSTAND1    | <br>Rolling PROStand with Mounting Plate for Creative PC-3000 Monitor                      | Single | £245.00 |
| CR15010322      | <br>ECG Leadwire for Creative Monitors, 3 Lead, 3.7m                                       | Single | £24.50  |
| CR15010513      | <br>ECG Leadwire for Creative Monitors, 5 Lead, 3.7m                                       | Single | £29.50  |
| CR2909-0000015  | <br>Temperature Interface Cable for PC-3000 Monitor (allows use of Disposable Temp Probes) | Single | £24.50  |
| CR15084422      | <br>Skin Temperature Cable and Probe (Reusable) for PC-3000 Monitor                        | Single | £49.50  |
| CR2600-2600041  | <br>Wall Mount for PC-3000 Monitor   | Single | £38.00  |
| CR2600-2600043  | <br>Pole Mount Clamp for PC-3000 Monitor   | Single | £55.00  |
| CR-2203-0500003 | <br>Printer for Creative PC-3000 Monitors (USB Printer - seperate unit)                    | Single | £165.00 |
| CR5101-5020310  | <br>Printer Paper for PC-3000 USB Printer (5 rolls)  | 5      | £10.00  |
| CR2302-1482200  | <br>Spare / Replacement Li-ion Battery for Creative PC-3000 Monitor                        | Single | £68.50  |
| CR2301-0000011  | <br>Power Supply for Creative PC-3000 Monitor  | Single | £35.00  |
| CR2903-0100001  | <br>Mains Cable with UK Plug for Creative PC-3000 Monitor                                  | Single | £12.95  |
| CR-12VDC3       | <br>12V DC Vehicle Power Cable for Creative PC-3000 Monitors (5m Cable)                    | Single | £24.95  |
| Upgrade Options |  |        |         |
| CR-UPGR1        | <br>Upgrade from PC-3000 VSM to PM (includes Site Visit and ECG Cable)                     | Single | £245.00 |
| CR-WADD3-31     | <br>Warranty Extension for PC-3000 Monitors, 5 Years Total (Creative SpO2)*                | Single | £240.00 |
| CR-WADD3-32     | <br>Warranty Extension for PC-3000 Monitors, 5 Years Total (Nellcor SpO2)*                 | Single | £395.00 |
|                 | * Not available for monitors with additional EtCO2   |        |         |

### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### Cardiac Output / Haemodynamic Monitoring

#### CHEETAH NICOM<sup>®</sup> Non-Invasive Haemodynamic & Cardiac Output Monitor

Cheetah Medical's totally Non-Invasive Cardiac Output Monitor uses Bioreactance® technology to offer the clinician real-time haemodynamic insight. The unit is compact and easy to use (with four sensors applied to either the chest or back) and can be used on both conscious and unconscious patients to equal effect. Clinical parameters can be obtained within two minutes and fluid optimization begun quickly and in a safe and guided way. Continuation of haemodynamic monitoring during the crucial post-op surgical period can enable the Nursing Team to assist a swift recovery.

The CHEETAH NICOM has been validated with all major technologies both invasive and minimally invasive and is the only non-invasive haemodynamic and cardiac output monitor whose FDA predicate is the Swan Ganz PAC.

All the data collected from the patient can be downloaded to a PC using the NICOM EMR application, allowing the user to store, print or recall patients' data for future reference, via a user friendly interface.



#### Now available via the NHS Supply Chain Patient Monitoring Framework Agreement

#### Parameters

As well as Cardiac Output (CO), the NICOM measures:

Heart Rate (HR)

Stroke Volume (SV)

Stroke Volume Variation (SVV)

**Thoracic Fluid Content (TFC)** 

The system also calculates clinical parameters such as Cardiac Index (CI), Stroke Volume Index (SVI), Total Peripheral Resistance (TPR), Total Resistanc

| Part No.      | NPC Code   | Description   | Qty    | Price    |
|---------------|------------|---|--------|----------|
| CH-PCCM-RE1   |            | NICOM® Non-Invasive Cardiac Output Monitor<br>includes Patient Cable, Adult NIBP Cuff, USB Cable, Power Cable, Manual & Training Disc   | Single | £4995.00 |
| CH-PCMM-RE4SP |            | Cheetah Reliant Non-invasive Cardiac Output Monitor with SpO2<br>includes Patient Cable, Adult SpO2 Sensor & NIBP Cuff, USB Cable, Power Cable,<br>Manual & Training Disc   | Single | £5495.00 |
|               | Disposable | Non-Invasive NICOM® Sensor Sets   |        |          |
| CH-PCMEN25    |            | CHEETAH NICOM® Disposable Sensor Sets   | 25     | £1275.00 |
| CH-PCMEN200   |            | CHEETAH NICOM® Disposable Sensor Sets   | 200    | £9650.00 |
|               | Accessorie | IS State of the second s |        |          |
| CH-CMA-SIM    |            | Cheetah NICOM Monitor Simulator (suitable for v4.2 or above)  | Single | £1095.00 |
| CH-CMABAG10   |            | Carry Bag for the Cheetah Reliant NICOM®  | Single | £61.50   |
| CH-CMAPOL3    |            | IV Pole Connector for the Cheetah Reliant NICOM®  | Single | £99.00   |
| CH-PROSTAND3  |            | Multi Purpose Rolling PROStand with NICOM Mounting Plate  | Single | £325.00  |
| CH-CMACAB3    |            | Patient Cable for the Cheetah NICOM v3 Monitor (Black/Red)  | Single | £101.50  |
| CH-CMAPOW     |            | Mains Power Cable for Cheetah NICOM v3 Monitor (IEC to UK plug)   | Single | £35.00   |
| CH-CMA-BPC    |            | NIBP Cuff for Cheetah NICOM v3 Monitor  | Single | £28.00   |
| CH-CMA-BPT    |            | NIBP Tubing, Coiled, for Cheetah NICOM v3 Monitor   | Single | £28.00   |
| CH-CMA-USB    |            | USB Cable for Cheetah NICOM v3 Monitor  | Single | £17.50   |

#### **Clinical Applications**

The NICOM can be used on both conscious and unconscious patients to equal effect, wherever real time insight into cardiac output and other haemodynamic parameters is important. A summary of applications is given below but please see <u>www.cheetah-medical.com/clinical-applications</u> for more details as well as case studies of practical examples for clinical practice.



#### Theatre/Recovery

- Complete haemodynamic monitoring including CO, SVV NIBP and TPR enables fine-tuning of fluid management
- Can be used Pre-Induction, Perioperatively or in Recovery to assist with fluid management
- Can be used in wide range of surgical procedures due to flexibility of electrode placements
- Ability to check fluid responsiveness in awake, sedated or anaesthetised patients
- Refine drug titration
- Cost effective haemodynamic optimisation without the need for invasive lines
- Early warning signal for impending haemodynamic instability
- Passive Leg Raise Protocol (5-10 minutes) simple, accurate, bedside, fluid responsiveness decision making tool

#### A&E

- Quick, non-invasive and motion tolerant features, enable routine utilisation of haemodynamic monitoring in the emergency department
- Improve Sepsis management with quick diagnosis, determination of fluid responsiveness and ability to monitor, fine tune or course correct
- Can assist with differential diagnosis of acute haemodynamic states such as shock and sepsis
- Passive Leg Raise Protocol (5-10 minutes) simple, accurate, bedside, fluid responsiveness decision making tool
- Orthostatic Bioreactance protocol (5-10 minutes) Differential diagnosis for shortness of breath- heart failure vs Non Heart Failure
- Cost effective haemodynamic optimisation of critical care and resuscitated patients without the need for invasive lines

#### ICU

- Passive Leg Raise Protocol (5-10 minutes) simple, accurate, bedside, fluid responsiveness decision making tool
- Can assist with differential diagnosis of acute haemodynamic states such as shock and sepsis
- Refine drug titration, especially in patients requiring treatment with cardiac agonists and vasopressors
- Cost effective haemodynamic optimisation of critical care and resuscitated patients without the need for invasive lines
- Assist with fluid management and early warning signal for impending haemodynamic instability
- Monitoring and management of heart failure patients

#### **Cardiology Departments**

#### **Chronic Heart Failure Management**

- Enables highly accurate, real time, continuous and robust measurements of CO
- Use to better understand the patient's disease status and response to treatment
- Can assist to differentiate between heart failure and chronic pulmonary disease (COPD)

#### Pacemaker Optimisation

- In heart failure patients treated with a biventricular pacemaker (CRT), NICOM has been used to determine the optimal pacemaker AV delay and VV delay settings
- The real-time, non-invasive insight enables fine- tuning of the CRT to optimise stroke volume and cardiac output
- The test is simple to perform, and can be completely performed by a nurse or technician, without the need for echocardiography and other ancillary tests


### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

#### Enhanced Recovery & Fluid Optimisation

The CHEETAH NICOM provides a swift (within two minutes) and simple collation of haemodynamic and cardiac output measurements in any clinical area in the hospital. Pre-op monitoring removes the guesswork from managing the fluid status of patients post-operatively, enhancing patient comfort and decreasing recovery times. Discharge from hospital may be possible days earlier, saving huge sums from already stretched hospital budgets and allowing more patients to be seen.





The passive leg raising (PLR) test measures the haemodynamic effects of a leg elevation up to 45°. This represents a "self-volume challenge" and it is hypothesized that the changes in aortic blood flow induced by PLR can predict fluid responsiveness in ventilated patients. This might be useful when the respiratory variation of arterial pulse pressure cannot be used for that purpose (e.g. with arrhythmias and spontaneous breathing activity).

Numerous studies have concluded the benefit of the PLR as a method of determining fluid status, such as the 2011 article by Marik, Monnet and Teboul (ref. 6 listed over). The NICOM features a step by step in-built PLR protocol which makes it easy to gain a simple and fast indication of the patient's fluid responsiveness.

#### Validated Accuracy

The CHEETAH NICOM is FDA validated against the Swan-Ganz PAC (see ref. 1 below). The main endpoints evaluated for validation were:

- Accuracy-absolute bias compared to the reference method
- Precision
- · Sensitivity and specificity to detect directional changes in CO
- Time responsiveness

The NICOM has also been compared against a host of other technologies (see references below).

#### **References & Further Reading**

#### Validation

- 1. TJ Gan Bio reactance versus Doppler in Surgical and ICU Anaesthesia and Analgesia Vol 118 No.5 May 2014
- Squara P, Rotcajg D, Denjean D, et al. Comparison of Monitoring Performance of Bioreactance vs. Pulse Contour during Lung Recruitment Maneuvers. Critical Care, 2009; 13(4): R125
- Rich JD, Archer SL, Rich S Evaluation of Noninvasively Measured Cardiac Output in Patients with Pulmonary Hypertension American Journal of Respiratory & Critical Care Medicine, 2011; 183: A6440
- Waldron NH, Miller TE, Nardiello J, et al NICOM versus EDM Guided Goal Directed Fluid Therapy in the Perioperative Period ASA 2011
- Raval NY, Squara P, Cleman M, et al. Multicenter Evaluation of Noninvasive Cardiac Output Measurement by Bioreactance Technique. Journal of Clinical Monitoring and Computing, 2008; 22(2): 113-9
- Monti G, Pizzilli G, Cecconi M, et al.
   Bioreactance versus PICCOTD/PC in Critically III Septic Shock Patients.
   International Symposium of Intensive Care and Emergency Medicine, 2010; A735

#### Application

- Marik P, Monnet X, Teboul JL, et al. Hemodynamic Parameters to Guide Fluid Therapy Annals of Intensive Care, 2011: 1:1
- Benomar B, Ouattara A, Estagnasie P, et al. Fluid Responsiveness Predicted by Noninvasive Bioreactance-based Passive Leg Raise Test Intensive Care Med, 2009
- Khan FZ, Virdee MS, Hutchinson J, et al. Cardiac Resynchronization Therapy Optimization Using Noninvasive Cardiac Output Measurement. PACE, 2011
- Engineer RS, Benoit JL, Hicks CW, et al. Hemodynamic changes as a diagnostic tool in acute heart failure—a pilot study. American Journal of Emergency Medicine, 2010

A full list of publications (which can be sorted by application) can be found at www.cheetah-medical.com/publications

### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

#### A&D TM-2655P GP Surgery NIBP Monitor & Printer

- Ideal for GP Clinics, Outpatients and Waiting Rooms
- Fully automatic, allowing the patient to take own BP Measurement and have the results printed out
- Simple to use, auto on, one button clear operation and clear user instructions
- Patient can choose posture and which arm to use for comfort
- · Large LCD digital display of systolic, diastolic and pulse
- Automatically switches to energy saving mode after 3 minutes
- Small footprint to fit into almost any waiting room
- · A choice of quick print outs with automatic cutter
- Dual RS-232C connectivity
- An excellent way of ensuring maximum QOF Points if patients are asked to
   use this machine on arrival prior to appointment
- Practices using this model recouped their costs in an average of 3 months against QOF Points
- 2 year warranty





### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

#### Aneroid Sphygmomanometer with Square Dial

- Easy to read 15cm (6") square dial with bold figures marked in 2mmHg increments
- Precision mechanism ensures smooth performance and immediate response
- 2m coiled tubing supplied for convenience
- Option of adjustable roll stand (height range 80-125cm)
- Measurement range: 0-300mmHg
- Accurate to ±3mmHg
- 1 year warranty



|          |          | -  |        |        |
|----------|----------|--|--------|--------|
| Part No. | NPC Code | Description  | Qty    | Price  |
| BK2003   | FFE818   | Aneroid Sphygmomanometer, Stand Model with Square Dial, supplied with Adult Cuff | Single | £89.95 |
| BK2004   | FFE494   | Aneroid Sphygmomanometer, Desk Model with Square Dial, supplied with Adult Cuff  | Single | £22.95 |
| BK2009   |          | Aneroid Sphygmomanometer, Wall Model with Square Dial, supplied with Adult Cuff  | Single | £29.95 |

#### Aneroid Sphygmomanometer Palm Model

- · Bright, easy to read, dial surface housed in tough ABS plastic
- One handed control for easy air release with either hand
- Precision mechanism ensures smooth performance and immediate response
- Compact enough to carry in zip-up case supplied
- Measurement range: 0-300mmHg
- Accurate to ±3mmHg
- 1 year warranty




| Part No. | NPC Code | Description  | Qty    | Price  |
|----------|----------|--|--------|--------|
| BK2012   | FFE496   | Aneroid Sphygmomanometer Palm Model with Flouresecent Display<br>Supplied with Adult Cuff and Carry Case | Single | £11.95 |

#### Aneroid Sphygmomanometer Pocket Type with Clip

- · Lightweight zinc alloy gauge featuring a retaining clip for fast attachment
- Precision mechanism ensures smooth performance and immediate response
- · Pocket size kit supplied with zip-up case
- Measurement range: 0-300mmHg
- Accurate to ±3mmHg
- 1 year warranty



| ĺ | Part No. | NPC Code | Description   | Qty    | Price |
|---|----------|----------|---|--------|-------|
|   | BK2001   | FFE498   | Aneroid Sphygmomanometer Pocket Type with Clip<br>Supplied with Adult Cuff and Carry Case | Single | £9.95 |



- 1 year warranty

#### NPC Code Description

BK1016L

Electronic Sphygmomanometer Stand Model with LCD Display Supplied with Adult Cuff - Mercury Free

#### Reusable MultCuff BP Sets · High quality medical instruments in a durable case · Lightweight and compact, fits into most trauma bags · Suitable for infants to adults · Reusable cuffs feature size guide, marking system with a one tube inflation bladder and quick release slip luer connector · Safely secured compartments • 1 Year Warranty on sphygmomanometer NPC Code MCBP00003 MultiCuff BP Set (3 Cuffs, Orange) - Contains Aneroid Sphyg with Child, Adult and Large Adult Cuff Single £44.50 MCBP00005 MultiCuff BP Set (5 Cuffs, Navy) - Contains Aneroid Sphyg with Infant, Child, Adult, Large Adult and Single £49.50

### Advice / Order Hotline: 01536 461981

Thigh Cuff

### Fax Us: 01536 461837

Single

£99.95

#### Professional High Quality Disposable Soft NIBP Cuffs - Box of 20

- Soft white fabric feels comfortable on a patient's arm and helps eliminate the sweating and discomfort that frequently occurs with stiff vinyl cuffs.
- Colour coding and Pre-Gaged® range markings on the outside of cuff make cuff selection easy. Sizing guide shows if a larger or smaller cuff is required.
- Centred-tube, integrated BALANCED® Bladder design and longer length facilitate proper arterial compression on both right and left arms, unlike conventional off-centre cuffs that, by design, are arm specific.
- Extra long cuffs (approx. 13cm longer than standard) are available to accommodate the patient population needing extra length to wrap around the arm.
- Any codes marked in RED have NHS Supply Chain NPC Codes.



#### Wipe clean vinyl cuffs also available

|                           |          |         |          |          | We<br>Ally | elch<br>yn* | Critic<br>HP / P<br>Sierr<br>Space<br>Datas | hillips<br>iens<br>elabs | Welch<br>Nor  | 5       | Cc<br>Spac<br>Datas |                | Nihon k     | (ohden* |
|---------------------------|----------|---------|----------|----------|------------|-------------|---|--------------------------|---------------|---------|---------------------|----------------|-------------|---------|
|                           |          |         | 3        |          | 0          |             | 1   |                          | Ŵ             |         | 4                   |                | 0           |         |
| Box of 20                 | No Cor   | nnector | Male S   | lip Luer | Screw (T   | hreaded)    | Male Ba<br>Rec                              | -                        | Fen<br>Submir |         |                     | Locking<br>Ier | Ma<br>Submi |         |
| Infant                    | TL-39239 | £81.82  | TL-39059 | £81.82   | TL-39090   | £81.82      | TL-39045                                    | £81.82                   | TL-39026      | £84.24  | TL-39084            | £81.82         | TL-39127    | £87.00  |
| Child                     | TL-39083 | £81.82  | TL-39232 | £81.82   | TL-39091   | £81.82      | TL-39100                                    | £81.82                   | TL-39007      | £84.24  | TL-39025            | £81.82         | TL-39044    | £87.00  |
| Small Adult               | TL-39027 | £88.40  | TL-39136 | £88.40   | TL-39092   | £88.40      | TL-39085                                    | £88.40                   | TL-39238      | £90.70  | TL-39153            | £88.40         | TL-39242    | £90.00  |
| Adult                     | TL-39004 | £94.05  | TL-39231 | £94.05   | TL-39073   | £94.05      | TL-39048                                    | £94.05                   | TL-39080      | £96.44  | TL-39097            | £94.05         | TL-39105    | £94.05  |
| Adult Extra Long          | TL-39042 | £107.21 | TL-39005 | £107.21  | TL-39093   | £107.21     | TL-39019                                    | £107.21                  | TL-39248      | £109.61 | TL-39244            | £107.21        | TL-39270    | £107.21 |
| Large Adult               | TL-39124 | £101.57 | TL-39002 | £101.57  | TL-39074   | £101.57     | TL-39230                                    | £101.57                  | TL-39039      | £104.10 | TL-39078            | £101.57        | TL-39261    | £101.57 |
| Large Adult<br>Extra Long | TL-39240 | £115.66 | TL-39150 | £115.66  | TL-39075   | £115.66     | TL-39060                                    | £115.66                  | TL-39237      | £118.22 | TL-39104            | £115.66        | TL-39158    | £115.66 |
| Thigh Cuff                | TL-39001 | £122.24 | TL-39040 | £122.24  | TL-39076   | £122.24     | TL-39015                                    | £122.24                  | TL-39236      | £124.68 | TL-39260            | £122.24        | TL-39102    | £122.24 |

|                                   |          |                      |                     | tkon<br>imap*           | Dina<br>(clamp allows | itikon<br>amap*<br>s user to occlude<br>e if desired) | GE (Mar      | rquette)*       |          |              | Datex C  | )hmeda*        |
|-----------------------------------|----------|----------------------|---------------------|-------------------------|-----------------------|---|--------------|-----------------|----------|--------------|----------|----------------|
|                                   |          | -                    | 0                   | 0                       | 0                     | WITH CLAMP  | 0            | N               | 0        |              | 0        |                |
| Box of 20                         | No Cor   | nnector              |                     | rew<br>eaded)           | Screw (               | Threaded)   | Fen<br>Submi | nale<br>niature | -        | nale<br>Luer |          | ted<br>niature |
| Infant                            | TL-39008 | £81.82               | TL-39010            | £81.82                  | TL-39061              | £86.35  | TL-39163     | £86.63          | TL-39052 | £81.82       | TL-39030 | £100.99        |
| Child                             | TL-39154 | £81.82               | TL-39011            | £81.82                  | TL-39062              | £86.35  | TL-39249     | £86.63          | TL-39250 | £81.82       | TL-39031 | £100.99        |
| Small Adult                       | TL-39107 | £88.40               | TL-39012            | £88.40                  | TL-39063              | £92.66  | TL-39213     | £93.09          | TL-39169 | £88.40       | TL-39032 | £107.45        |
| Adult                             | TL-39246 | £94.05               | TL-39023            | £94.05                  | TL-39064              | £97.71  | TL-39268     | £98.84          | TL-39041 | £94.05       | TL-39033 | £113.20        |
| Adult Extra Long                  | TL-39028 | £107.21              | TL-39053            | £107.21                 | TL-39065              | £111.40   | TL-39081     | £112.00         | TL-39267 | £107.21      | TL-39034 | £126.36        |
| Large Adult                       | TL-39103 | £101.57              | TL-39014            | £101.57                 | TL-39066              | £106.14   | TL-39149     | £106.50         | TL-39157 | £101.57      | TL-39035 | £120.85        |
| Large Adult<br>Extra Long         | TL-39047 | £115.66              | TL-39071            | £115.66                 | TL-39189              | £119.72   | TL-39018     | £133.61         | TL-39003 | £115.66      | TL-39036 | £134.97        |
| Thigh Cuff                        | TL-39148 | £122.24              | TL-39072            | £122.24                 | TL-39218              | £125.83   | TL-39156     | £127.08         | TL-39164 | £122.24      | TL-39037 | £141.44        |
| * Manufacturers' typical end conn |          | e only, please alway | s check image again | st your current cuffs a | and call us for advid | e if necessary  |              |                 |          |              |          |                |

USE SMALLER CUFF

Welch/Allyn

Welch Allyn<sup>•</sup>

WelchAllyn

ACE

WelchAllyn



- · An impregnated antimicrobial agent helps prevent bacterial growth on the easy wipe clean cuff fabric.
- · Made of extremely durable 200 denier nylon with the highest quality real Velcro® hook and loop closures.
- Pre-Gaged® range markings on the outside of cuff help prevent mis-diagnoses from use of the wrong size cuff. Sizing guide shows when a larger or smaller cuff is required and is visible when in use.
- Centred-tube, integrated BALANCED® Bladder design and longer length facilitate proper arterial compression on both right and left arms, unlike conventional off-centre cuffs that, by design, are arm specific.
- Any codes marked in RED have NHS Supply Chain NPC Codes
- · 2 Year Warranty

HP / Phillips Colin Welch Welch Allyn Nihon Kohden\* Siemens Spacelabs Allyn\* Nonin\* Spacelabs Datascope\* Datascope\* Male Female Male Bayonet Female Male Screw Female Box of 5

|                           | Slip L   | uer     | Slip Li    | Jei     | (Thread      | ieu)    | / Reci       | us      | Submini      | ature   | LOCKING      | Luer    | Submini  | ature   |
|---------------------------|----------|---------|------------|---------|--------------|---------|--------------|---------|--------------|---------|--------------|---------|----------|---------|
| Infant                    | TL-36715 | £69.19  | TL-3606S   | £69.19  | TL-3606SCK   | £69.19  | TL-3606SHP   | £69.19  | TL-3606SMQ   | £72.75  | TL-3606SDS   | £69.19  | TL-36706 | £72.75  |
| Child                     | TL-36714 | £69.19  | TL-3605S   | £69.19  | TL-3605SCK   | £69.19  | TL-3605SHP   | £69.19  | TL-3605SMQ   | £72.75  | TL-3605SDS   | £69.19  | TL-36705 | £72.75  |
| Small Adult               | TL-36713 | £69.19  | TL-3604S   | £69.19  | TL-3604SCK   | £69.19  | TL-3604SHP   | £69.19  | TL-3604SMQ   | £72.75  | TL-3604SDS   | £69.19  | TL-36704 | £72.75  |
| Adult                     | TL-36712 | £76.82  | TL-3603S   | £76.82  | TL-3603SCK   | £76.82  | TL-3603SHP   | £76.82  | TL-3603SMQ   | £80.41  | TL-3603SDS   | £76.82  | TL-36703 | £80.41  |
| Adult Extra<br>Long       | TL-36716 | £82.15  | TL-3603XLS | £82.15  | TL-3603XLSCK | £82.15  | TL-3603XLSHP | £104.52 | TL-3603XLSMQ | £85.74  | TL-3603XLSDS | £82.15  | TL-36708 | £85.74  |
| Large Adult               | TL-36711 | £99.87  | TL-3602S   | £99.87  | TL-3602SCK   | £99.87  | TL-3602SHP   | £99.87  | TL-3602SMQ   | £104.53 | TL-3602SDS   | £99.87  | TL-36702 | £104.53 |
| Large Adult<br>Extra Long | TL-36717 | £108.85 | TL-3602XLS | £108.85 | TL-3602XLSCK | £108.85 | TL-3602XLSHP | £108.85 | TL-3602XLSMQ | £113.84 | TL-3602XLSDS | £108.85 | TL-36709 | £113.84 |
| Thigh Cuff                | TL-36710 | £121.58 | TL-3600S   | £121.58 | TL-3600SCK   | £121.58 | TL-3600SHP   | £121.58 | TL-3600SMQ   | £132.05 | TL-3600SDS   | £121.58 | TL-36700 | £132.05 |

|                           |                     |           | Criti<br>Dinar<br>(clamp allows u<br>one tube i | nap*<br>user to occlude | GE (Mar       | quette)* |               |         | Datex O       | hmeda*  |           |         |
|---------------------------|---------------------|-----------|---|-------------------------|---------------|----------|---------------|---------|---------------|---------|-----------|---------|
|                           |                     | 0         | 0   | 0                       | 0             | 0        | 0             | 0       |               | 0       | -         | /       |
| Box of 5                  | Females<br>(one tub | Slip Luer | Scr<br>(Thre                                    |                         | Fem<br>Submir |          | Fem<br>Slip I |         | Mat<br>Submir |         |           | nectors |
| Infant                    | TL-3606             | £69.19    | TL-3606CK                                       | £69.19                  | TL-3606MQ     | £72.75   | TL-3606F      | £69.19  | TL-3606DX     | £72.75  | TL-3306   | £112.00 |
| Child                     | TL-3605             | £69.19    | TL-3605CK                                       | £69.19                  | TL-3605MQ     | £72.75   | TL-3605F      | £69.19  | TL-3605DX     | £72.75  | TL-3305   | £112.00 |
| Small Adult               | TL-3604             | £69.19    | TL-3604CK                                       | £69.19                  | TL-3604MQ     | £72.75   | TL-3604F      | £69.19  | TL-3604DX     | £72.75  | TL-3304   | £114.00 |
| Adult                     | TL-3603             | £76.82    | TL-3603CK                                       | £76.82                  | TL-3603MQ     | £80.41   | TL-3603F      | £76.82  | TL-3603DX     | £80.41  | TL-3303   | £122.00 |
| Adult Extra<br>Long       | TL-3603XL           | £82.15    | TL-3603XLCK                                     | £82.15                  | TL-3603XLMQ   | £85.74   | TL-3603XLF    | £82.15  | TL-3603XLDX   | £85.74  | TL-3303XL | £128.00 |
| Large Adult               | TL-3602             | £99.87    | TL-3602CK                                       | £99.87                  | TL-3602MQ     | £104.53  | TL-3602F      | £99.87  | TL-3602DX     | £104.53 | TL-3302   | £145.00 |
| Large Adult<br>Extra Long | TL-3602XL           | £108.85   | TL-3602XLCK                                     | £108.85                 | TL-3602XLMQ   | £113.84  | TL-3602XLF    | £108.85 | TL-3602XLDX   | £113.84 | TL-3302XL | £155.00 |

TL-3600F

Thigh Cuff TL-3600 £121.58 TL-3600CK £121.58 TL-3600MQ £132.05

\* Manufacturers' typical end c rs given for guidance only, please always check image against your current cuffs and call us for advice if necessary

### Advice / Order Hotline: 01536 461981 Or Email Your Order: orders@proactmedical.co.uk

### Fax Us: 01536 461837

£132.05

TL-3300

TL-3600DX

£121.58

## PROACT Medical Ltd recognise and respect the ownership of all Registered Trademarks contained herein to be the property of their respective Owners and do no imply any endorsement or affiliation with PROACT Medical Ltd or any other company / persons

£166.00

#### Welch Allyn® Trimline® Disposable Neonatal Soft NIBP Cuffs - Box of 40

- · Choice of soft or vinyl fabric with the same design as the full size cuffs
- Colour coding and Pre-Gaged® range markings on the outside of cuff make cuff selection easy. Sizing guide shows if a larger or smaller cuff is required.
- Centred-tube, integrated BALANCED® Bladder design and longer length facilitate proper arterial compression on both right and left arms, unlike conventional off-centre cuffs that, by design, are arm specific
- Any codes marked in **RED** have NHS Supply Chain NPC Codes please see the last catalogue section for the full list



Vinyl Neonatal Cuffs (Box of 40)

WITH CLAMP

£88.07

£89.50

£90.94

£92.85

£94.77

Double Male Slip Luer

TL-99760

TL-99818

TL-99873

TL-99875

TL-99722

|             |          | Soft N | Veonatal C | uffs (Box | of 40)     |             |
|-------------|----------|--------|------------|-----------|------------|-------------|
|             |          | 1      | 3          |           | a          | WITH CLAMP  |
| Box of 40   | Male B   | ayonet | Male S     | lip Luer  | Double Mal | e Slip Luer |
| Neonatal #1 | TL-39180 | £88.07 | TL-39190   | £88.07    | TL-39110   | £88.07      |
| Neonatal #2 | TL-39181 | £89.50 | TL-39191   | £89.50    | TL-39111   | £89.50      |
| Neonatal #3 | TL-39182 | £90.94 | TL-39192   | £90.94    | TL-39112   | £90.94      |
| Neonatal #4 | TL-39183 | £92.85 | TL-39193   | £92.85    | TL-39113   | £92.85      |
| Neonatal #5 | TL-39184 | £94.77 | TL-39194   | £94.77    | TL-39114   | £94.77      |

#### Welch Allyn® Trimline® Disposable Isolation NIBP Cuffs - Box of 20

- Yellow fabric with colour coded print, readily identifies the cuff for use in isolation or quarantine areas to assit with infection control protocols
- Any codes marked in RED have NHS Supply Chain NPC Codes please see
  the last catalogue section for the full list



Male Slip Luer

£88.07

£89.50

£90.94

£92.85

£94.77

TL-99801

TL-99890

TL-99729

TL-99848

TL-99750



| Box of 20   | Male Bayor | net / Rectus | Screw (Threaded) with clamp |         |  |
|-------------|------------|--------------|-----------------------------|---------|--|
| Infant      | TL-39226   | £85.00       | TL-39206                    | £85.00  |  |
| Child       | TL-39225   | £85.00       | TL-39205                    | £85.00  |  |
| Small Adult | TL-39224   | £89.50       | TL-39204                    | £89.49  |  |
| Adult       | TL-39223   | £94.55       | TL-39203                    | £97.00  |  |
| Large Adult | TL-39222   | £102.98      | TL-39202                    | £102.98 |  |
| Thigh Cuff  | TL-39221   | £124.04      | TL-39201                    | £124.04 |  |



#### Universal Connectivity Kit

The Trimline Universal Connectivity kit contains a variety of end connectors, tubing adapters and accessories for all major manufacturers NIBP monitors. An essential tool box for medical engineering staff to not only maintain blood pressure monitors and cuffs but also to implement universal connectivity across the patient monitors, reducing monitors and staff downtime due to incompatible BP cuffs and simplifying purchasing and stock holding.

For conversion assistance and advice for your hospital, please call us



Connectors enable conversion of cuffing systems to various NIPB monitors. The listing below contains the most commonly requested connectors. Please contact us for any information on connectors not listed here.\* Any codes marked in **RED** have NHS Supply Chain NPC Codes.

|                   | Dout No. | Description   | 0.00 | Dries  |          | Derthe   | Description  | 0.54 | Drice  |
|-------------------|----------|---|------|--------|----------|----------|--|------|--------|
|                   | Part No. | Description   | Qty  | Price  |          | Part No. | Description  | Qty  | Price  |
|                   | TL-1360  | Threaded Plastic Female Screw<br>Connector for 5/32" Tubing<br>(GE/Critikon Dinamap Monitors)                             | 10   | £3.89  |          | TL-1377  | Plastic 5/32" to 1/8" Reduction<br>Fitting   | 10   | £6.26  |
| Neonatal          | TL-1360N | Threaded Plastic Female Screw<br>Connector for 1/8" Tubing<br>(GE/Critikon -Neonatal Monitors)                            | 10   | £3.89  |          | TL-1378  | Standard Male Slip Luer with<br>barbed end (metal) for 5/32" ID<br>tubing  | 10   | £4.15  |
|                   | TL-1376  | Threaded Male Swivel Collar<br>Connector for 5/32" Tubing plastic<br>medium (black)                                       | 10   | £25.87 |          | TL-1391  | Standard Female Slip Luer with<br>barbed end (plastic) for 5/32"<br>tubing   | 10   | £3.10  |
|                   | TL-66018 | Threaded Male Swivel Collar<br>Connector for 1/8" ID Tubing<br>plastic, small (purple)                                    | 10   | £18.69 | Neonatal | TL-1379  | Plastic ANSI/HMI Slip type male<br>luer for use with 3/32" ID tubing -<br>Neonatal   | 10   | £3.89  |
|                   | TL-66024 | Threaded Male Swivel Collar<br>Connector for 3/16" ID tubing,<br>plastic, large (black)                                   | 10   | £18.69 |          | TL-1380  | Plastic ANSI/HMA Slip Type<br>Male luer, for use with 1/8" ID<br>tubing  | 10   | £3.89  |
|                   | TL-1355  | Threaded Male Cable Connector for 5/32" tubing, metal (plated brass)  | 1    | £10.21 | Neonatal | TL-2863  | Plastic Male Micro Luer with<br>barb, for use with 3/32" ID<br>tubing, Neonatal  | 10   | £3.89  |
|                   | TL-1361  | Quick Connect Male Bayonet<br>Rectus Fitting for 5/32" tubing<br>(Phillips, HP, Spacelabs, Datascope,<br>Siemens) Plastic | 10   | £6.45  |          | Con      | nector Accessories   | 5    |        |
|                   | TL-1319  | Plastic Bayonet Type Female,<br>Quick Connector for 5/32" ID<br>tubing, Hewlett Packard style                             | 10   | £53.51 | P        | TL-1389  | Horseshoe Tubing, Plastisol,<br>Blue, 0.160 ID   | 10   | £12.10 |
| for Monitor cable | TL-1365  | Metal Bayonet Type Female, Quick<br>Connector for 1/8" ID tubing, HP<br>style   | 1    | £10.71 | B        | TL-1390  | Hose Clamp, White  | 10   | £2.37  |
|                   | TL-1362  | Female Locking Luer, Lug Style Slip<br>for 5/32" tubing, plastic (Datascope,<br>Colin, Spacelabs)                         | 10   | £3.52  |          |          | Adapters   |      |        |
|                   | TL-1367  | Plastic Male Locking Luer Thread<br>Style with barbed end for 5/32"<br>tubing   | 10   | £4.42  |          |          | TL-9303 - Adapter for use on<br>Single Tube Cable with plastic<br>bayonet / rectus connector - cuff<br>end connects to 2 tube cuffs with<br>mated subminiature | 1    | £7.37  |
|                   | TL-1369  | Plastic Male Subminiature swivel<br>locking (quick coupling) Connector<br>with barbed end for 5/32" ID tubing             | 10   | £11.32 | E.       | -        | <b>TL-9097</b> - Adapter for use on Double Tube Cable with mated   |      |        |
|                   | TL-1370  | Plastic Female Subminiature (quick<br>coupling) Connector (no swivel) for<br>5/32" ID tubing (GE, Protocol)               | 10   | £10.00 | E.       |          | subminiature connectors - Cuff<br>end connects to 2 tube cuffs with<br>threaded male connectors  | 1    | £7.37  |
|                   | TL-1371  | Slip Type Male Luer, plastic for 5/32"<br>ID tubing   | 10   | £3.89  |          |          | Airhose Tubing   |      |        |
|                   | TL-1372  | Male to Male Connector, plastic for 5/32" tubing  | 10   | £6.26  | ACC17    | 05       | Blood Pressure Airhose Tubing,<br>(per metre), 3.2mm ID / 6.4mm<br>OD, Black   | 1    | £2.95  |
|                   | TL-1373  | Neonatal Lug Style, female slip luer, plastic for 3/32" ID tubing   | 10   | £3.89  | ACC17    | 03       | Blood Pressure Airhose Tubing,<br>Coiled (3.0m) 3.2mm ID / 6.4mm<br>OD, Black  | 1    | £7.95  |

\* Manufacturers' typical end connectors given for guidance only, please always check image against your current cuffs and call us for advice if necessary

|                    | Cuffing Systems - Dimensions |             |                           |             |                  |             |             |          |  |  |  |  |
|--------------------|------------------------------|-------------|---------------------------|-------------|------------------|-------------|-------------|----------|--|--|--|--|
|                    | Thigh                        | Large Adult | Large Adult<br>Extra Long | Adult       | Adult Extra Long | Small Adult | Child       | Infant   |  |  |  |  |
| Cuff Range<br>(cm) | 45.0 - 56.5                  | 35.5 - 46.0 | 35.5 - 46.0               | 27.5 - 36.5 | 27.5 - 36.5      | 20.5 - 28.5 | 13.8 - 21.5 | 9.0-14-8 |  |  |  |  |

### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

#### Reusable Two Piece NIBP PRO-Cuff

- New shell cuff material significantly improves durability and is easier to wrap around the arm
- · Designed with a tapered tail for a better fit and maximum patient comfort
- Rugged design made from high quality nylon for an outstanding combination of comfort and durability
- · Colour coded and pictorial size indicators for fast selection of the correct cuff
- Easy to clean and disinfect with removable bladder for machine washing or replacement and a fast drying time
- Wide ange of sizes, available including a "longer" version of each generic size
- Latex free
- Two year warranty against material or manufacturing faults
- Supplied without connectors see page 69 for a choice of connectors



| Size             | Max. Limb Size | Single Tube | - (Pack of 5) | Double Tube - (Pack of 5) |         |  |  |
|------------------|----------------|-------------|---------------|---------------------------|---------|--|--|
| Infant           | 8-13cm         | PC-ST980092 | £51.26        | PC-DT980112               | £51.26  |  |  |
| Child            | 12-19cm        | PC-ST980093 | £51.26        | PC-DT980113               | £51.26  |  |  |
| Child Long       | 12-19cm        | PC-ST980094 | £51.26        | PC-DT980114               | £51.26  |  |  |
| Small Adult      | 17-25cm        | PC-ST980095 | £51.26        | PC-DT980115               | £51.26  |  |  |
| Small Adult Long | 17-25cm        | PC-ST980096 | £54.36        | PC-DT980116               | £54.36  |  |  |
| Adult            | 23-33cm        | PC-ST980097 | £54.36        | PC-DT980117               | £54.36  |  |  |
| Adult Long       | 23-33cm        | PC-ST980098 | £54.36        | PC-DT980118               | £54.36  |  |  |
| Large Adult      | 31-40cm        | PC-ST980099 | £82.32        | PC-DT980119               | £82.32  |  |  |
| Large Adult Long | 31-40cm        | PC-ST980100 | £82.32        |                           |         |  |  |
| Thigh            | 38-50cm        | PC-ST980101 | £116.49       | PC-DT980121               | £116.49 |  |  |

#### Accoson Reusable Two Piece Cuffs

Accoson pre-measured premium blood pressure cuffs are available in two styles, velcro fastening and traditional bandage design, with a choice of single or double tube over a comprehensive range of sizes. The range finder markings allow the user to ensure the correct size of cuff is selected for the patient's limb.

Cuffs do not include connectors, see below for connectors and bulbs



| ACCOSON       |                       | Single Tube (each) for Limpet and Duplex         |        | Double Tube (each) |              |  |  |
|---------------|-----------------------|--|--------|--------------------|--------------|--|--|
| Size          | Max. Limb<br>Circumf. |  |        |                    |              |  |  |
| Newborn       | 12cm                  | ACC1317  | £6.95  | ACC1327            | £6.95        |  |  |
| Infant        | 17cm                  | ACC1316  | £6.95  | ACC1326            | £6.95        |  |  |
| Young Child   | 22cm                  | ACC1315  | £6.95  | ACC1325            | £6.95        |  |  |
| Child         | 34cm                  | ACC1314  | £6.95  | ACC1324            | £6.95        |  |  |
| Adult         | 37cm                  | ACC1311  | £8.95  | ACC1321            | £8.95        |  |  |
| Large Adult   | 42cm                  | ACC1312  | £12.95 | ACC1322            | £12.95       |  |  |
| Outsize Adult | 48cm                  | ACC1313  | £18.95 | ACC1323            | £18.95       |  |  |
| Thigh Band    | 61cm                  | ACC1318  | £21.95 | ACC1328            | £21.95       |  |  |
|               |                       |  |        |                    |              |  |  |
| ACC1502       |                       | Accoson Inflation Bulb and Control Valve         |        |                    | Single £3.50 |  |  |
| ACC1505       |                       | Accoson Tubing Connectors - Male and Female Pair |        |                    | Single £0.60 |  |  |
| ACC1504       |                       | Accoson Tubing Connectors - Ma                   | ale    |                    | Single £0.27 |  |  |

#### Accoson 6" Aneroid Sphygmomanometer with Stand

- Easy to read large white dial with bold figures
- Ajustable Stand features a heavy base with castors and a grab handle
  Coiled tube cuff allows freedom of movement and easy storage in cuff container
- Accoson accuracy guaranteed, made in Britain
- Rail clamp models available call for details
- · Also available as a desk or wall mounted model call for further details
- 1 year warranty



| Part No. | NPC Code | Description   | Qty    | Price   |
|----------|----------|---|--------|---------|
| ACC0362  |          | Accoson Six Inch Sphyg with Stand and Adult Velcro Cuff (Coiled Tube)       | Single | £123.00 |
| ACC0369  |          | Accoson Six Inch Sphyg with Stand and Large Adult Velcro Cuff (Coiled Tube) | Single | £126.00 |
| ACC0376  |          | Accoson Six Inch Stand Model Gauge Only                                     | Single | £35.00  |

ACCOSON

ACCOSON

#### Accoson Limpet Aneroid Sphygmomanometer

· One handed control convenient for right or left handed use

- Precision mechanism ensures smooth performance
- · Choice of straight or coiled tube cuff
- Accoson accuracy guaranteed, made in Britain
- 1 year warranty



| Part No. | NPC Code | Description   | Qty    | Price  |
|----------|----------|---|--------|--------|
| ACC0292  |          | Accoson Limpet Sphyg with Adult Velcro Cuff (Straight Tube)       | Single | £32.25 |
| ACC0299  |          | Accoson Limpet Sphyg with Large Adult Velcro Cuff (Straight Tube) | Single | £35.25 |
| ACC0374  |          | Accoson Limpet Gauge Only   | Single | £23.25 |



### Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### Stethoscopes



- Dual head doctors stethoscope with superior acoustic sensitivity.
- High performance, chrome plated, zinc alloy chest piece
- Chrome plated 'Trimflex' binaural tubing assembly
- · Soft ear tips for comfort whilst wearing
- A wide range of colours available as shown below, please substitute the appropriate abbreviation to the end of the code instead of "BK"
- 1 year warranty

| Black (BK)<br>Hunter<br>Green (HG)<br>Burgundy<br>(BU)<br>Purple (PU) | Navy<br>Blue (NB)<br>Yellow (YE) |   | ス      | 9     |
|---|----------------------------------|---|--------|-------|
| Part No.  | NPC Code                         | Description                                       | Qty    | Price |
| CK-601PBK   | FFE227                           | Lightweight Dual Head Doctors Stethoscope - Black | Single | £9.95 |

# Stethoscopes

# Sprague Rappaport Stethoscope

- Multi purpose, high performance stethoscope
- Twin chest piece, straight tubing connector and special key change system for diaphragm removal
- · Patented straight chest piece has twin tube connector for optimum sensitivity
- Features non-chill rings and high comfort ear tips plus anatomically angled headset for added comfort
- Wide range of colours available as shown below
- 1 year warranty

Part No.

CK-649BK



QtyPriceSingle£8.95

Qtv

Single

Price

£22.50

# Pressure Sensitive Professional Stethoscope


Sprague Rappaport Stethoscope - Black

- · Dual head professional stethoscope with superior acoustic sensitivity
- · High performance chest piece in stainless steel brushed finish

NPC Code Description

**FFE225** 

- Patented multi frequency deluxe diaphragm system for pressure sensitive frequency control
- · Features non-chill rings and high comfort ear tips
- · Headset anatomically angled for added comfort.
- A wide range of colours available as shown below
- 1 year warranty



2 Pressure Sensitive Professional Stethoscope - Black

**Deluxe Dual Head Cardiology Stethoscope** · Dual head offers unsurpassed performance, quality and value Stainless steel head for performance in all relevant frequency ranges Chrome plated "Trimflex" binaural tubing assembly · Features non-chill rings and high comfort ear tips. · Diaphragm head with dynamically tooled inner cone for outstanding acoustic pick up. • A wide range of colours available as shown below · Paediatric version available 1 vear warrantv Ć ¥ â Hunter Green ack Navy 3lue BU) Part No. NPC Code Description Price Qty Single CK-S747PBK **FFE228** Deluxe Dual Head Cardiology Stethoscope - Black £39.50

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# Non-Contact Infrared Forehead Thermometer No Touch - No Consumables Costs

Simple to use, compact and lightweight

Infection control friendly, non-invasive, forehead thermometer with infrared technology

- Uses x2 AA Batteries (supplied)
- No probe covers required, to eliminate ongoing costs
- Two measuring modes: Body Temperature mode (measuring range: 32°C 42°C) and Surface/Ambient mode, reading air or fluid temperature (measuring range: 5°C 80°C)
- · Easy to use, simply point and press within 2-5cms of patient's forehead
- Auto power off (after 7 seconds)
- Clear, digital changeable display (°C / °F conversion)
- Ergonomic design allows for easy wipe cleaning
- $\bullet$  Accurate to +/- 0.3°C
- Supplied with 1 year warranty

| C         | all for Vo | lume Discounts                         |                                      | TUU    | Tune   |
|-----------|------------|--|--------------------------------------|--------|--------|
| Part No.  | NPC Code   | Description                            |                                      | Qty    | Price  |
| BK8005    | FWH126     | Infrared Forehead Theromometer (No Cor | ntact) with Carry Case and Batteries | Single | £29.95 |
| MSMC00002 |            | Carry Case for Thermometers, Black     |                                      | Single | £2.50  |


| Specifications           |   |
|--------------------------|---|
|                          | Environment Temperature: 10°C - 40°C  |
| Working Condition        | Relative Humidity: ≤ 85%  |
|                          | Power: DC 3V (2x AA batteries)  |
| Size                     | 95mm x 42mm x 139mm (L x W x H)   |
| Weight                   | 85g (without batteries)   |
| Resolution               | 0.1°C (or 0.1°F)  |
|                          | Body Temperature: 32°C - 42°C (89°F - 107.6°F   |
| Measuring Range          | Surface Temperature: 5.0°C - 80.0°C (41.0°F - 176°F)                                    |
| Consumed Power           | ≤ 50mw  |
| Measuring Precision      | Lab: ±0.3°C within measuring range 35°C - 42°C and under environmen temperature 10-40°C |
| Measuring Repetitiveness | ≤±0.3°C   |
| Measurement time         | ≤1s   |
| Measuring distance       | 3-5cm   |
| Automatic stop           | Approx 7 seconds  |
| Memory                   | 32 readings   |

## MSR Infrared Tympanic 1 Second Ear Thermometer

- Unique 360 degree tip which rotates to aid correct alignment and reduce error
- Favourable evaluation in the 2005 MHRA report. See MHRA website
- Fast 1 second measurement time, 32.0°C to 42.9°C measurement range
- Wide ambient operating temperature range from 5°C to 40°C
  Clear, easy to read LCD display
- Automatia maggurament & shut off
- Automatic measurement & shut off after 1 minute
   Clear digital changeable display (°C / °F)
- Accurate to ±0.2°C
- Probe covers are available (see below)
- 1 year warranty



| С          | all for Vo | olume Discounts  |        |        |
|------------|------------|--|--------|--------|
| Part No.   | NPC Code   | Description  | Qty    | Price  |
| MSRST613XC | FWH132     | MSR Infrared Tympanic Ear Thermometer - with case and 20 probe covers        | Single | £20.00 |
| MSRST613X  |            | MSR Infrared Tympanic Ear Thermometer - with 20 probe covers (excludes case) |        | £18.65 |
| MSRST613-D |            | MSR ST613 Tympanic Ear Thermometer with Probe Cover Dispenser                |        | £38.50 |
| MSRPC500T  | FWH131     | Pack of 500 probe covers - Multi pack  | 500    | £25.00 |
| MSMC00002  |            | Carry Case for Thermometers, Black   | Single | £2.50  |



# Advice / Order Hotline: 01536 461981


# Fax Us: 01536 461837

# <section-header> Accurate to ±0.1°C or ±0.2°F Accurate to ±0.1°C or ±0.2°F Accurate to ±0.1°C or ±0.2°F Accurate to ±2.0°C measurement range Accurate digital changeable display (°C / °F) Actor To the Server to the Se

| Part No.     | NPC Code | Description  | Qty    | Price  |  |
|--------------|----------|--|--------|--------|--|
| MSRST833ACS  | FWH127   | MSR 60 Second Flexible Tip Thermometer - White                                       | Single | £2.45  |  |
| MSRST833A    | FWH124   | MSR 60 Second Rigid Tip Thermometer- White   | Single | £1.95  |  |
| MSRST8336SET |          | MSR 60 Second Rigid Tip Thermometer (Coloured) - Point of Sale Box of 20 (see above) | Single | £36.50 |  |
| MSRPC500S    | FWH125   | Probe Covers for all MSR 5, 6, 10 and 60 Second Thermometers - Multi Pack            | 500    | £18.00 |  |

| <ul> <li>32.0°C to 43.0°</li> <li>Clear digital ch</li> <li>Waterproof</li> <li>Auto shut off fe</li> </ul> | 1°C or ±0.2°F<br>aluation in the<br>°C measureme<br>angeable disp<br>eature<br>MSR Probe C | 2005 MHRA report. See MHRA website<br>ent range<br>lay (°C / °F)<br>covers, see above | Ethilit | EVALUATED     | Year<br>Warranty |
|---|--|---|---------|---------------|------------------|
|   |  |   |         |               |                  |
| Cal<br>Part No.<br>MSRST8731S   | I for Volu<br>NPC Code<br>FWH129   | me Discounts<br>Description<br>MSR 10 Second Flexible Tip Thermometer                 |         | Qty<br>Single | Price<br>£3.24   |

# MSR 10 Second Digital Animal Thermometers



## **Call for Volume Discounts**

| Part No.   | NPC Code | Description   | Qty    | Price |
|------------|----------|---|--------|-------|
| MSRST8C-MO | FWH130   | MSR 10 Second Bendable Animal Thermometer - Monkey    | Single | £3.65 |
| MSRST8C-CR |          | MSR 10 Second Bendable Animal Thermometer - Crocodile | Single | £3.65 |
| MSRST8C-EL |          | MSR 10 Second Bendable Animal Thermometer - Elephant  | Single | £3.65 |

· Specifications as above



## **Call for Volume Discounts**

| Part No.   | NPC Code | Description   | Qty    | Price  |
|------------|----------|---|--------|--------|
| MSRST8C-DI |          | MSR 10 Second Bendable Animal Thermometer - Dinosaur                      | Single | £3.65  |
| MSRST8C-PA |          | MSR 10 Second Bendable Animal Thermometer - Panda                         | Single | £3.65  |
| MSRST8C-PI |          | MSR 10 Second Bendable Animal Thermometer - Pig                           | Single | £3.65  |
| MSRPC500S  | FWH125   | Probe Covers for all MSR 5, 6, 10 and 60 Second Thermometers - Multi Pack | 500    | £18.00 |

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# BRIDGE General Purpose Disposable Temperature Probes - STERILE

- · Versatile probes for oral, nasal or rectal introducton
- Atraumatic shape, soft tip and low friction surfaces for maximum patient comfort
- Thin outer wall allows faster reaction to changes in core temperature
- Proven accuracy to +/- 0.1  $^\circ\text{C}$  (measurement range 25  $^\circ\text{C}$  to 45  $^\circ\text{C})$
- Clearly marked with graduations to assist and confirm correct positioning
- YSI 400 series thermistors
- Available in paediatric (9Fr) and standard (12Fr) sizes
- Interface cables available for all major manufacturer's monitors, incubators and patient warmers
- · Latex free and single patient use for maximum safety
- Supplied sterile




## **Call for Volume Discounts**

|               |          | I //   |     |         |
|---------------|----------|--|-----|---------|
| Part No.      | NPC Code | Description  | Qty | Price   |
| EV-TVL119175S | FKA409   | BRIDGE General Purpose Disposable Temperature Probes, YSI 400 Series, 12Fr | 50  | £110.00 |
| EV-TVM119175S | FKA408   | BRIDGE General Purpose Disposable Temperature Probes, YSI 400 Series, 09Fr | 50  | £110.00 |

# Two-Way Silicone Foley Catheters with Temperature Probe - STERILE

- Foley Catheters with temperature probes for monitoring bladder temperature whilst facilitating urine output
- 100% medical grade silicone for kink resistance and maximum comfort
- Interface Cables available for all major manufacturer's incubators, warmers
   and patient monitors
- Available in Paediatric (310mm) and standard (400mm) lengths
- Available in six sizes (08Fr 18Fr) colour coded for easy identification
- YSI 400 series temperature probe with standard twin pin connections
- Latex free, supplied sterile and designed for single patient use



BRIDGE

## Call for Volume Discounts

| Part No. | NPC Code | Description   | Qty | Price  |
|----------|----------|---|-----|--------|
| PU122308 | FKA410   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 8 Fr, 3-5ml   | 10  | £79.50 |
| PU122310 | FKA411   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 10 Fr, 3-5ml  | 10  | £79.50 |
| PU122312 | FKA412   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 12 Fr, 5-10ml | 10  | £79.50 |
| PU122314 | FKA413   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 14 Fr, 5-10ml | 10  | £79.50 |
| PU122316 | FKA414   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 16 Fr, 5-10ml | 10  | £79.50 |
| PU122318 | FKA415   | Well Lead Foley Catheter, Two-Way with Temperature Probe, 18 Fr, 5-10ml | 10  | £79.50 |

## BRIDGE Disposable Skin Temperature Probes - STERILE

- · Versatile probes for measurement of surface temperature
- Proven accuracy to +/- 0.1°C
- Hypo-allergenic adhesive pads with reflective back to insulate the probe from heat lamps or Theatre lights
- VOL 400 series the mistage
- YSI 400 series thermistors
- Interface cables available for all major manufacturer's monitors, incubators and patient warmers
- Available in three sizes
- · Latex free and single patient use for maximum safety
- Supplied sterile





BRIDGE

|               | Call for V | olume Discounts  |     |        |
|---------------|------------|--|-----|--------|
| Part No.      | NPC Code   | Description  | Qty | Price  |
| EV-TSS119095S | FKA418     | BRIDGE Disposable Skin Contact Temperature probes, 5mm | 25  | £80.00 |
| EV-TSM119095S | FKA417     | BRIDGE Disposable Skin Contact Temperature probes, 7mm | 25  | £80.00 |
| EV-TSL119095S | FKA416     | BRIDGE Disposable Skin Contact Temperature probes, 9mm | 25  | £80.00 |

# Accu-Pro<sup>™</sup> Interface Cables for Temperature Sensors

|  |              | Monitor End | Patient End |        |
|--|--------------|-------------|-------------|--------|
| YSI 400 Series, 6.3mm Phon   | e Jack (90°) | **          |             | £34.00 |
| APTI00313  | 3m Cable     |             |             | 204.00 |
|  |              |             |             |        |
| YSI 400 Series, 6.3mm Phone Jack (Straight)  |              |             |             | £34.00 |
| APTI00213  | 3m Cable     |             |             | 201100 |
|  |              |             |             |        |
| Drager / Siemens   |              |             |             | £34.00 |
| APTI00613  | 3m Cable     |             |             | 201100 |
|  |              |             |             |        |
| Phillips / HP  |              | 6           |             | £34.00 |
| APTI00513  | 3m Cable     |             |             |        |
|  |              |             |             |        |
| GE (11 Pins) - Not compatible with certain GE Monitors -<br>please call to discuss your requirements |              |             |             | £34.00 |
| APTI00713  | 3m Cable     |             |             |        |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# EnviteC MySign O Oxygen Monitor

In all areas of patient care, sound decisions must be made on a regular basis, often under difficult conditions and typically under extreme time pressure. Such decisions are dependent on the fast and accurate monitoring of vital parameters. The handheld 02 monitor My Sign O is the ideal companion for patient care and monitoring.

#### ACCURACY & PERFORMANCE

- High performance handheld O2 monitor for oxygen measurement and monitoring for clinical, emergency and home ventilation scenarios
- Offers proven reliability for anaesthesia and neonatal applications, as well as providing valuable support in analysis and patient care for at home oxygen therapy
- Quick and accurate readings with immediate access to the ventilation parameter FiO2 for your patients, even in critical situations

#### HIGHLY ROBUST DESIGN

- A compact, lightweight and versatile monitor with an uncompromising German build quality for demanding clinical enviornments
- Durable, shock protected with IK 05 impact strength
- · IP 54 certified for water and dust resistance
- Hygienic and easy to clean, with certified biocompatibility and tolerance against common cleaning agents and disinfectants

#### WIDE RANGE OF FUNCTIONS

- · Self explanatory icon based control with soft keys for fast use
- 96 hours data storage, PC software (included with device) for digital documentation
- Cost effective device with minimum servicing and maintenance requirements
- Configurable user profile to monitor individual patients effectively
- Simple ambient air calibration and 100% oxygen calibration
- Operating life: >24 hours from Li-ion battery pack at full charge
- 2 Year Warranty



ENVITEC

0

Sign



| Part No. | NPC Code | Description   | Qty    | Price   |
|----------|----------|---|--------|---------|
| 1001825  |          | Envitec MySign O Oxygen Monitor - contains OOM111 O2 Cell and USB Charger | Single | £455.00 |
| 1001801  |          | Clamp for Envitec MySign O Oxygen Monitor                                 | Single | £120.00 |
| 1001829  |          | Power Supply (Mini USB 5V/1.5A) for Envitec MySign O                      | Single | £28.00  |
| 1001815  |          | Data Download Cable (USB 2.0, 1.5m) for Envitec MySign O                  | Single | £7.95   |

| Oxygen Monitoring Accessories |  |        |        |  |
|-------------------------------|--|--------|--------|--|
| Product Code                  | Description  | QTY    | Price  |  |
| OXY-TP                        | Re-usable T Adapter, for O2 Analysers - Male/Female 22mm Airway Fittings | Single | £10.80 |  |
| OOM111                        | Envitec Oxygen Sensor OOM111 (Replacement for MySignO and OxiQuant MC)   | Single | £72.03 |  |

# Oxygen Monitoring



# Oxygen Monitoring

| Original Manufacturer | Model                           | Original Part No | Replacement Part No | Price            |
|-----------------------|---------------------------------|------------------|---------------------|------------------|
| irshields             | Isolette                        | -                | OOM102              | £37.01           |
|                       | -                               | 6735142          | OOMR13              | £72.22           |
| nalytical Industries  | -                               | PSR-11-33        | OOM107-2            | £37.01           |
|                       | -                               | PSR-11-77        | OOM105              | £37.01           |
|                       |                                 | PSR-11-917-J     | OOM102-1            | £37.01           |
|                       | -                               | PSR-11-917-M     | OOM202              | £31.72           |
|                       | -                               | PSR-11-915       | OOM101              | £34.36           |
|                       | -                               | PSR-11-915-4     | OOM110              | £52.87           |
|                       | -                               | PSR-11-915-2     | OOM201              | £34.36           |
| lio Tek               | -                               | 48351            | OOM107-2            | £37.01           |
| lease                 | Frontline                       | -                | OOMAX-250A          | £79.44           |
|                       | Stand Alone O <sub>2</sub>      | -                | OOMAX-250E          | £85.56           |
| MD Bio Med Devices    | M-10, M-2                       | 10006            | OOM102-1            | £37.01           |
| ird Products (VIASYS) | 6400 Vent, 8400 Vent, VIP Vent. | 66030            | OOM102-1            | £37.01           |
|                       | Avea. Vent                      |                  | OOM102-1            | £37.01<br>£31.72 |
| atalyst Research MSA  | Avea. vent                      | - 655263         |                     |                  |
| analyst hosearch MOA  |                                 |                  | OOM201              | £34.36           |
|                       | -                               | 655264           | OOM101              | £34.36           |
|                       | Mini-Ox I, II, III, 3000        | 406931           | OOM102-1            | £37.01           |
|                       | -                               | 472062           | OOM202              | £31.72           |
|                       | -                               | 478841           | OOM107-2            | £37.01           |
|                       | •                               | 485905           | OOM107              | £37.01           |
|                       | -                               | 804674           | OOM105              | £37.01           |
|                       | Mini-Ox IA                      | 806572           | OOM202-2            | £37.01           |
| ity Technology        | -                               | MOX-1            | OOM102              | £37.01           |
|                       | -                               | MOX-2            | OOM102-1            | £37.01           |
|                       | -                               | MOX-4            | OOM105              | £37.01           |
|                       | -                               | MOX-7            | OOM110              | £52.87           |
|                       | -                               | MOX-9            | OOM202              | £31.72           |
|                       | -                               | MOX-16           | OOM201              | £34.36           |
| riticare              | Poet                            | -                | OOMAX-250E          | £85.56           |
| ameca                 | Alpha Med                       | 42035-46         | OOM102-1            | £37.01           |
| atascope              | -                               | 0600-00-0002     | OOM106              | £40.97           |
| atex Engstrom         | Erica, Elvira                   | -                | OOM102-1            | £37.01           |
| rager                 | Oxycom, Oxydig, Anemone, Evita  | 6850645          | OOM201              | £34.36           |
| lamilton              | Arabella, Amadeus, Veolar       | HM-01            | OOM107              | £37.01           |
|                       | -                               | HM-03            | OOM105              | £37.01           |
|                       | -                               | HM-10            | OOM101              | £34.36           |
|                       | Gailieo, Raphael, Alladin       | HM-12            | OOM202              | £31.72           |
|                       | -                               | HM-13            | OOM201              | £34.36           |
|                       |                                 | HM-14            | OOM201              | £34.36           |
| lewlett Packard       | -                               | 15201A           | OOM201              | £34.36           |
| ludson                | -                               | 5556             | OOM101              | £34.36           |
|                       | -                               | 5557             | OOM201              | £34.36           |
|                       |                                 | 5558             | OOM105              | £37.01           |
|                       |                                 | 5566             | OOM202              | £31.72           |
|                       | -                               | 5567             | OOM102-1            | £37.01           |
|                       |                                 |                  |                     |                  |
|                       | -                               | 5568             | OOM107-2            | £37.01           |
|                       | -                               | 5569             | OOM107              | £37.01           |

# Oxygen Monitoring

| Original Manufacturer    | Model                           | Original Part No | Replacement Part No | Price  |
|--------------------------|---------------------------------|------------------|---------------------|--------|
| nfrasonics               | -                               | 60116            | OOM202              | £31.72 |
| T-Gambert                | -                               | M-01             | OOM101              | £34.36 |
|                          | -                               | M-02             | OOM201              | £34.36 |
|                          | -                               | M-04             | OOM202              | £31.72 |
|                          | -                               | M-10             | OOM110              | £52.87 |
|                          | -                               | M-25             | OOM103-1M           | £40.97 |
| laxtec                   | MAX-1                           | -                | OOM101              | £34.36 |
|                          | MAX-10                          | -                | OOM110              | £52.87 |
|                          | MAX-11                          | -                | OOM201              | £34.36 |
|                          | MAX-12                          | -                | OOM202              | £31.72 |
|                          | MAX-13                          | -                | OOM202-1            | £37.01 |
|                          | MAX-14                          | -                | OOM202-2            | £37.01 |
|                          | MAX-14<br>MAX-17                | _                |                     | £37.01 |
|                          |                                 |                  | OOM105              |        |
|                          | MAX-18                          | -                | OOM107-2            | £37.01 |
|                          | MAX-19                          | -                | OOM107              | £37.01 |
|                          | MAX-22CC                        | -                | OOM103              | £37.01 |
| atex Ohmeda (GE Medical) | Aestiva, 7900 Monitor, Excel SE | 6050-0004-110    | OOM110              | £52.87 |
| ercury Medical           | -                               | 10-103-03        | OOMR13              | £72.22 |
|                          | -                               | 10-103-06        | OOM202              | £31.72 |
|                          | -                               | 10-103-08        | OOMAX-250E          | £85.56 |
|                          | -                               | 10-103-11        | OOMAX-250A          | £79.44 |
| hmeda                    | 4700 Oxicap, 5250 RGM, Excel    | 0237-2034-700    | OOM101              | £34.36 |
| acifitech                | PT-01                           | -                | OOM107              | £37.01 |
|                          | PT-02                           | -                | OOM107-2            | £37.01 |
|                          | PT-10                           | -                | OOM101              | £34.36 |
| uritan Bennett           | 7280, 7200                      | 4-020933-00      | OOM102-1            | £37.01 |
|                          | 840, 740, 760                   | 4-072214-00      | OOM202              | £31.72 |
| ensor Tec                | ST-01                           | -                | OOM107              | £37.01 |
|                          | ST-02                           | -                | OOM107-2            | £37.01 |
|                          | ST-03                           | -                | OOM105              | £37.01 |
|                          | ST-10                           | -                | OOM101              | £34.36 |
|                          | ST-11                           | -                | OOM102-1            | £37.01 |
|                          | ST-12                           |                  | OOM102              | £37.01 |
| iemens                   | SV 300, SV 710                  | 9004979 E347E    | OOM202              | £31.72 |
|                          | SV 900C, SV 900D                | -                | OOM202              | £31.72 |
| LE                       | T-801                           | _                | OOM202              | £37.01 |
| pacelabs                 | 90514                           | -                | OOM102-1            | £37.01 |
| tephen                   |                                 |                  |                     |        |
| eledyne                  | Stephanie                       | -                | OOM202-2S           | £58.81 |
| sleuyile                 | -                               | R13              | OOMR13              | £72.22 |
|                          |                                 | R17 MED          | OOM102-1            | £37.01 |
|                          |                                 | R22 MED          | OOM102              | £37.01 |
|                          |                                 | R23              | OOM201              | £34.36 |
|                          |                                 | R29 MED          | OOMAX-250E          | £85.56 |
|                          | No Leads                        | T1 / T2          | OOM107              | £37.01 |
|                          | With Leads                      | C1R / C2R        | OOM107-2            | £37.01 |
| усо                      | 840                             | 4-072214-00      | OOM103              | £37.01 |
| ickers Mie               | All Models                      | -                | OOM107-2            | £37.01 |
| ТІ                       | 101272, 100352                  | -                | OOM101              | £34.36 |
|                          | 103100                          | -                | OOM202              | £31.72 |

# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

# Test Devices & Simulation

The Multi Parameter SimCube

Simcube



the second during an an an an and the

- Portable design 76 x 76 x89mm cube, weighs just over 1kg
- · Encased in scratch resistant vinyl jacket for quiet operation
- Versatile can be powered by the battery boost pack (where specified for over 200 NIBP simulations from x4 AA batteries or by mains power)
- Rugged drop tested 50 times without failure
- 4 Year Warranty

#### Specifications

#### SC-2 SimCube NIBP Simulator with ECG, Pacer and Respiration

Includes four NIBP modes: Manometer (0-480 mmHg), Adult (120/80 mmHg), Neonatal (70/40 mmHg), and Hypertensive (190/120 mmHg) and ten snaps for 3-, 5- or 12-lead ECG simulation. Pacer and respiration simulation allow testing of primary patient monitor hardware circuits.

Includes ECG extenders and a choice of NIBP adaptor\*

#### SC-3 SimCube NIBP Simulator with Peak Detect

NIBP function with the following modes: Manometer (0-480 mmHg), Adult (120/80 mmHg), Neonatal (70/40 mmHg), and Hypertensive (190/120 mmHg). Peak detect mode latches the highest pressure value sensed, in 0.5 MMHg steps.

Battery boost available. Includes a choice of NIBP adaptor\*.

#### SC-4 SimCube NIBP Simulator with Peak Detect, ECG, Pacer, Resp and Alarm Test NIBP function with the following modes: Manometer (0-480 mmHg), Adult (120/80 mmHg),

Neonatal (70/40 mmHg), and Hypertensive (190/120 mmHg). Ten snaps for 3-, 5- or 12-lead ECG simulation as well as pacer, respiration simulator and automated heart rate/respiration sequence. Peak detect is also provided.

Battery boost available. Includes ECG extenders and a choice of NIBP adaptor\* as standard (SC-4) or supplied as a full kit including all five (see next page).

# SC-5 SimCube NIBP Simulator with Peak Detect, ECG, Pacer, Respiration, Alarm Test, IBP, Arrhythmia, and Leak Test

Includes all of the features of the SC-1, SC-2, SC-3 and SC-4 with the addition of Invasive Pressures and Arrhythmia. With new expanded NIBP's, manometer range (-400 to +400) and leak testing modes, the SC-5 will replace three of your more traditional devices patient simulators, NIBP analyzers and digital manometer.

Battery boost available. Includes ECG extenders and a choice of NIBP adaptor\* as standard (SC-5) or supplied as a full kit including all five (next page).





SpO2 simulator.

\* Please specify your choice of NIBP adaptor from the next page when placing your order.

| Part No. | NPC Code | Description  | Qty    | Price    |
|----------|----------|--|--------|----------|
| SC-2     |          | SC-2 SimCube NIBP Simulator with ECG, Pacer and Respiration*                   | Single | £1180.00 |
| SC-3     |          | SC-3 SimCube NIBP Simulator with Peak Detect*                                  | Single | £1095.00 |
| SC-4     |          | SC-4 SimCube NIBP Simulator with Peak Detect, ECG, Pacer, Resp and Alarm Test* | Single | £1345.00 |

# Test Devices & Simulation



## Simcube Accessories

| Other Accessories |   |         |
|-------------------|---|---------|
| SC-EXTEND         | ECG Snap Extenders (recommended if you are using snaps instead of clips with SC-2, SC-4 and SC-5) | £99.00  |
| SC-CASE           | Carry Case for SimCube (c/w pocket for SimSlim)   | £79.50  |
| SC-JACKET         | Cuff Jacket for SimCube   | £42.50  |
| SC-BATTERY        | Battery Boost for SimCube (available only for certain models)                                     | £325.00 |
| SC-PS-UKG         | UK Power Supply for SimCube   | £39.75  |


# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

# SimCube Adapters

Each SimCube ordered includes a choice of one NIBP adapter from below and each SimCube kit includes all five. SimCube kits and the SimSlim include a choice of one IBP adapter whilst the EasySim includes three.

|            | NIBP Adapters |  |        |
|------------|---------------|--|--------|
| P/N        | Picture       | Description  | Price  |
| SC-ADAPT-D | < 💰 🔇         | DINAMAP / Critikon style:<br>A threaded screw on connector,<br>used on Critikon and MDE<br>monitors  | £42.50 |
| SC-ADAPT-M | く 将 🐬         | Marquette style:<br>A freely-rotating twist-on<br>connector, used on<br>GE/Marquette monitors.   | £42.50 |
| SC-ADAPT-Q | < 💰 🔊         | Quick Disconnect:<br>A push-pull quick disconnect<br>connector used on HP<br>monitors.   | £42.50 |
| SC-ADAPT-L |               | Luer:<br>A friction-based connector used<br>on Spacelab monitors and most<br>neonatal monitors.  | £42.50 |
| SC-ADAPT-W |               | NIBP Adapter<br>(FlexiPort Connector)<br>for Welch Allyn Monitors  | £39.00 |
| SC-ADAPT-B |               | Bulb Adapter:<br>This adapter is utilized in static<br>calibration, as well as in Peak<br>Detect (Overpressure) Mode for<br>SimCube models SC-3, SC-4<br>and SC-5. | £39.00 |

|                  | IBP Adapters                            |   |        |  |  |
|------------------|---|---|--------|--|--|
| P/N              | Picture                                 | Description   | Price  |  |  |
| SC-IBP-GE        | and a second                            | IBP adapter cable for<br>GE/Marquette<br>Rectangle, 11 Pin, Male  | £79.50 |  |  |
| SC-IBP-MDE       |   | IBP adapter cable for<br>MDE/Spacelabs, Welch<br>Allyn, Older Critikon,<br>Dinamap monitors<br>Round, 6-Pin, Male | £79.50 |  |  |
| SC-IBP-Merlin    |   | IBP adapter cable for<br>HP Merlin, Agilent Philips<br>Round, 8 Pin, Male   | £79.50 |  |  |
| SC-IBP-Datascope | 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | IBP adapter cable for<br>Datascope Monitors<br>Round, 6 Pin, Female   | £79.50 |  |  |
| SC-IBP-Datex     |   | IBPadapter cable for<br>Datex-Ohmeda Monitors<br>Round, 10 Pin, Female  | £79.50 |  |  |
| SC-IBP-Draeger   |   | IBP adapter cable for<br>Drager Monitors<br>Round, 10 Pin, Male   | £79.50 |  |  |



# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

Test Devices & Simulation

87

# SimSlim Multi Parameter Patient Simulator

The smallest comprehensive multi-parameter patient simulator on the market (17 x 3.2 x 2.0cm). Drop tested 50 times with no failures.

#### Specifications

#### 12 Lead ECG

| 8 Heart Rates:  | 30, 60, 90, 120, 140, 160, 200, 240 bpm            |
|-----------------|--|
| 10 Arrhythmias: | NSR with PVCs, VTACH, VFIB, Asys, Bigeminy,        |
|                 | Pacer, Trigeminy, ST+, 2nd Deg. Block, Square Wave |
| Respiration     |  |

8 Selectable Rates: 15, 30, 45, 60, 70, 80, 100, 120 bpm

#### 4 Invasive Blood Pressure Channels

| 8 Dynamic: | 120/80, 60/30, 30/10, 20/10, 125/15, 60/5, 8/2 and |
|------------|--|
|            | 4/1 mmHg   |
| 7 Static:  | 0 25 50 100 150 200 250 mmHg                       |

#### **Cardiac Output Simulation**

3, 5 and 7 l/min (no adapter cable required)

YSI 400 and 700 Temperature Simulations 25, 37 and 40 degrees Celsius

#### Superior Battery Life

Up to 10 years, no charging or changing required (depending on usage)

Four Year Warranty



| Part No.   | NPC Code | Description   | Qty    | Price    |
|------------|----------|---|--------|----------|
| SC-SIMSLIM |          | SimSlim Patient Sim with Carry Case, IBP Adapter Cable*, Temperature Cable, User Manual | Single | £1445.00 |
| SC-SLCASE  |          | Carry Case for SimSlim Simulator  | Single | £45.00   |

## OxSim Pulse Oximeter Tester

The  $\textsc{OxSim}\ensuremath{\mathbb{R}}$  Optical SpO2 Simulator allows you to test a whole pulse oximetry system, including the sensor.

It is compact (6.4 x 6.4 x 3.2cm), lightweight (5 oz.) and efficient (8 hours of continuous use from x1 AA battery). The OxSim is easy to operate with just two buttons giving access to four saturation values, three heart rates and two perfusion levels. Utilizing optical technology, the OxSim® SpO2 simulator tests your SpO2 monitoring systems thoroughly, quickly, and accurately.

## Four Year Warranty

#### Specifications

| Saturation | Heart Rate | Perfusion Index approx. |
|------------|------------|-------------------------|
| 85%        | 80 bpm     | 2.0                     |
| 95%        | 40 bpm     | 2.0                     |
| 98%        | 80 bpm     | 2.0                     |
| 98%        | 140 bpm    | 2.0                     |
| 99%        | 80 bpm     | 0.2                     |
|            |            |                         |



Simslim

| Part No.   | NPC Code | Description  | Qty    | Price    |
|------------|----------|--|--------|----------|
| OXSIM      |          | OxSim Optical Pulse Oximetry Simulator with Carry Case | Single | £1265.00 |
| OXSIM-CASE |          | Carry Case for OxSim Simulator                         | Single | £35.00   |

# Test Devices & Simulation

# EasySim Multi Parameter Clinical Simulator

# EasySim 4 Year



The EasySim training simulator is an ultra-portable and ultra-lightweight remote control. Create critical cardiac scenarios by mixing and matching various heart rates and rhythms at the touch of a button.

The highly intuitive design features 48 direct-access keys in an easy to use format. Through these buttons you can quickly create any patient simulation you require. Pressing the NSR button returns the waveform to normal and cancels all other simulations. The battery technology will enable you to use the EasySim for five years without charging or replacing the battery, and the device does not require codes to be memorised.

A convenient carrying case, temperature cable and a choice of three IBP adapters accompany the EasySim - please specify when ordering

#### Specifications

12-Lead ECG VTACH - VFIB - ASYS Tachy, Brady, ST NSR +/- 1mm PVC, Couplet, Run, Pause Pacer on/off Atrial Flutter, 1st, 2nd, 3rd Degree Blocks Muscle and Baseline Noise Bigeminy, Trigeminy, AFIB

4-Channel Invasive Blood Pressure Art, PA, CVP, LVP Control as they have LV and CVP PA Wedge Intra-aortic Balloon Pump User-controlled Variable Pressures

Respiration Apnoea User-controlled Variable Rates

Cardiac Output 3, 4, 5, 7 litres/minute

Temperature YSI 700/400 25, 37, 40 degrees C

Internal Battery No Charging or Power Cord Needed Battery Runs for Five Years

Four Year Warranty



| Part No.  | NPC Code | Description   | Qty    | Price    |
|-----------|----------|---|--------|----------|
| SL-9-CE   |          | EasySim® Multiparameter Clinical Simulator with Carry Case, IBP Adapter Cables (Choice of 3), Temperature Interface Cable, User Manual. | Single | £2175.00 |
| SL-ESCASE |          | Carry Case for EasySim Simulator  | Single | £45.00   |

EasuSim NOLC

Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

## Fitting Guide - Do you need Green System F/Optic type or Conventional bulb in blade type?

In order to determine which PROACT blades or handles will fit to your existing laryngoscopes, please examine them for the features below. All PROACT laryngoscopes comply with ISO 7376:2009 and we would recommend the use of both PROACT handles and blades to ensure maximum compatibility and performance.

# Combi® (Combined) Laryngoscopes



# Green System Fibre Optic Laryngoscopes

#### Green System Fibre Optic Type Blades have:

• A fibre-optic type (either glass fibres or plastic) light transmission bundle



 A green spot or marker on the blade designating that it is Green System

## Green System Handles have:

- A bulb/LED light source in the top centre of the handle
- A green band or marker around the top of the handle designating that it is Green System
- Has a hook on bar and handle block dimensioned to prevent conventional blades being fitted





# **Conventional Laryngoscopes**

#### Conventional Blades have:

A bulb or LED light source within the blade
An electrical contact at the base of the blade block which completes the circuit when attached to the handle

### Conventional Handles have:

- An electrical contact at the top of the handle which completes the circuit when attached to the blade
- Has a hook on bar and handle block dimensioned to prevent Green System blades being fitted







ISO 7376

ė.









Uses GS F/Optic Bundle based in the handle



# Combi® (Combined) Laryngoscopes

## Disposable Metal Max<sup>®</sup>+ Combi<sup>®</sup> meLED<sup>™</sup> Laryngoscope Sets with Alkaline Batteries

- Non-removable Metal Max® 90 blade permanently attached to lightweight aluminium full metal handle removes hassle and compatibility issues
- Super strong with metal through the hook for maximum strength
- Full length blade spatula and ET tube guide surface no compromise
- · 30% lighter than the equivalent set when fitted with normal batteries
- Long battery life over 5 hours continuous illumination 3 years battery shelf life from the date of manufacture
- · Fast and easy battery removal at end of life plus Eco friendly alkaline battery technology ensures ease of disposal and environmental efficiency
- · Supplied clean with no sterile shelf life issue
- All blade dimensions can be found at www.proactmedical.co.uk/bladedims · COMBI - the original and best, all in one Laryngoscope solution with
- hatteries



Combi®

EASY-ECO ALKALINE

**BUILT IN BATTERIES** 

+

NE Ø 2015

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No.    | NPC Code | Description  | Qty | Price  |
|-------------|----------|--|-----|--------|
| HMMCB90MAC1 | FSM1266  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, Paediatric Mac 1  | 10  | £79.50 |
| MMCB90MAC2  | FSM1267  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, Paediatric Mac 2  | 10  | £79.50 |
| MMCB90MAC3  | FSM1268  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable with Batteries, Adult Mac 3     | 10  | £79.50 |
| MMCB90MAC4  | FSM1269  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable with Batteries, Adult Mac 4     | 10  | £79.50 |
| MMCB90MIL00 | FSM1698  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, Paediatric Mil 00 | 10  | £79.50 |
| MMCB90MIL0  | FSM1270  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, Paediatric Mil 0  | 10  | £79.50 |
| MMCB90MIL1  | FSM1271  | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, Paediatric Mil 1  | 10  | £79.50 |

MEIA

## Disposable Metal Max<sup>®</sup>+ Combi<sup>®</sup> meLED<sup>™</sup> Lever Tip Laryngoscope Sets with **Alkaline Batteries**

- Non-removable Metal Max® 90 blade permanently attached to lightweight aluminium handle removes hassle and compatibility issues
- Super strong with metal through the hook for maximum strength
- Full length blade spatula and ET tube guide surface no compromise
- 30% lighter than the equivalent set when fitted with normal batteries
- · Long battery life over 5 hours continuous illumination. 3 years battery shelf life from the date of manufacture
- · Fast and easy battery removal at end of life plus Eco friendly battery technology ensures ease of disposal and environmental efficiency
- meLED<sup>™</sup> light sources offer a cool bright focused light and extra protection from transit damage for new levels of dependability
- Supplied clean with no sterile shelf life issue
- All blade dimensions can be found at www.proactmedical.co.uk/bladedims
- · COMBI the original and best, all in one Laryngoscope solution with batteries!

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No.  | NPC Code | Description   | Qty | Price   |
|-----------|----------|---|-----|---------|
| MMCB90LT2 |          | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable w/ Batteries, LT Mac 2   | 10  | £312.50 |
| MMCB90LT3 |          | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable with Batteries, LT Mac 3 | 10  | £312.50 |
| MMCB90LT4 |          | PROACT Metal Max+ Combi meLED Laryngoscope Set, Disposable with Batteries, LT Mac 4 | 10  | £312.50 |

LUX

5000

Operate handle to change

blade tip angle

# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837



# Combi® (Combined) Laryngoscopes

## Disposable Metal Max®+ 100 Combi meLED™ Cardiff PRO Blade and Handle Sets

- Non-removable Metal Max® 100 blade permanently attached to aluminium handle removes hassle and compatibility issues. Hook on through the pivot point for maximum strength. Supplied WITH batteries
- New meLED™ light sources offer a cool bright focused light and extra protection from transit damage for new levels of dependability
- Super strong with metal through the hook for maximum strength
- Supplied clean with no sterile shelf life issue
- Supplied in easy tear sachets for faster access and ease of use
- All blade dimensions can be found at <u>www.proactmedical.co.uk/bladedims</u>



**Combi®** 

| Part No.     | NPC Code | Description  | Qty | Price  |
|--------------|----------|--|-----|--------|
| HMMCB100CP00 |          | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with<br>Pre-installed Ease-Eco Batteries, Cardiff PRO 00 | 10  | £99.50 |
| HMMCB100CP0  |          | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Pre-installed Ease-Eco Batteries, Cardiff PRO 0     | 10  | £99.50 |
| HMMCB100CP1  |          | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with<br>Pre-installed Ease-Eco Batteries, Cardiff PRO 1  | 10  | £99.50 |


# Disposable Metal Max<sup>®</sup> 90 Combi meLED™ Blade and Handle Sets

- Non-removable Metal Max® 90 blade permanently attached to aluminium handle removes hassle and compatibility issues. Hook on through the pivot point for maximum strength
- No batteries fitted requires the use of x2 C size eco firiendly alkaline batteries for adult handles (Mac 3,4 and Mil 2,3) and x2 AA batteries for paediatric sized handles (Mac 2, Mil 0,1). Contact us should you require these with batteries pre fitted
- New meLED<sup>™</sup> light sources offer a cool bright focused light and extra protection from transit damage for new levels of dependability
- · Super strong with metal through the hook for maximum strength
- Supplied clean with no sterile shelf life issue

LUX

5000

- Supplied in easy tear sachets for faster access and ease of use
- All blade dimensions can be found at <u>www.proactmedical.co.uk/bladedims</u>



## Exceeds the requirements of BS EN ISO 7376:2009

| Part No.   | NPC Code | Description  | Qty | Price  |
|------------|----------|--|-----|--------|
| HMMC90MAC2 | FSM705   | PROACT Metal MAX 90 Combi™ Disposable Mac 2 Laryngoscope Set (Paediatric Handle) | 10  | £59.50 |
| HMMC90MAC3 | FSM706   | PROACT Metal MAX 90 Combi™ Disposable Mac 3 Laryngoscope Set (Adult Handle)      | 10  | £59.50 |
| HMMC90MAC4 | FSM707   | PROACT Metal MAX 90 Combi™ Disposable Mac 4 Laryngoscope Set (Adult Handle)      | 10  | £59.50 |
| HMMC90MIL0 | FSM708   | PROACT Metal MAX 90 Combi™ Disposable Mil 0 Laryngoscope Set (Paediatric Handle) | 10  | £59.50 |
| HMMC90MIL1 | FSM709   | PROACT Metal MAX 90 Combi™ Disposable Mil 1 Laryngoscope Set (Paediatric Handle) | 10  | £59.50 |
| HMMC90MIL2 | FSM710   | PROACT Metal MAX 90 Combi™ Disposable Mil 2 Laryngoscope Set (Adult Handle)      | 10  | £59.50 |
| HMMC90MIL3 | FSM711   | PROACT Metal MAX 90 Combi™ Disposable Mil 3 Laryngoscope Set (Adult Handle)      | 10  | £59.50 |

AL 90

## Disposable Metal Max<sup>®</sup> 90 meLED™ Laryngoscope Blades

- Conventional type fitting compliant to ISO 7376:2009
- Premium metal encased meLED™ light source offers a cool, super bright light and protects the LED from damage
- Superb light output with no heat output from the meLED™
- The original metal through the hook blade. The Metal Max 90 range was the world's first laryngoscope blade to feature an economical plastic block with metal through the critical hook on area.
- Full length blade spatula and ET tube guide surface no compromise
- Supplied clean with no sterile shelf life issue
- Two sprung ball bearings give a secure fit and option of re-use on the same patient plus allowing multiple testing for use on crash trolleys etc
- Supplied in easy tear sachets for faster access and ease of use
- · Guaranteed to fit all compliant conventional handles
- All blade dimensions can be found at
- www.proactmedical.co.uk/bladedims

Direct meLED Output measured at 5000 LUX proximal to Blade Tip using HMMB5521 handle and Lutron LX-103 Light Meter

#### Exceeds the requirements of BS EN ISO 7376:2009

| Part No.    | NPC Code | Description   | Qty | Price  |
|-------------|----------|---|-----|--------|
| MMCV90MAC1  | FSM1706  | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mac 1  | 10  | £39.50 |
| MMCV90MAC2  | FSM098   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mac 2  | 10  | £39.50 |
| MMCV90MAC3  | FSM099   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mac 3  | 10  | £39.50 |
| MMCV90MAC4  | FSM100   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mac 4  | 10  | £39.50 |
| HMM90MAC5   |          | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mac 5  | 10  | £39.50 |
|             |          |   |     |        |
| MMCV90MIL00 | FSM1265  | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mil 00 | 10  | £39.50 |
| MMCV90MIL0  | FSM144   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mil 0  | 10  | £39.50 |
| MMCV90MIL1  | FSM101   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mil 1  | 10  | £39.50 |
| MMCV90MIL2  | FSM102   | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mil 2  | 10  | £39.50 |
| HMM90MIL3   |          | PROACT Metal Max 90 meLED Conventional Laryngoscope Blade, Disposable, Mil 3  | 10  | £39.50 |

## Fully customisable Laryngoscope sets. Tailor made for you.

It's up to you how you want your laryngoscopes from our range, we can cater to fit your needs. Blades can be made up and attached with fitted batteries and handles before being despatched. We have cases and bags available for your perfect solutions. With so many options available please contact us to discuss your exact requirements and bespoke quotation and part numbers as necessary


Advice / Order Hotline: 01536 461981

Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

LUX

5000



# Fully customisable Laryngoscope sets. Tailor made for you.

It's up to you how you want your laryngoscopes from our range, we can cater to fit your needs. Blades can be made up and attached with fitted batteries and handles before being despatched. We have cases and bags available for your perfect solutions. With so many options available please contact us to discuss your exact requirements and bespoke quotation and part numbers as necessary

10

£49.50

PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Miller 3

# www.proactmedical.co.uk

HMM100MIL3

**FSM151** 



# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

## Disposable Specialist Full Metal Max<sup>®</sup> 100 meLED Laryngoscopes and Polio Handle

- Conventional type fitting compliant to ISO 7376:2009
- Premium full metal encased meLED<sup>™</sup> light source offers a cool, super bright light and protects the meLED<sup>™</sup> from damage
- New meLED bulbs give out very little heat adding to patient comfort and safety
   and complying to the requirements of ISO7376:2009
- Top of the range 100% metal blades with same blade construction as a full reusable
- Full length blade spatula and ET tube guide surface no compromise
- Supplied clean with no sterile shelf life issue
- Triple sprung ball bearings give a secure fit
- Supplied in easy tear sachets for faster access and ease of use
- Guaranteed to fit all compliant conventional handles
- All blade dimensions can be found at

www.proactmedical.co.uk/bladedims



100

ED technology

Alternatively, you can use the 135° Polio Handle for any blade - common sense!

## Exceeds the requirements of BS EN ISO 7376:2009



Robertshaw





LUX 5000



C

Cardiff PRO

| Part No.      | NPC Code | Description  | Qty    | Price   |
|---------------|----------|--|--------|---------|
| HMM100CP00    | FSM1761  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Cardiff PRO 00  | 10     | £79.50  |
| HMM100CP0     | FSM1762  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Cardiff PRO 0   | 10     | £79.50  |
| HMM100CP1     | FSM1763  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Cardiff PRO 1   | 10     | £79.50  |
|               |          |  |        |         |
| HMM100LH3     |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Left Hand Mac 3 | 10     | £69.50  |
| HMM100LH4     |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Left Hand Mac 4 | 10     | £69.50  |
|               |          |  |        |         |
| HMM100MAGILL0 |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Magill 0        | 10     | £89.50  |
| HMM100MAGILL1 |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Magill 1        | 10     | £89.50  |
|               |          |  |        |         |
| HMM100POL3    |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Polio Mac 3     | 10     | £109.50 |
| HMM100POL4    |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Polio Mac 4     | 10     | £109.50 |
| LSH5521       |          | PROACT Standardline Laryngoscope Handle, Reusable, Polio Adult             | Single | £49.50  |
|               |          |  |        |         |
| HMM100RS0     | FSM1704  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Robertshaw 0    | 10     | £79.50  |
| HMM100RS1     | FSM1705  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Robertshaw 1    | 10     | £79.50  |
|               |          |  |        |         |
| HMM100SEW1    |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Seward 1        | 10     | £79.50  |
| HMM100SEW2    |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Seward 2        | 10     | £79.50  |
|               |          |  |        |         |
| HMM100WISC0   |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Wisconsin 0     | 10     | £79.50  |
| HMM100WISC1   |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Wisconsin 1     | 10     | £79.50  |
| HMM100WISC2   |          | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Wisconsin 2     | 10     | £79.50  |

## Disposable Metal Max<sup>®</sup>+ High Voltage Handles with Built in Alkaline Batteries

- Conventional type fitting compliant to ISO 7376:2009
- Full metal disposable high voltage handle designed to achieve the full output capability of PROACT meLED light sources
- Fast and easy battery removal at end of life plus Eco friendly battery technology ensures ease of disposal and environmental efficiency
- Increases light output by approx 33% and provides a super bright white light from Metal Max blades, ensuring optimum illumination and best possible view
- Long battery life over 5 hours continuous illumination. 3 years battery shelf life from the date of manufacture
- 31% lighter than the equivalent handle used with C size batteries
- · Supplied clean in easy to open sachets with no sterile shelf life issue
- All handle dimensions can be found at
- www.proactmedical.co.uk/bladedims

# WARNING: ONLY for use with PROACT meLED laryngoscope blades which are designed to handle high voltage power without damage.

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description   | Qty | Price  |
|----------|----------|---|-----|--------|
| MMCVHB01 | FSM1293  | PROACT Metal Max+ Conventional Laryngoscope Handle, Disposable with Batteries, Adult      | 10  | £44.50 |
| MMCVHB02 | FSM1737  | PROACT Metal Max+ Conventional Laryngoscope Handle, Disposable with Batteries, Paediatric | 10  | £44.50 |
| MMCVHB03 | FSM1737  | PROACT Metal Max+ Conventional Laryngoscope Handle, Disposable with Batteries, Stubby     | 10  | £44.50 |

## Disposable Metal Max<sup>®</sup> Laryngoscope Handles

Conventional type fitting compliant to ISO 7376:2009

- Requires standard batteries to be fitted i.e x2 C size Adult or x2 AA Paediatric
- · Superb design and construction 100% metal handle with grooves for good grip
- · Available in a variety of sizes from adult, paediatric to stubby
- Supplied clean with no sterile shelf life issue
- Supplied in easy tear sachets
- Eliminates the capital, sterilising and running costs of reusable handles
- · Guaranteed to fit all compliant conventional blades
- All handle dimensions can be found at
- www.proactmedical.co.uk/bladedims

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description   | Qty | Price  |
|----------|----------|---|-----|--------|
| MMCVH001 | FSM164   | PROACT Metal Max Conventional Laryngoscope Handle, Disposable, Adult      | 10  | £39.50 |
| MMCVH002 | FSM165   | PROACT Metal Max Conventional Laryngoscope Handle, Disposable, Paediatric | 10  | £39.50 |
| MMCVH003 |          | PROACT Metal Max Conventional Laryngoscope Handle, Disposable, Stubby     | 10  | £59.50 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837







## Reusable PROACT Hydra<sup>®</sup> AUTOCLAVABLE Laryngoscope Handles

- Conventional type fitting compliant to ISO 7376:2009
- Requires standard batteries to be fitted i.e x2 C size Adult or x2 AA Paediatric
- Superb design and construction 100% metal reusable handles made to the highest standards - Waterproof for hand washing
- Hydra handles are waterproof and fully autoclavable (remove batteries first) guaranteed for up to 3000 cycles at up to 138°C
- Washer / disinfector compatible (see user instructions at www.proactmedical.co.uk/support)
- · Textured finish for a secure grip
- · Lifetime Product Warranty see www.proactmedical.co.uk
- · Guaranteed to fit all compliant conventional blades
- Stainless steel head design for maximum wear resistance. All handle dimensions can be found at

#### www.proactmedical.co.uk/bladedims



## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description   | Qty    | Price  |
|----------|----------|---|--------|--------|
| HYCVH001 | FSM070   | PROACT Hydra Conventional Laryngoscope Handle, Autoclavable, Adult      | Single | £24.95 |
| HYCVH002 | FSM187   | PROACT Hydra Conventional Laryngoscope Handle, Autoclavable, Paediatric | Single | £24.95 |
| HYCVH003 |          | PROACT Metal Max Conventional Laryngoscope Handle, Disposable, Stubby   | Single | £24.95 |

PROACT Hydra®

Standardline<sup>™</sup>

# Reusable PROACT Standardline™ Laryngoscope Handles

- Conventional type fitting compliant to ISO 7376:2009
- Requires standard batteries to be fitted i.e x2 C size Adult or x2 AA Paediatric • Superb design and construction - 100% metal reusable handles made to the
- highest standards
- Textured finish for a secure grip
- Available in a variety of sizes from adult, paediatric to stubby
- Lifetime Product Warranty see www.proactmedical.co.uk
- Guaranteed to fit all compliant conventional blades
- Stainless steel head design for maximum wear resistance
- All handle dimensions can be found at

www.proactmedical.co.uk/bladedims

| Part No. | NPC Code | Description   | Qty    | Price  |
|----------|----------|---|--------|--------|
| H5521    | FSM1288  | PROACT Standardline Laryngoscope Handle, Reusable, Adult      | Single | £14.95 |
| H5522    | FSM1289  | PROACT Standardline Laryngoscope Handle, Reusable, Paediatric | Single | £14.95 |
| H5523    | FSM1290  | PROACT Standardline Laryngoscope Handle, Reusable, Stubby     | Single | £14.95 |

METAL MAX®

## Disposable Metal Max<sup>®</sup> 90 Green System Laryngoscope Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- $\ensuremath{\cdot}$  Metal runs through the economical plastic block to ensure maximum strength
- Super strong and rigid with same high quality optics as our premium range
- Fully shielded optics for ultimate focused light output and no back light
- Supplied clean with no sterile shelf life issue
- Correctly formed blade shape and atraumatic tip with no sharp edges
- Full length blade spatula and ET tube guide surface no compromise
- Two sprung ball bearings and hook on click over for a secure & reliable fit
  Supplied in easy open sachets
- Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles



Exceeds the requirements of BS EN ISO 7376:2009

LUX

5000

Fibre Optic Output measured at 5000 LUX

proximal to Blade Tip using HYGSH001 Hydra handle and Lutron LX-103 Light Meter

| Part No.    | NPC Code | Description   | Qty | Price  |
|-------------|----------|---|-----|--------|
| HMMGS90MAC0 | FSM1273  | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 0  | 10  | £39.50 |
| MMGS90MAC1  | FSM729   | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 1  | 10  | £39.50 |
| MMGS90MAC2  | FSM089   | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 2  | 10  | £39.50 |
| MMGS90MAC3  | FSM090   | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 3  | 10  | £39.50 |
| MMGS90MAC4  | FSM091   | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 4  | 10  | £39.50 |
| HMMGS90MAC5 | FSM1278  | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 5  | 10  | £39.50 |
| MMGS90MIL00 | FSM1707  | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 00 | 10  | £39.50 |
| MMGS90MIL0  | FSM146   | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 0  | 10  | £39.50 |
| MMGS90MIL1  | FSM092   | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 1  | 10  | £39.50 |
| MMGS90MIL2  | FSM093   | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 2  | 10  | £39.50 |
| HMMGS90MIL3 | FSM1283  | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 3  | 10  | £39.50 |
| HMMGS90MIL4 | FSM1284  | PROACT Metal Max 90 Green System Laryngoscope Blade, Disposable, Mil 4  | 10  | £39.50 |

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

You Tube

# Disposable Metal Max<sup>®</sup> 90 Green System Lever Tip Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- · Advance Lever Tip system offers excellent strength and feel through the tip
- Super strong and rigid with same high quality optics as our premium range
- · Fully shielded optics for ultimate focused light output and no back light
- Supplied clean with no sterile shelf life issue
- · Correctly formed blade shape and atraumatic tip with no sharp edges
- Triple sprung ball bearings for a secure fit
- Full length blade spatula and ET tube guide surface no compromise



PROACT Metal Max® Green System Disposable Lever-Tip Mac 3 Blade

PROACT Metal Max® Green System Disposable Lever-Tip Mac 4 Blade

10

£273.00

METAL 90°

| www.proactmedical | .co.uk |
|-------------------|--------|
|                   |        |

**FSM1709** 

FSM1710

MMGS90LT4

METAL 100

**HPCBlades** 

LUX 4000

## Disposable Metal Max<sup>®</sup> 100 Green System Laryngoscope Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- Top of the range 100% metal blade with the same blade design as a reusable
- Super strong and rigid zero flex and no compromise
- · Premium optics now shielded for ultimate focused light output and no back light
- · Supplied clean with no sterile shelf life issue
- · Correctly formed blade shape and atraumatic tip with no sharp edges
- Full length blade spatula and ET tube guide surface no compromise
- Triple sprung ball bearings give a secure fit
- · Supplied in easy open sachets

## · Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles Exceeds the requirements of BS EN ISO 7376:2009

PROAC LUX 5000

| Part No.     | NPC Code | Description   | Qty | Price  |
|--------------|----------|---|-----|--------|
| HMMGS100MAC1 | FSM1284  | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 1 | 10  | £49.50 |
| HMMGS100MAC2 | FSM082   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 2 | 10  | £49.50 |
| HMMGS100MAC3 | FSM083   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 3 | 10  | £49.50 |
| HMMGS100MAC4 | FSM084   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 4 | 10  | £49.50 |
| HMMGS100MAC5 |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 5 | 10  | £49.50 |
|              |          |   |     |        |
| HMMGS100MIL0 | FSM148   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 0 | 10  | £49.50 |
| HMMGS100MIL1 | FSM094   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 1 | 10  | £49.50 |
| HMMGS100MIL2 | FSM095   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 2 | 10  | £49.50 |
| HMMGS100MIL3 | FSM149   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 3 | 10  | £49.50 |
| HMMGS100MIL4 | FSM1285  | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 4 | 10  | £49.50 |

## **Disposable PROACT Green System** HPC<sup>™</sup> Laryngoscope Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- · Slim blades that match the correct profile of a Macintosh / Miller blade
- · Very strong polycarbonate material resists breaking, bending and twisting
- Full length blade spatula and ET tube guide surface no compromise
- · High quality optics offer super bright light output with PROACT GS Handles
- · Dual ball bearings plus plastic hinge pin ridge give a secure fit Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description  | Qty | Price  |
|----------|----------|--|-----|--------|
| HPCMAC1  |          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 1  | 10  | £12.00 |
| HPCMAC2  | FSM156   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 2  | 10  | £12.00 |
| HPCMAC3  | FSM157   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 3  | 10  | £12.00 |
| HPCMAC4  | FSM158   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 4  | 10  | £12.00 |
| HPCMAC5  |          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 5  | 10  | £12.00 |
| HPCMIL00 |          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 00 | 10  | £12.00 |
| HPCMIL0  | FSM159   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 0  | 10  | £12.00 |
| HPCMIL1  | FSM160   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 1  | 10  | £12.00 |
| HPCMIL2  | FSM161   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 2  | 10  | £12.00 |
| HPCMIL3  | FSM162   | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 3  | 10  | £12.00 |
| HPCMIL4  |          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 4  | 10  | £12.00 |

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

You Tube



# Disposable Metal Max<sup>®</sup> 100 Green System Full Metal Lever Tip Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- $\mbox{ \ } \mbox{ Advance Lever Tip system offers excellent strength and feel through the tip }$
- Premium 100% top grade stainless steel
- · Super strong and rigid with premium range high quality convered optics
- Supplied clean with no sterile shelf life issue
- Correctly formed blade shape and atraumatic tip with no sharp edges
  Triple sprung ball bearings for a secure fit
- Full length blade spatula and ET tube guide surface no compromise
- Supplied in easy open sachets
- Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles

| Exceeds the rec  | quirement | ts of BS EN ISO 7376:2009                                       |        |         |
|------------------|-----------|---|--------|---------|
| Part No.         | NPC Code  | Description   | Qty    | Price   |
| HMMGSLT100MAC3-1 | FSM745    | PROACT Metal Max® Green System Disposable Lever-Tip Mac 3 Blade | Single | £44.00  |
| HMMGSLT100MAC3   | FSM175    | PROACT Metal Max® Green System Disposable Lever-Tip Mac 3 Blade | 10     | £420.00 |
|                  |           |   |        |         |
| HMMGSLT100MAC4-1 | FSM746    | PROACT Metal Max® Green System Disposable Lever-Tip Mac 4 Blade | Single | £44.00  |
| HMMGSLT100MAC4   | FSM176    | PROACT Metal Max® Green System Disposable Lever-Tip Mac 4 Blade | 10     | £420.00 |

LUX 5000

You Tube

# Disposable Metal Max<sup>®</sup> 100 Green System Full Metal Speciality Blades



METAL 100°







**Cardiff Pro** 



Operate handle to change

blade tip angle

| Left H | landed | Macintosh |
|--------|--------|-----------|
|--------|--------|-----------|

| Part No.      | NPC Code | Description   | Qty | Price  |
|---------------|----------|---|-----|--------|
| HMMGS100LH3   |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Left Hand Mac 3 | 10  | £79.50 |
| HMMGS100LH4   |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Left Hand Mac 4 | 10  | £79.50 |
| HMMGS100CP00  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, CardiffPRO 00   | 10  | £79.50 |
| HMMGS100CP0   |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, CardiffPRO 0    | 10  | £79.50 |
| HMMGS100CP1   |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, CardiffPRO 1    | 10  | £79.50 |
| HMMGS100MAG0  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Magill 0        | 10  | £79.50 |
| HMMGS100MAG1  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Magill 1        | 10  | £79.50 |
| HMMGS100MAG2  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Magill 2        | 10  | £79.50 |
| HMMGS100MAG3  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Magill 3        | 10  | £79.50 |
| HMMGS100POL3  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Polio Mac 3     | 10  | £89.50 |
| HMMGS100POL4  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Polio Mac 4     | 10  | £89.50 |
| HMMGS100RS0   | FSM1286  | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Robertshaw 0    | 10  | £79.50 |
| HMMGS100RS1   | FSM1287  | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Robertshaw 1    | 10  | £79.50 |
| HMMGS100SEW1  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Seward 1        | 10  | £79.50 |
| HMMGS100SEW2  |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Seward 2        | 10  | £79.50 |
| HMMGS100WISC0 |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Wisconsin 0     | 10  | £79.50 |
| HMMGS100WISC1 |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Wisconsin 1     | 10  | £79.50 |
| HMMGS100WISC2 |          | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Wisconsin 2     | 10  | £79.50 |

Smoothline<sup>™</sup>

Smoothline™ Fibre Optic

You Tube

LUX 8000

Smoothline " GS

PROACT

Custom Etching Available

C

## Reusable PROACT Smoothline<sup>®</sup> Polished Fibre Optic Laryngoscope Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- ${\boldsymbol{\cdot}}$  Smoothline integrated easy clean, glass fibre optics for a superb output
- Correctly formed blade shape and atruamtic tips with no sharp edges
  Triple sprung ball bearings for a secure fit
- Fully autoclavable up to 300 cycles at up to 138°C
- Box sets cut to order please call for details
- Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles
- Washer / disinfector compatible
- · Incredible value for money full stainless steel polished blades

## Exceeds the requirements of BS EN ISO 7376:2009



| Part No. | NPC Code | Description   | Qty    | Price  |
|----------|----------|---|--------|--------|
| H9020P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mac 0 | Single | £54.50 |
| H9021P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mac 1 | Single | £54.50 |
| H9022P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mac 2 | Single | £54.50 |
| H9023P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mac 3 | Single | £54.50 |
| H9024P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mac 4 | Single | £54.50 |
| H9030P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mil 0 | Single | £54.50 |
| H9031P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mil 1 | Single | £54.50 |
| H9032P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mil 2 | Single | £54.50 |
| H9033P   |          | PROACT Smoothline P Laryngoscope Blade, Autoclavable, Mil 3 | Single | £54.50 |

# Reusable PROACT Smoothline<sup>®</sup> Satin Finish Fibre Optic Laryngoscope Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- · Smoothline integrated easy clean, glass fibre optics for a superb output
- Correctly formed blade shape and atraumatic tip with no sharp edges
- Triple sprung ball bearings for a secure fit
- · Full stainless steel blade with satin matt finish
- Product Lifetime Warranty see www.proactmedical.co.uk
- Fully autoclavable up to 300 cycles at up to 138°C
- Box sets cut to order please call for details
- Compatible to fit all Fibre Optic ISO 7376 compliant Green System handles
- · Washer / disinfector compatible

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description  | Qty    | Price  |
|----------|----------|--|--------|--------|
| H9020    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 0  | Single | £44.50 |
| H9021    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 1  | Single | £44.50 |
| H9022    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 2  | Single | £44.50 |
| H9023    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 3  | Single | £44.50 |
| H9024    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 4  | Single | £44.50 |
| H9025    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mac 5  | Single | £44.50 |
| H9029    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mil 00 | Single | £44.50 |
| H9030    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mil 0  | Single | £44.50 |
| H9031    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mil 1  | Single | £44.50 |
| H9032    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mil 2  | Single | £44.50 |
| H9033    |          | PROACT Smoothline Laryngoscope Blade, Autoclavable, Mil 3  | Single | £44.50 |

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# Reusable Smoothline<sup>®</sup> Green System Lever-Tip Blades

- Green System fibre optic type fitting compliant to ISO 7376:2009
- From the makers of the original disposable lever tip
- Advance Lever Tip system offers excellent strength and feel through the tip
- Smooth controlled levering action with super durable simple mechanism
- Top quality, premium blade construction with integrated smoothline glass fibre optics for an impeccable light beam
- Washer / disinfector compatible (see user instructions at www.proactmedical.co.uk/support)
- Triple sprung ball bearings for a secure fit
- Full integrated REAL GLASS fibre optics offer a quality, super bright light
- Fully autoclavable up to 300 cycles at up to 138°C
- Product Lifetime Warranty see www.proactmedical.co.uk

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No.     | NPC Code | Description   | Qty    | Price   |
|--------------|----------|---|--------|---------|
| HRLTGSBLADE3 | FSM1247  | PROACT Green System Laryngoscope Blade, Autoclavable, Lever Tip Mac 3 | Single | £149.00 |
| HRLTGSBLADE4 | FSM1248  | PROACT Green System Laryngoscope Blade, Autoclavable, Lever Tip Mac 4 | Single | £149.00 |

LUX

8000

# Reusable Green System Speciality Blades

Green System fibre optic type fitting compliant to ISO 7376:2009

- Top quality, premium blades with the features highlighted above
- Fully autoclavable up to 300 cycles at up to 138°C
- · Replaceable REAL GLASS fibre optics offer a quality, super bright light
- Product Lifetime Warranty see www.proactmedical.co.uk



You Tube

Smoothline<sup>™</sup>

Operate handle to change blade tip angle

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No.     | NPC Code | Description  | Qty    | Price  |
|--------------|----------|--|--------|--------|
| HGSLEFTHMAC3 |          | PROACT Green System Autoclavable Left Handed Laryngoscope Blade, Mac 3 | Single | £59.50 |
| HGSLEFTHMAC4 |          | PROACT Green System Autoclavable Left Handed Laryngoscope Blade, Mac 4 | Single | £59.50 |
| HGSPOLIOMAC3 | FSM1703  | PROACT Green System Laryngoscope Blade, Autoclavable, Polio Mac 3      | Single | £59.50 |
| HGSPOLIOMAC4 |          | PROACT Green System Laryngoscope Blade, Autoclavable, Polio Mac 4      | Single | £59.50 |
| HGSMAGILL0   |          | PROACT Green System Autoclavable Magill 0 Laryngoscope Blade           | Single | £59.50 |
| HGSMAGILL1   |          | PROACT Green System Autoclavable Magill 1 Laryngoscope Blade           | Single | £59.50 |
| HGSMAGILL2   |          | PROACT Green System Autoclavable Magill 2 Laryngoscope Blade           | Single | £59.50 |
| HGSMAGILL3   |          | PROACT Green System Autoclavable Magill 3 Laryngoscope Blade           | Single | £59.50 |
| HGSRSHAW0    |          | PROACT Green System Laryngoscope Blade, Autoclavable, Robertshaw 0     | Single | £59.50 |
| HGSRSHAW1    |          | PROACT Green System Laryngoscope Blade, Autoclavable, Robertshaw 1     | Single | £59.50 |
| HGSSEWARD0   |          | PROACT Green System Laryngoscope Blade, Autoclavable, Seward 0         | Single | £59.50 |
| HGSSEWARD1   |          | PROACT Green System Laryngoscope Blade, Autoclavable, Seward 1         | Single | £59.50 |
| HGSSEWARD2   |          | PROACT Green System Laryngoscope Blade, Autoclavable, Seward 2         | Single | £59.50 |
| HGSWISC1     |          | PROACT Green System Laryngoscope Blade, Autoclavable, Wisconsin 1      | Single | £49.50 |
| HGSWISC2     |          | PROACT Green System Laryngoscope Blade, Autoclavable, Wisconsin 2      | Single | £49.50 |
| HGSWISC3     |          | PROACT Green System Laryngoscope Blade, Autoclavable, Wisconsin 3      | Single | £49.50 |
| HGSWISC4     |          | PROACT Green System Laryngoscope Blade, Autoclavable, Wisconsin 4      | Single | £49.50 |

METALMAX\*

## Disposable Metal Max<sup>®</sup>+ Green System Handle with Built in Alkaline Batteries

- Green System fibre optic type fitting compliant to ISO 7376:2009
- Full metal disposable extra voltage handle designed to achieve the full output
   capability of amazingly bright PROACT Green System LED light sources
- Fast and easy battery removal at end of life plus Eco friendly alkaline battery technology ensures ease of disposal and environmental safety
- Increases light output dramatically compared to handles with normal batteries
- Provides a super bright white light for optimum illumination with Metal Max GS blades
- · Long battery life over 5 hours continuous illumination.
- 3 years battery shelf life from the date of manufacture
- · Weighs 31% less than the equivalent handle used with C size batteries
- · Supplied clean in easy to open sachets with no sterile shelf life issue
- Guaranteed to fit all Fibre Optic compliant green system fibre optic blades
- All handle dimensions can be found at

www.proactmedical.co.uk/bladedims



Direct LED Output measured at 50,000 LUX proximal to end of handle using Lutron LX-103 Light Meter







## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code  | Description   | Qty | Price  |
|----------|-----------|---|-----|--------|
| MMGSHB01 |           | PROACT Metal Max+ Green System LED Laryngoscope Handle, Disposable w/ Batteries, Adult      | 10  | £59.50 |
| MMGSHB02 |           | PROACT Metal Max+ Green System LED Laryngoscope Handle, Disposable w/ Batteries, Paediatric | 10  | £59.50 |
| MMGSHB03 | From June | PROACT Metal Max+ Green System LED Laryngoscope Handle, Disposable w/ Batteries, Stubby     | 10  | £59.50 |

## Disposable PROACT Metal Max® Green System Laryngoscope Handles

- Green System fibre optic type fitting compliant to ISO 7376:2009
- Requires standard batteries to be fitted i.e x2 C size Adult or x2 AA Paediatric
- · Superb design and construction 100% metal handle with grooves for good grip
- · Supplied clean with no sterile shelf life issue
- · Supplied in easy tear sachets

LUX

40000

- · Eliminates the capital, sterilising and running costs of reusable handles
- · Guaranteed to fit all Fibre Optic compliant green system fibre optic blades
- All handle dimensions can be found at
- www.proactmedical.co.uk/bladedims



Direct LED Output measured at 40,000 LUX proximal to end of handle using Lutron LX-103 Light Meter

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description   | Qty | Price  |
|----------|----------|---|-----|--------|
| MMGSH001 | FSM1697  | PROACT Metal Max Green System LED Laryngoscope Handle, Disposable, Adult      | 10  | £49.50 |
| MMGSH002 |          | PROACT Metal Max Green System LED Laryngoscope Handle, Disposable, Paediatric | 10  | £49.50 |
| MMGSH003 |          | PROACT Metal Max Green System LED Laryngoscope Handle, Disposable, Stubby     | 10  | £49.50 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

## Reusable PROACT Smoothline<sup>®</sup> Green System LED Laryngoscope Handles

- Green System fibre optic type fitting compliant to ISO 7376:2009
- Superb design and construction, with high output LED light source
- Textured and knurled finish for a secure grip
- Fits all Fibre Optic Green System fibre optic blades
- Reusable non autoclavable design
- Stainless steel head design for maximum wear resistance
- Product Lifetime Warranty see www.proactmedical.co.uk

Direct LED Output measured at 50,000 LUX proximal to end of handle using Lutron LX-103 Light Meter



Smoothline Fibre Optic



## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description  | Qty    | Price  |  |
|----------|----------|--|--------|--------|--|
| H4551    | FSM730   | PROACT® Green System LED Laryngoscope Handle, Reusable, Adult      | Single | £49.50 |  |
| H4552    | FSM731   | PROACT® Green System LED Laryngoscope Handle, Reusable, Paediatric | Single | £49.50 |  |
| H4553    | FSM1736  | PROACT® Green System LED Laryngoscope Handle, Reusable, Stubby     | Single | £54.50 |  |

# Reusable PROACT Comfort Grip Green System LED Laryngoscope Handles

- Green System fibre optic type fitting compliant to ISO 7376:2009
- $\ensuremath{\cdot}$  Superb design and construction, with high output LED light source
- Grooved finish for secure grip and ease of cleaning
- Stainless steel head design for maximum wear resistance
- Extremely durable handle section made from reinforced resin polymer
- Fits all Fibre Optic Green System fibre optic blades
- Reusable non autoclavable design
- Product Lifetime Warranty see www.proactmedical.co.uk

Direct LED Output measured at 50,000 LUX proximal to end of handle using Lutron LX-103 Light Meter





#### Exceeds the requirements of BS EN ISO 7376:2009 Part No. NPC Code Description Price H4551X PROACT® Green System LED Laryngoscope Handle, Reusable, Adult Single £49.50 H4552X PROACT® Green System LED Laryngoscope Handle, Reusable, Paediatric Single £49.50 H4553X PROACT® Green System LED Laryngoscope Handle, Reusable, Stubby Sinale £54.50

# Reusable PROACT Hydra<sup>®</sup> Green System LED Autoclavable Laryngoscope Handles

- · Superb design and construction 100% stainless steel handle
- New ultra high output, new LED capsule design
- Fully autoclavable head and barrel (requires prior removal of non autoclavable
- LED capsule, which is protected from contamination by a sealed glass design) • Head and barrel (not LED capsule or batteries) autoclavable up to 3000 cycles
- at up 138°C • Washer / Disinfector compatible
- Waterproof design allows hand washing without being taken apart.
- Knurled textured finish for a secure grip
- Stainless steel head design for maximum wear resistance
- Lifetime product Warranty





Direct LED Output measured at 50,000 LUX proximal to end of handle using Lutron LX-103 Light Meter

## Exceeds the requirements of BS EN ISO 7376:2009

| Part No. | NPC Code | Description  | Qty    | Price  |
|----------|----------|--|--------|--------|
| HYGSH001 |          | PROACT Hydr®a Green System LED Laryngoscope Handle, Reusable, Adult      | Single | £59.50 |
| HYGSH002 |          | PROACT Hydra® Green System LED Laryngoscope Handle, Reusable, Paediatric | Single | £59.50 |
| HYGSH003 |          | PROACT Hydra® Green System LED Laryngoscope Handle, Reusable, Stubby     | Single | £59.50 |

## **PROACT Product Lifetime Warranty**

(Applicable to all REUSABLE PROACT Laryngoscope Blades, Handles and Instruments)

PROACT are respected innovators and have been developing quality airway management solutions since 1995.

Our laryngoscope blade and handles are designed, manufactured and rigorously tested to ensure, as far as humanly possible, no failures will occur at any time during the normal product lifetime. PROACT are so confident of the materials and manufacturing build quality of our laryngoscopes that we can offer a Product Lifetime Warranty against materials and manufacturing defects, across all of our reusable ranges.

The PROACT Product Lifetime Warranty assures that in the unlikely event of a product failing due to a materials or manufacturing defect, before it has completed a fair lifetime of use\* then it will be repaired or replaced by PROACT on a free of charge basis.

Any warranty claim will be taken on its individual merits and will require the return of the goods in question to PROACT for inspection – please see the section on Returns at the front of the catalogue for full details of how to arrange this.

#### The BIG advantage for you!

The PROACT Product Lifetime Warranty gives you the assurance that low usage instruments will not unfairly fall out of a 'Set Period' type of warranty and that a well kept PROACT Instrument will be covered for many years to come.

\* The PROACT Product Lifetime Warranty takes into account usage rate and conditions and does not include product failure which is the result of fair wear and tear nor that which has occurred because of improper use or handling. We reserve the right to reject warranty claims which do not comply with the conditions as stated here.

If in doubt, we are happy to advise the best course of action to maintain and preserve the quality of your laryngoscope blades and handles. Proper care, maintenance and the use of only original spare parts, accessories and bulbs will help to ensure the long life and correct performance of these products.

This warranty does not cover bulbs, reusable LEDs or fibre optic bundles. Optics are designed and tested to withstand a minimum of 300 autoclave cycles but may show signs of degradation earlier should aggressive cleaning methods and/or lack of care also be applied to the products. Well cared for Blades and optics for many thousands of uses.

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# PRO-Breathe® PVC Disposable Laryngeal Airway

- Smooth integrated design and soft 'silicone like' medical grade PVC construction allows for optimum feel and less risk of patient trauma
- · Colour coded pilot balloons clearly marked with size make selection easy
- Clearly marked inflation volume and guide lines for fast and easy insertion
- Transparent connectors allowing for easy observation (as recommended by EGBAT report)
- Supplied sterile to help prevent cross infection and contamination
- Available in a full range of sizes
- Entirely free from Phthalates



| Part No.NPC CodeDescriptionOtyIPricePD-LA6310FDD1084PRO-Breathe® PVC Disposable Size 1 Laryngeal Airway10529.50PD-LA6315FDD1085PRO-Breathe® PVC Disposable Size 1.5 Laryngeal Airway10529.50PD-LA6320FDD1086PRO-Breathe® PVC Disposable Size 2 Laryngeal Airway10529.50PD-LA6325FDD1087PRO-Breathe® PVC Disposable Size 2.5 Laryngeal Airway10529.50PD-LA6330FDD1088PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway10529.50PD-LA6340FDD1089PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway10529.50PD-LA6350FDD1089PRO-Breathe® PVC Disposable Size 5 Laryngeal Airway10529.50PD-LA6340FDD1089PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway10529.50PD-LA6350FDD1089PRO-Breathe® PVC Disposable Size 5 Laryngeal Airway10529.50PD-LA6350FDD1089PRO-Breathe® PVC Disposable Size 5 Laryngeal Airway10529.50 |           |          |   |     |        |
|--|-----------|----------|---|-----|--------|
| PD-LA6315FDD1085PRO-Breathe® PVC Disposable Size 1.5 Laryngeal Airway10£29.50PD-LA6320FDD1086PRO-Breathe® PVC Disposable Size 2 Laryngeal Airway10£29.50PD-LA6325FDD1087PRO-Breathe® PVC Disposable Size 2.5 Laryngeal Airway10£29.50PD-LA6330FDD1088PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway10£29.50PD-LA6340FDD1088PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway10£29.50  | Part No.  | NPC Code | Description   | Qty | Price  |
| PD-LA6320FDD1086PRO-Breathe® PVC Disposable Size 2 Laryngeal Airway10£29.50PD-LA6325FDD1087PRO-Breathe® PVC Disposable Size 2.5 Laryngeal Airway10£29.50PD-LA6330FDD1088PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway10£29.50PD-LA6340FDD1089PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway10£29.50   | PD-LA6310 | FDD1084  | PRO-Breathe® PVC Disposable Size 1 Laryngeal Airway   | 10  | £29.50 |
| PD-LA6325FDD1087PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway10£29.50PD-LA6340FDD1088PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway10£29.50   | PD-LA6315 | FDD1085  | PRO-Breathe® PVC Disposable Size 1.5 Laryngeal Airway | 10  | £29.50 |
| PD-LA6330       FDD1088       PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway       10       £29.50         PD-LA6340       FDD1089       PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway       10       £29.50  | PD-LA6320 | FDD1086  | PRO-Breathe® PVC Disposable Size 2 Laryngeal Airway   | 10  | £29.50 |
| PD-LA6340     FDD1089     PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway     10     £29.50  | PD-LA6325 | FDD1087  | PRO-Breathe® PVC Disposable Size 2.5 Laryngeal Airway | 10  | £29.50 |
|  | PD-LA6330 | FDD1088  | PRO-Breathe® PVC Disposable Size 3 Laryngeal Airway   | 10  | £29.50 |
| PD-LA6350         FDD1090         PRO-Breathe® PVC Disposable Size 5 Laryngeal Airway         10         £29.50  | PD-LA6340 | FDD1089  | PRO-Breathe® PVC Disposable Size 4 Laryngeal Airway   | 10  | £29.50 |
|  | PD-LA6350 | FDD1090  | PRO-Breathe® PVC Disposable Size 5 Laryngeal Airway   | 10  | £29.50 |

# PRO-Breathe® PVC Disposable Armourflex™ Laryngeal Airway

- Smooth integrated design and soft 'silicone like' medical grade PVC construction allows for optimum feel and less risk of patient trauma
- Fully armoured preventing any twists in the tubing
- Ideal for head, neck and dental surgery
- Clearly marked inflation volume and guide lines for fast and easy insertion
  Transparent connectors allowing for easy observation (as recommended by
- EGBAT report)
- · Supplied sterile to help prevent cross infection and contamination
- · Ideal for use in Head & Neck, Dental, ENT & Eye Surgery
- Available in a full range of sizes
- Entirely free from Phthalates



It is recommended that all flexible armoured airway products are used with bite blocks

| Part No.   | NPC Code | Description  | Qty | Price  |
|------------|----------|--|-----|--------|
| PAD-LA6310 | FDD2573  | PRO-Breathe® PVC ArmourFlex Disposable Size 1 Laryngeal Airway   | 10  | £99.50 |
| PAD-LA6315 | FDD2574  | PRO-Breathe® PVC ArmourFlex Disposable Size 1.5 Laryngeal Airway | 10  | £99.50 |
| PAD-LA6320 | FDD2575  | PRO-Breathe® PVC ArmourFlex Disposable Size 2 Laryngeal Airway   | 10  | £99.50 |
| PAD-LA6325 | FDD2576  | PRO-Breathe® PVC ArmourFlex Disposable Size 2.5 Laryngeal Airway | 10  | £99.50 |
| PAD-LA6330 | FDD2579  | PRO-Breathe® PVC ArmourFlex Disposable Size 3 Laryngeal Airway   | 10  | £99.50 |
| PAD-LA6340 | FDD2582  | PRO-Breathe® PVC ArmourFlex Disposable Size 4 Laryngeal Airway   | 10  | £99.50 |
| PAD-LA6350 | FDD2584  | PRO-Breathe® PVC ArmourFlex Disposable Size 5 Laryngeal Airway   | 10  | £99.50 |

# Laryngeal Airways

### PRO-Breathe® Silicone Disposable Laryngeal Airway

- Premium quality, high end silicone construction with unbeatable value
- Smooth integrated design offering an optimum feel and superb seal with less
  risk of patient trauma
- · Colour coded pilot balloons clearly marked with size make selection easy
- Clearly marked inflation volume and guide lines for fast and easy insertion
- Transparent connectors allowing for easy observation (as recommended in the EGBAT report)
- Supplied sterile to help prevent cross infection and contamination
- Available in a full range of sizes
- Entirely free from Phthalates



SD range www

| Part No.  | NPC Code | Description  | Qty | Price  |
|-----------|----------|--|-----|--------|
| SD-LA6310 | FDD1091  | PRO-Breathe® Silicone Disposable Size 1 Laryngeal Airway   | 10  | £44.50 |
| SD-LA6315 | FDD1092  | PRO-Breathe® Silicone Disposable Size 1.5 Laryngeal Airway | 10  | £44.50 |
| SD-LA6320 | FDD1093  | PRO-Breathe® Silicone Disposable Size 2 Laryngeal Airway   | 10  | £44.50 |
| SD-LA6325 | FDD1094  | PRO-Breathe® Silicone Disposable Size 2.5 Laryngeal Airway | 10  | £44.50 |
| SD-LA6330 | FDD1095  | PRO-Breathe® Silicone Disposable Size 3 Laryngeal Airway   | 10  | £44.50 |
| SD-LA6340 | FDD1096  | PRO-Breathe® Silicone Disposable Size 4 Laryngeal Airway   | 10  | £44.50 |
| SD-LA6350 | FDD1097  | PRO-Breathe® Silicone Disposable Size 5 Laryngeal Airway   | 10  | £44.50 |

### PRO-Breathe® Silicone Disposable Armourflex™ Laryngeal Airway

- Premium quality, high end silicone construction with unbeatable value
- Smooth integrated design offering an optimum feel and superb seal with less risk of patient trauma
- · Fully armoured preventing any twists in the tubing
- · Coloured coded pilot balloons clearly marked with size make selection easy
- · Clearly marked inflation volume and guide lines for fast and easy insertion
- Transparent connectors allowing for easy observation (as recommended by EGBAT report)
- Ideal for use in Head & Neck, Dental, ENT & Eye Surgery
- Available in a full range of sizes
- Entirely free from Phthalates



It is recommended that all flexible armoured airway products are used with bite blocks

| Part No.   | NPC Code | Description   | Qty | Price   |
|------------|----------|---|-----|---------|
| SAD-LA6310 | FDD2577  | PRO-Breathe® Silicone ArmourFlex Disposable Size 1 Laryngeal Airway   | 10  | £119.50 |
| SAD-LA6315 | FDD2578  | PRO-Breathe® Silicone ArmourFlex Disposable Size 1.5 Laryngeal Airway | 10  | £119.50 |
| SAD-LA6320 | FDD2580  | PRO-Breathe® Silicone ArmourFlex Disposable Size 2 Laryngeal Airway   | 10  | £119.50 |
| SAD-LA6325 | FDD2581  | PRO-Breathe® Silicone ArmourFlex Disposable Size 2.5 Laryngeal Airway | 10  | £119.50 |
| SAD-LA6330 | FDD2583  | PRO-Breathe® Silicone ArmourFlex Disposable Size 3 Laryngeal Airway   | 10  | £119.50 |
| SAD-LA6340 | FDD2585  | PRO-Breathe® Silicone ArmourFlex Disposable Size 4 Laryngeal Airway   | 10  | £119.50 |
| SAD-LA6350 | FDD2586  | PRO-Breathe® Silicone ArmourFlex Disposable Size 5 Laryngeal Airway   | 10  | £119.50 |

# Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### PRO-Breathe® Silicone Reusable Laryngeal Airway

- Premium quality, high end silicone construction with unbeatable value
- Smooth integrated design offering an optimum feel and superb seal with less
  risk of patient trauma
- · Coloured coded pilot balloons clearly marked with size make selection easy
- Clearly marked inflation volume and guide lines for fast and easy insertion
- Transparent connectors allowing for easy observation (as recommended by EGBAT report)
- Autoclavable up to 40 times and supplied with a record card
- Available in a full range of sizes
- Entirely free from Phthalates



| Part No.  | NPC Code | Description  | Qty    | Price  |
|-----------|----------|--|--------|--------|
| SR-LA6310 | FDD1077  | PRO-Breathe® Silicone Reusable Size 1 Laryngeal Airway   | Single | £49.95 |
| SR-LA6315 | FDD1078  | PRO-Breathe® Silicone Reusable Size 1.5 Laryngeal Airway | Single | £49.95 |
| SR-LA6320 | FDD1079  | PRO-Breathe® Silicone Reusable Size 2 Laryngeal Airway   | Single | £49.95 |
| SR-LA6325 | FDD1080  | PRO-Breathe® Silicone Reusable Size 2.5 Laryngeal Airway | Single | £49.95 |
| SR-LA6330 | FDD1081  | PRO-Breathe® Silicone Reusable Size 3 Laryngeal Airway   | Single | £49.95 |
| SR-LA6340 | FDD1082  | PRO-Breathe® Silicone Reusable Size 4 Laryngeal Airway   | Single | £49.95 |
| SR-LA6350 | FDD1083  | PRO-Breathe®Silicone Reusable Size 5 Laryngeal Airway    | Single | £49.95 |
|           |          |  |        |        |

### PRO-Breathe® Silicone Reusable Armourflex™ Laryngeal Airway

- Premium quality, high end silicone construction with unbeatable value
- Smooth integrated design offering an optimum feel and superb seal with less
  risk of patient trauma
- Fully armoured preventing any twists in the tubing
- · Ideal for head, neck and dental surgery
- · Coloured coded pilot balloons clearly marked with size make selection easy
- Autoclavable up to 40 times and supplied with a record card
- Ideal for use in Head & Neck, Dental, ENT & Eye Surgery
- Available in a full range of sizes
- Entirely free from Phthalates



It is recommended that all flexible armoured products are used with Bite blocks

| Part No.   | NPC Code | Description   | Qty    | Price  |
|------------|----------|---|--------|--------|
| SAR-LA6310 | FDD1098  | PRO-Breathe® Silicone Armourflex Reusable Size 1 Laryngeal Airway   | Single | £84.95 |
| SAR-LA6315 | FDD1099  | PRO-Breathe® Silicone Armourflex Reusable Size 1.5 Laryngeal Airway | Single | £84.95 |
| SAR-LA6320 | FDD1100  | PRO-Breathe® Silicone Armourflex Reusable Size 2 Laryngeal Airway   | Single | £84.95 |
| SAR-LA6325 | FDD1101  | PRO-Breathe® Silicone Armourflex Reusable Size 2.5 Laryngeal Airway | Single | £84.95 |
| SAR-LA6330 | FDD1102  | PRO-Breathe® Silicone Armourflex Reusable Size 3 Laryngeal Airway   | Single | £84.95 |
| SAR-LA6340 | FDD1103  | PRO-Breathe® Silicone Armourflex Reusable Size 4 Laryngeal Airway   | Single | £84.95 |
| SAR-LA6350 | FDD1104  | PRO-Breathe® Silicone Armourflex Reusable Size 5 Laryngeal Airway   | Single | £84.95 |

### PRO-Breathe® Single Use Oral/Nasal ET Tubes

- Smooth integrated design providing less risk of patient trauma
- ${\boldsymbol{\cdot}}$  Constructed from a soft and flexible thermosensitive medical grade PVC
- ISO standard 15mm connector
- Atraumatic rounded tip with murphy eye
- Pilot balloon clearly marked with size
- Radio opaque sideline to aid tube positioning and location
- Clearly marked insertion guidelines with 2cm vocal cord markings
- Supplied sterile in individual sachets
- Complete range of sizes available
- High volume, low pressure cuff (8 microns thickness) or uncuffed options available



| Part No.             | NPC Code | Description   | Qty      | Price          |
|----------------------|----------|---|----------|----------------|
| PB-21099             | FDF1444  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 3.0mm   | 10       | £9.20          |
| PB-21100             | FDF1400  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 3.5mm   | 10       | £9.20          |
| PB-21101             | FDF1063  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 4.0mm   | 10       | £9.20          |
| PB-21102             | FDF1064  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 4.5mm   | 10       | £9.20          |
| PB-21103             | FDF1065  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 5.0mm   | 10       | £9.20          |
| PB-21104             | FDF1066  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 5.5mm   | 10       | £9.20          |
| PB-21105             | FDF1067  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 6.0mm   | 10       | £9.20          |
| PB-21106             | FDF1068  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 6.5mm   | 10       | £9.20          |
| PB-21107             | FDF1069  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 7.0mm   | 10       | £9.20          |
| PB-21108             | FDF1070  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 7.5mm   | 10       | £9.20          |
| PB-21109             | FDF1071  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 8.0mm   | 10       | £9.20          |
| PB-21110             | FDF1072  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 8.5mm   | 10       | £9.20          |
| PB-21111             | FDF1073  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 9.0mm   | 10       | £9.20          |
| PB-21112             | FDF1074  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 9.5mm   | 10       | £9.20          |
| PB-21113             | FDF1075  | PRO-Breathe® Oral/Nasal ET Tube, Cuffed - 10.0mm  | 10       | £9.20          |
| Part No.             | NPC Code | Description   | Qty      | Price          |
| PB-21114             | FDF1047  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 2.0mm   | 10       | £6.90          |
| PB-21115             | FDF1048  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 2.5mm   | 10       | £6.90          |
| PB-21116             | FDF1049  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 3.0mm   | 10       | £6.90          |
| PB-21117             | FDF1050  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 3.5mm   | 10       | £6.90          |
| PB-21118             | FDF1051  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 4.0mm   | 10       | £6.90          |
| PB-21119             | FDF1052  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 4.5mm   | 10       | £6.90          |
| PB-21120             | FDF1053  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 5.0mm   | 10       | £6.90          |
| PB-21121             | FDF1054  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 5.5mm   | 10       | £6.90          |
| PB-21122             | FDF1055  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 6.0mm   | 10       | £6.90          |
| PB-21123             | FDF1056  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 6.5mm   | 10       | £6.90          |
| PB-21124             | FDF1057  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 7.0mm   | 10       | £6.90          |
| PB-21125             | FDF1058  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 7.5mm   | 10       | £6.90          |
| PB-21126             | FDF1059  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 8.0mm   | 10       | £6.90          |
| PB-21127             | FDF1060  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 8.5mm   | 10       | £6.90          |
| PB-21128             | FDF1061  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 9.0mm   | 10       | £6.90          |
|                      |          |   |          |                |
| PB-21129             | FDF1062  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 9.5mm   | 10       | £6.90          |
| PB-21129<br>PB-21130 | FDF1062  | PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 9.5mm<br>PRO-Breathe® Oral/Nasal ET Tube, Uncuffed - 10.0mm | 10<br>10 | £6.90<br>£6.90 |

Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### PRO-Breathe® Single Use Nasal Pre-Formed ET Tubes

- Smooth integrated design providing an optimum feel and less risk of trauma
- Constructed from thermosensitive medical grade PVC
- Pilot balloon clearly marked with size
- Entirely free from Phthalates





| Part No.   | NPC Code  | Description   | Qty  | Price  |
|--|---|---|--|--|
| PB-21330-NPF   |   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 3.0mm   | 10   | £11.50   |
| PB-21329-NPF   |   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 3.5mm   | 10   | £11.50   |
| PB-21328-NPF   | FDF1093   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 4.0mm   | 10   | £11.50   |
| PB-21327-NPF   | FDF1094   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 4.5mm   | 10   | £11.50   |
| PB-21326-NPF   | FDF1095   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 5.0mm   | 10   | £11.50   |
| PB-21325-NPF   | FDF1096   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 5.5mm   | 10   | £11.50   |
| PB-21301-NPF   | FDF1097   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 6.0mm   | 10   | £11.50   |
| PB-21302-NPF   | FDF1098   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 6.5mm   | 10   | £11.50   |
| PB-21303-NPF   | FDF1099   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 7.0mm   | 10   | £11.50   |
| PB-21304-NPF   | FDF1100   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 7.5mm   | 10   | £11.50   |
| PB-21305-NPF   | FDF1101   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 8.0mm   | 10   | £11.50   |
| PB-21321-NPF   | FDF1102   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 8.5mm   | 10   | £11.50   |
| PB-21322-NPF   | FDF1103   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 9.0mm   | 10   | £11.50   |
| PB-21323-NPF   |   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 9.5mm   | 10   | £11.50   |
| PB-21324-NPF   |   | PRO-Breathe® Cuffed Nasal (North) ET Tube - 10.0mm  | 10   | £11.50   |
| Part No.   | NPC Code  | Description   | Qty  | Price  |
| PB-213030U   | FDF1450   | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 3.0mm   | 10   | £10.35   |
|  |   |   | 10   | ~10.00   |
| PB-213035U   | FDF1451   | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 3.5mm   | 10   | £10.35   |
| PB-213035U<br>PB-213040U   | FDF1451<br>FDF1452  | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 3.5mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm  |  |  |
|  |   |   | 10   | £10.35   |
| PB-213040U   | FDF1452   | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm   | 10<br>10   | £10.35<br>£10.35   |
| PB-213040U<br>PB-213045U   | FDF1452<br>FDF1453  | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm  | 10<br>10<br>10   | £10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213050U   | FDF1452<br>FDF1453<br>FDF1454   | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm   | 10<br>10<br>10<br>10   | £10.35<br>£10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213050U<br>PB-213055U   | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455                                  | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm<br>PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm  | 10<br>10<br>10<br>10<br>10   | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213050U<br>PB-213055U<br>PB-213060U   | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456                       | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm   | 10<br>10<br>10<br>10<br>10<br>10   | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213050U<br>PB-213055U<br>PB-213060U<br>PB-213065U   | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457            | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm   | 10<br>10<br>10<br>10<br>10<br>10<br>10                                     | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213055U<br>PB-213055U<br>PB-213060U<br>PB-213065U<br>PB-213070U   | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457<br>FDF1458 | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.0mm   | 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10                               | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35   |
| PB-213040U<br>PB-213045U<br>PB-213055U<br>PB-213055U<br>PB-213060U<br>PB-213065U<br>PB-213075U   | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457<br>FDF1458 | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.5mm   | 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10                         | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35                               |
| PB-213040U<br>PB-213045U<br>PB-213055U<br>PB-213055U<br>PB-213065U<br>PB-213065U<br>PB-213075U<br>PB-213075U<br>PB-213080U                             | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457<br>FDF1458 | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm   | 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10             | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35                     |
| PB-213040U<br>PB-213045U<br>PB-213050U<br>PB-213055U<br>PB-213060U<br>PB-213065U<br>PB-213070U<br>PB-213075U<br>PB-213080U<br>PB-213085U               | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457<br>FDF1458 | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm   | 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10       | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35 |
| PB-213040U<br>PB-213045U<br>PB-213055U<br>PB-213055U<br>PB-213065U<br>PB-213065U<br>PB-213075U<br>PB-213075U<br>PB-213085U<br>PB-213085U<br>PB-213090U | FDF1452<br>FDF1453<br>FDF1454<br>FDF1455<br>FDF1456<br>FDF1457<br>FDF1458 | PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 4.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 5.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 6.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 7.5mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm         PRO-Breathe® Uncuffed Nasal (North) ET Tube - 8.0mm | 10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10 | £10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35<br>£10.35 |

### PRO-Breathe® Single Use Oral Pre-Formed ET Tubes

- Smooth integrated design providing an optimum feel and less risk of trauma
- Constructed from thermosensitive medical grade PVC
- Pilot balloon clearly marked with size





| Part No.    | NPC Code | Description  | Qty      | Price  |
|-------------|----------|--|----------|--------|
| PB-21199-PF |          | PRO-Breathe® Cuffed Oral (South) ET Tube - 3.0mm   | 10       | £11.50 |
| PB-21200-PF | FDF1445  | PRO-Breathe® Cuffed Oral (South) ET Tube - 3.5mm   | 10       | £11.50 |
| PB-21201-PF | FDF1082  | PRO-Breathe® Cuffed Oral (South) ET Tube - 4.0mm   | 10       | £11.50 |
| PB-21202-PF | FDF1083  | PRO-Breathe® Cuffed Oral (South) ET Tube - 4.5mm   | 10       | £11.50 |
| PB-21203-PF | FDF1084  | PRO-Breathe® Cuffed Oral (South) ET Tube - 5.0mm   | 10       | £11.50 |
| PB-21204-PF | FDF1085  | PRO-Breathe® Cuffed Oral (South) ET Tube - 5.5mm   | 10       | £11.50 |
| PB-21205-PF | FDF1086  | PRO-Breathe® Cuffed Oral (South) ET Tube - 6.0mm   | 10       | £11.50 |
| PB-21206-PF | FDF1087  | PRO-Breathe® Cuffed Oral (South) ET Tube - 6.5mm   | 10       | £11.50 |
| PB-21207-PF | FDF1088  | PRO-Breathe® Cuffed Oral (South) ET Tube - 7.0mm   | 10       | £11.50 |
| PB-21208-PF | FDF1089  | PRO-Breathe® Cuffed Oral (South) ET Tube - 7.5mm   | 10       | £11.50 |
| PB-21209-PF | FDF1090  | PRO-Breathe® Cuffed Oral (South) ET Tube - 8.0mm   | 10       | £11.50 |
| PB-21210-PF | FDF1091  | PRO-Breathe® Cuffed Oral (South) ET Tube - 8.5mm   | 10       | £11.50 |
| PB-21211-PF | FDF1092  | PRO-Breathe® Cuffed Oral (South) ET Tube - 9.0mm   | 10       | £11.50 |
| PB-21212-PF | FDF1446  | PRO-Breathe® Cuffed Oral (South) ET Tube - 9.5mm   | 10       | £11.50 |
| PB-21213-PF |          | PRO-Breathe® Cuffed Oral (South) ET Tube - 10.0mm  | 10       | £11.50 |
| Part No.    | NPC Code | Description  | Qty      | Price  |
| PB-212030U  | FDF1447  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 3.0mm   | 10       | £10.35 |
| PB-212035U  | FDF1393  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 3.5mm   | 10       | £10.35 |
| PB-212040U  | FDF1394  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 4.0mm   | 10       | £10.35 |
| PB-212045U  | FDF1395  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 4.5mm   | 10       | £10.35 |
| PB-212050U  | FDF1396  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 5.0mm   | 10       | £10.35 |
| PB-212055U  | FDF1397  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 5.5mm   | 10       | £10.35 |
| PB-212060U  | FDF1398  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 6.0mm   | 10       | £10.35 |
| PB-212065U  | FDF1399  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 6.5mm   | 10       | £10.35 |
| PB-212070U  | FDF1448  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 7.0mm   | 10       | £10.35 |
| PB-212075U  | FDF1449  | PRO-Breathe® Uncuffed Oral (South) ET Tube - 7.5mm   | 10       | £10.35 |
| PB-212080U  |          | PRO-Breathe® Uncuffed Oral (South) ET Tube - 8.0mm   | 10       | £10.35 |
| PB-212085U  |          |  |          | £10.35 |
|             |          | PRO-Breathe® Uncuffed Oral (South) ET Tube - 8.5mm   | 10       | 210.00 |
| PB-212090U  |          | PRO-Breathe® Uncuffed Oral (South) ET Tube - 8.5mm<br>PRO-Breathe® Uncuffed Oral (South) ET Tube - 9.0mm | 10<br>10 | £10.35 |
|             |          |  |          |        |

Advice / Order Hotline: 01536 461981

## Fax Us: 01536 461837

### PRO-Breathe® Single Use Armourflex<sup>™</sup> ET Tubes

Constructed from thermosensitive PVC with Armourflex<sup>™</sup> reinforcement

- ISO standard 15mm connector (transparent as recommended by EGBAT)
- Atraumatic rounded tip with murphy eye
- · Pilot balloon clearly marked with size
- Radio opaque sideline to aid tube positioning and location
- · Clearly marked insertion guidelines with 2cm vocal cord markings
- . .

PB-21418

PB-21419

| Supplied sterile in individual sachets     High volume, low pressure cuff (8 microns thickness) or uncuffed options |          |  |     |        |  |  |  |
|---|----------|--|-----|--------|--|--|--|
| • Fligh volume,<br>Part No.   | NPC Code |  | Qty | Price  |  |  |  |
| PB-21397  | FDF1461  | PRO-Breathe® Armourflex Cuffed ET Tube - 3.0mm   | 5   | £40.19 |  |  |  |
| PB-21398  | FDF1462  | PRO-Breathe® Armourflex Cuffed ET Tube - 3.5mm   | 5   | £40.19 |  |  |  |
| PB-21399  | FDF1463  | PRO-Breathe® Armourflex Cuffed ET Tube - 4.0mm   | 5   | £40.19 |  |  |  |
| PB-21400  | FDF1464  | PRO-Breathe® Armourflex Cuffed ET Tube - 4.5mm   | 5   | £40.19 |  |  |  |
| PB-21401  | FDG874   | PRO-Breathe® Armourflex Cuffed ET Tube - 5.0mm   | 5   | £40.19 |  |  |  |
| PB-21402  | FDG875   | PRO-Breathe® Armourflex Cuffed ET Tube - 5.5mm   | 5   | £40.19 |  |  |  |
| PB-21403  | FDG876   | PRO-Breathe® Armourflex Cuffed ET Tube - 6.0mm   | 5   | £40.19 |  |  |  |
| PB-21404  | FDG877   | PRO-Breathe® Armourflex Cuffed ET Tube - 6.5mm   | 5   | £40.19 |  |  |  |
| PB-21405  | FDG878   | PRO-Breathe® Armourflex Cuffed ET Tube - 7.0mm   | 5   | £40.19 |  |  |  |
| PB-21406  | FDG879   | PRO-Breathe® Armourflex Cuffed ET Tube - 7.5mm   | 5   | £40.19 |  |  |  |
| PB-21407  | FDG880   | PRO-Breathe® Armourflex Cuffed ET Tube - 8.0mm   | 5   | £40.19 |  |  |  |
| PB-21408  | FDG881   | PRO-Breathe® Armourflex Cuffed ET Tube - 8.5mm   | 5   | £40.19 |  |  |  |
| PB-21409  | FDG882   | PRO-Breathe® Armourflex Cuffed ET Tube - 9.0mm   | 5   | £40.19 |  |  |  |
| PB-21410  | FDG885   | PRO-Breathe® Armourflex Cuffed ET Tube - 9.5mm   | 5   | £40.19 |  |  |  |
| Part No.  | NPC Code | Description                                      | Qty | Price  |  |  |  |
| PB-21411  | FDF1076  | PRO-Breathe® Armourflex Uncuffed ET Tube - 3.0mm | 5   | £34.21 |  |  |  |
| PB-21412  | FDF1077  | PRO-Breathe® Armourflex Uncuffed ET Tube - 3.5mm | 5   | £34.21 |  |  |  |
| PB-21413  | FDF1078  | PRO-Breathe® Armourflex Uncuffed ET Tube - 4.0mm | 5   | £34.21 |  |  |  |
| PB-21414  | FDF1079  | PRO-Breathe® Armourflex Uncuffed ET Tube - 4.5mm | 5   | £34.21 |  |  |  |
| PB-21415  | FDF1080  | PRO-Breathe® Armourflex Uncuffed ET Tube - 5.0mm | 5   | £34.21 |  |  |  |
| PB-21416  | FDF1081  | PRO-Breathe® Armourflex Uncuffed ET Tube - 5.5mm | 5   | £34.21 |  |  |  |
| PB-21417  |          | PRO-Breathe® Armourflex Uncuffed ET Tube - 6.0mm | 5   | £34.21 |  |  |  |

ETtubes

### PRO-Breathe® Single Use ET Tubes with Suction

PRO-Breathe® Armourflex Uncuffed ET Tube - 6.5mm

PRO-Breathe® Armourflex Uncuffed ET Tube - 7.0mm



5

5

£34.21

£34.21

| <ul> <li>As ET Tubes</li> </ul> | but with evacuation lumen |  |
|---------------------------------|---------------------------|--|

| NPC Code | Description   | Qty  | Price  |
|----------|---|--|--|
| FDF 1405 | PRO-Breathe® Cuffed ET Tube with Suction - 6.0mm                | 10   | £27.50   |
| FDF1406  | PRO-Breathe® Cuffed ET Tube with Suction - 6.5mm                | 10   | £27.50   |
| FDF1407  | PRO-Breathe® Cuffed ET Tube with Suction - 7.0mm                | 10   | £27.50   |
| FDF1408  | PRO-Breathe® Cuffed ET Tube with Suction - 7.5mm                | 10   | £27.50   |
| FDF1409  | PRO-Breathe® Cuffed ET Tube with Suction - 8.0mm                | 10   | £27.50   |
| FDF1410  | PRO-Breathe® Cuffed ET Tube with Suction - 8.5mm                | 10   | £27.50   |
| FDF1411  | PRO-Breathe® Cuffed ET Tube with Suction - 9.0mm                | 10   | £27.50   |
|          | FDF 1405<br>FDF1406<br>FDF1407<br>FDF1408<br>FDF1409<br>FDF1410 | FDF1406       PRO-Breathe® Cuffed ET Tube with Suction - 6.5mm         FDF1407       PRO-Breathe® Cuffed ET Tube with Suction - 7.0mm         FDF1408       PRO-Breathe® Cuffed ET Tube with Suction - 7.5mm         FDF1409       PRO-Breathe® Cuffed ET Tube with Suction - 8.0mm         FDF1410       PRO-Breathe® Cuffed ET Tube with Suction - 8.5mm | FDF 1405PRO-Breathe® Cuffed ET Tube with Suction - 6.0mm10FDF1406PRO-Breathe® Cuffed ET Tube with Suction - 6.5mm10FDF1407PRO-Breathe® Cuffed ET Tube with Suction - 7.0mm10FDF1408PRO-Breathe® Cuffed ET Tube with Suction - 7.5mm10FDF1409PRO-Breathe® Cuffed ET Tube with Suction - 8.0mm10FDF1410PRO-Breathe® Cuffed ET Tube with Suction - 8.0mm10FDF1410PRO-Breathe® Cuffed ET Tube with Suction - 8.0mm10 |

### PRO-Breathe® Single Use Endobronchial Tubes

PRO-Breathe Range



- Help to prevent cross infection and contamination
- Constructed from super soft medical grade PVC
- Clearly marked with guidelines, depth markings and radio opaque centre line
- Both cuffs and lumen are clearly marked and colour coded to ensure correct use
- Supplied with relevant connectors and suction tubing
- Available in variety of sizes in both left and right options
- Supplied sterile in individual easy access sachets



| Part No.   | NPC Code                                 | Description   | Qty                                  | Price                                |
|--|--|---|--------------------------------------|--------------------------------------|
| PB-231028  | FDF1143                                  | Left Sided Single Use Endobronchial Tube - size 28 Fr   | Single                               | £27.00                               |
| PB-231032  | FDF1144                                  | Left Sided Single Use Endobronchial Tube - size 32 Fr   | Single                               | £27.00                               |
| PB-231035  | FDF1145                                  | Left Sided Single Use Endobronchial Tube - size 35 Fr   | Single                               | £27.00                               |
| PB-231037  | FDF1146                                  | Left Sided Single Use Endobronchial Tube - size 37 Fr   | Single                               | £27.00                               |
| PB-231039  | FDF1147                                  | Left Sided Single Use Endobronchial Tube - size 39 Fr   | Single                               | £27.00                               |
| PB-231041  | FDF1148                                  | Left Sided Single Use Endobronchial Tube - size 41 Fr   | Single                               | £27.00                               |
|  |  |   |                                      |                                      |
| Part No.   | NPC Code                                 | Description   | Qty                                  | Price                                |
| Part No.<br>PB-232028                            | NPC Code<br>FDF1149                      | Description<br>Right Sided Single Use Endobronchial Tube - size 28 Fr   | Qty<br>Single                        | Price<br>£30.00                      |
|  |  |   |                                      |                                      |
| PB-232028  | FDF1149                                  | Right Sided Single Use Endobronchial Tube - size 28 Fr  | Single                               | £30.00                               |
| PB-232028<br>PB-232032                           | FDF1149<br>FDF1150                       | Right Sided Single Use Endobronchial Tube - size 28 Fr<br>Right Sided Single Use Endobronchial Tube - size 32 Fr  | Single<br>Single                     | £30.00<br>£30.00                     |
| PB-232028<br>PB-232032<br>PB-232035              | FDF1149<br>FDF1150<br>FDF1151            | Right Sided Single Use Endobronchial Tube - size 28 Fr         Right Sided Single Use Endobronchial Tube - size 32 Fr         Right Sided Single Use Endobronchial Tube - size 35 Fr  | Single<br>Single<br>Single           | £30.00<br>£30.00<br>£30.00           |
| PB-232028<br>PB-232032<br>PB-232035<br>PB-232037 | FDF1149<br>FDF1150<br>FDF1151<br>FDF1152 | Right Sided Single Use Endobronchial Tube - size 28 Fr         Right Sided Single Use Endobronchial Tube - size 32 Fr         Right Sided Single Use Endobronchial Tube - size 35 Fr         Right Sided Single Use Endobronchial Tube - size 37 Fr | Single<br>Single<br>Single<br>Single | £30.00<br>£30.00<br>£30.00<br>£30.00 |

### PRO-Breathe® Single Use Endobronchial Blockers

PRO-Breathe. Range



- Manufactured from transparent medical grade PVC allowing clinicians to visualise any blockages quickly
- Atraumatic tip with double offset eye to provide relief if the distal hole becomes
   occluded for safe, effective drainage
- Smooth surface for easy insertion
- Different connector ends available for compatibility with a range of suction units and aspirators
- · Colour coded according to size to make visual identification easy
- Supplied sterile in individual easy access sachets

|           | -        |   |        |         |
|-----------|----------|---|--------|---------|
|           |          |   |        |         |
| Part No.  | NPC Code | Description                             | Qty    | Price   |
| PBEB00007 | FDF1878  | PRO-Breathe® Endobrochial Blocker, 07Fr | Single | £109.00 |
| PBEB00009 | FDF1879  | PRO-Breathe® Endobrochial Blocker, 09Fr | Single | £109.00 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# Introducers & Stylets

### PRO-Breathe® Single Use Intubation Stylets

- Malleable aluminium with a low friction plastic sheath to aid insertion of ET tubes
- Fully rounded atraumatic tip to minimise risk of patient trauma
- Disposable to aid in infection control
- Supplied sterile and individually packaged in easy to open sachets





The

| Part No. | NPC Code | Description                                       |    | Price  |
|----------|----------|---|----|--------|
| PBS6FR   | FDF1111  | PRO-Breathe® Single Use Intubation Stylet - 06 Fr |    | £11.50 |
| PBS10FR  | FDF1112  | PRO-Breathe® Single Use Intubation Stylet - 10 Fr |    | £11.50 |
| PBS12FR  |          | PRO-Breathe® Single Use Intubation Stylet - 12 Fr |    | £11.50 |
| PBS14FR  | FDF1113  | PRO-Breathe® Single Use Intubation Stylet - 14 Fr | 20 | £11.50 |

The

PRO-Breathe.

Range

### PRO-Breathe® Single Use Premium ET Tube Introducers (Bougies)

- Premium bougie range with high gloss, low friction outer surface to improve tube glide over bougie
- Low point of pressure tip reduces the risk of accidental trauma
- Available in a variety of lengths and diameters, each with or without angled (coudé) tip, allowing greater choice for clinicians
- Highly visible colour for improved positioning in poor light
- Extra tip graduations allow for improved laryngeal inlet entry and exit guidance
- · Robust outer tube prevents damage in transit and storage
- Single use, reducing the risk of cross infection
- Individually packed sterile
- Vented introducers available with side ports to allow delivery of oxygen via connector supplied (coloured blue as opposed to yellow for easy identification)

| Part No.  | NPC Code | Description  | Qty | Price  |
|-----------|----------|--|-----|--------|
| PBI105470 | FDF1423  | PRO-Breathe® Premium Single Use ET Tube Introducer - 5 Fr, 470mm, Straight           | 10  | £70.00 |
| PBI210600 | FDF1428  | PRO-Breathe® Premium Single Use ET Tube Introducer - 10 Fr, 600mm, Angled, Coudé Tip | 10  | £70.00 |
| PBI210800 | FDF1429  | PRO-Breathe® Premium Single Use ET Tube Introducer - 10 Fr, 800mm, Angled, Coudé Tip | 10  | £70.00 |
| PBI215600 | FDF1430  | PRO-Breathe® Premium Single Use ET Tube Introducer - 15 Fr, 600mm, Angled, Coudé Tip | 10  | £70.00 |
| PBI215800 | FDF1431  | PRO-Breathe® Premium Single Use ET Tube Introducer - 15 Fr, 800mm, Angled, Coudé Tip | 10  | £70.00 |
| PBI314750 | FDF1432  | PRO-Breathe® Premium Single Use ET Tube Introducer - 14 Fr, 750mm, Vented, Coudé Tip | 10  | £90.00 |

### Introducers & Stylets

### PRO-Breathe® Single Use Standard ET Tube Introducers (Bougies)

- · Reinforced with memory to mimic gum elastic bougies
- Ultra smooth surface for low friction
- New improved atraumatic tip to minimise risk of patient trauma
- Graduation mark at each centimetre
- Angled coudé tip for ease of intubation
- Vented lumen option available for oxygen feed if required
- Supplied sterile, individually packaged in easy to open sachets





| Part No.    | NPC Code | Description   |    | Price  |
|-------------|----------|---|----|--------|
| PBB6CH535   | FDF1106  | PRO-Breathe® Single Use Standard ET Tube Introducer - 6 Fr, 535mm, Coudé Tip          |    | £69.50 |
| PBB10CH700  | FDF1107  | RO-Breathe® Single Use Standard ET Tube Introducer - 10 Fr, 700mm, Coudé Tip          |    | £69.50 |
| PBB15CH700  | FDF1108  | RO-Breathe® Single Use Standard ET Tube Introducer - 15 Fr, 700mm, Coudé Tip          |    | £69.50 |
|             |          |   |    |        |
| PBBH10CH700 | FDF1109  | PRO-Breathe® Single Use ET Tube Introducer (Bougie) - 10 Fr, 700mm, Vented, Coudé Tip | 20 | £69.50 |
| PBBH15CH700 | FDF1110  | PRO-Breathe® Single Use ET Tube Introducer (Bougie) - 15 Fr, 700mm, Vented. Coudé Tip | 20 | £69.50 |

### PRO-Breathe<sup>®</sup> Single ET Tube Introducers (Bougies) Holders



• Plastic bougie holder, suitable for up to four bougies

| Devi No      |          |  |        |        |
|--------------|----------|--|--------|--------|
| Part No.     | NPC Code | Description  | Qty    | Price  |
| PBBHOLDER700 |          | PRO-Breathe® Reusable Bougie Holder - Short              | Single | £3.95  |
|              |          | Supplied empty, holds up to 4 x 600mm Bougies            |        |        |
| PBBHOLDER800 |          | PRO-Breathe® Reusable Bougie Holder - Standard           | Single | £3.95  |
|              |          | Supplied empty, holds up to 4 x 700/800mm Bougies        |        |        |
| PBB6CH3PK    |          | PRO-Breathe® PRE-FILLED Bougie Holder - Short            | Single | £12.95 |
|              |          | Supplied with 3 x Paediatric 6 Fr Bougies                |        |        |
| PBB10CH3PK   |          | PRO-Breathe® PRE-FILLED Bougie Holder - Short            | Single | £12.95 |
|              |          | Supplied with 3 x Paediatric 10 Fr Bougies               |        |        |
| PBB15CH3PC   |          | PRO-Breathe® PRE-FILLED Bougie Holder - Short            | Single | £12.95 |
|              |          | Supplied with 3 x Paediatric 15 Fr Bougies               |        |        |
| PBBVCH3PK    |          | PRO-Breathe® PRE-FILLED Bougie Holder Case               | Single | £12.95 |
|              |          | with 1 x 6 Fr, 1 x 10 Fr and 1 x 15 Fr Disposable Bougie | Ū      |        |

Other combinations are available if required - Please call for details

Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

# Airway Management

Rigid bite block to ensure airway patency

· Colour coded for easy selection of size

· Full range of sizes available

Helps to prevent cross infection and contamination
Supplied sterile, in individual easy open sachets

### PRO-Breathe® Single Use Guedel Airways

Smooth integrated design for optimum patient comfort and safety



| Part No.   | NPC Code | Description  | Qty    | Price |
|------------|----------|--|--------|-------|
| PB24101-50 | FDB358   | PRO-Breathe® Size 000 Disposable Guedel Airway - 40mm              | 50     | £9.50 |
| PB24102-50 | FDB361   | PRO-Breathe® Size 00 Disposable Guedel Airway - 50mm               | 50     | £9.50 |
| PB24103-50 | FDB362   | PRO-Breathe® Size 0 Disposable Guedel Airway - 60mm                | 50     | £9.50 |
| PB24104-50 | FDB425   | PRO-Breathe® Size 1 Disposable Guedel Airway - 70mm                | 50     | £9.50 |
| PB24105-50 | FDB364   | PRO-Breathe® Size 2 Disposable Guedel Airway - 80mm                | 50     | £9.50 |
| PB24106-50 | FDB366   | PRO-Breathe® Size 3 Disposable Guedel Airway - 90mm                | 50     | £9.50 |
| PB24107-50 | FDB369   | PRO-Breathe® Size 4 Disposable Guedel Airway - 100mm               | 50     | £9.50 |
| PB24108-50 | FDB426   | PRO-Breathe® Size 5 Disposable Guedel Airway - 110mm               | 50     | £9.50 |
| PB24109-50 | FDB424   | PRO-Breathe® Size 6 Disposable Guedel Airway - 120mm               | 50     | £9.50 |
| PBGUKIT    |          | PRO-Breathe® Disposable Guedel Airway Kit - containing sizes 000-6 | Single | £3.75 |

### PRO-Breathe® Single Use Nasopharyngeal Airways

- New design with larger reinforced flange
- Supple transparent PVC construction for a comfortable fit and optimum feel
- · Satin low friction finish for easy placement and catheter insertion
- Atraumatic round bevelled end
- · Clearly marked with size
- Supplied sterile in individual inner pack for single use helps to prevent cross infection and contamination
- For nasal airway ventilation only





| Part No.  | NPC Code | ode Description   |    | Price  |
|-----------|----------|---|----|--------|
| PBNP00060 | FDB000   | PRO-Breathe® Single Use Nasopharyngeal Airways - size 6.0 | 10 | £15.00 |
| PBNP00070 | FDB285   | PRO-Breathe® Single Use Nasopharyngeal Airways - size 7.0 | 10 | £15.00 |
| PBNP00080 | FDB287   | PRO-Breathe® Single Use Nasopharyngeal Airways - size 8.0 | 10 | £15.00 |
| PBNP00090 | FDB289   | PRO-Breathe® Single Use Nasopharyngeal Airways - size 9.0 | 10 | £15.00 |

# Airway Management

### Naso-Flo Nasopharyngeal Airway

- Single Patient Use Sterilie, packed individually
- · Manufactured from silicone for less traumatic insertions
- Oxygen port and large elbow connector prevents Naso-Flo<sup>®</sup> slipping back into lower airway
- Connects directly to the oxygen tube via the oxygen port, providing direct oxygen delivery and reducing the need and cost of an oxygen mask
- Humidification vents allow for heat transfer, improving oxygen humidity and patient comfort
- Respiratory indicator allows the clinician to monitor the depth and rate of respiration
- Optional respiratory indicator allows the clinician to monitor the depth and rate of respiration precisely with luer connector
- Respiratory indicator version includes a hydrophobic filter, eliminating the risk
   of monitor contamination
- WINNER of the EMSWORLD Innovation Awards 2014

#### **Uses and Applications**

Pre Oxygenate with respiratory monitoring before intubation For use in EMS, Transport, Trauma and Helimed For use on patients undergoing IV sedation Following ventilation in ITU Recovery of patients who have undergone head and neck surgery Patients in pre hospital who require monitoring and a secure airway

naso-flo°

with Oxygen Inlet and Respiratory Indicator Sample Line





Heat transfer and humidification vents

| Part No.  | NPC Code | Description  | Qty    | Price  |
|-----------|----------|--|--------|--------|
| PRNF00104 | FDB524   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 4.0  | 10     | £17.50 |
| PRNF00105 | FDB525   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 5.0  | 10     | £17.50 |
| PRNF00106 | FDB526   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 6.0  | 10     | £17.50 |
| PRNF00107 | FDB527   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 7.0  | 10     | £17.50 |
| PRNF00108 | FDB528   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 8.0  | 10     | £17.50 |
| PRNF00109 | FDB530   | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 9.0  | 10     | £17.50 |
| Part No.  | NPC Code | Description  | Qty    | Price  |
| PRNF00204 | FDB531   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 4.0  | 10     | £35.00 |
| PRNF00205 | FDB532   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 5.0  | 10     | £35.00 |
| PRNF00206 | FBD533   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 6.0  | 10     | £35.00 |
| PRNF00207 | FDB534   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 7.0  | 10     | £35.00 |
| PRNF00208 | FDB535   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 8.0  | 10     | £35.00 |
| PRNF00209 | FDB536   | Naso-Flo Nasopharyngeal Airway with O2 Port and Respiratory Indicator, Size 9.0  | 10     | £35.00 |
| Part No.  | NPC Code | Description  | Qty    | Price  |
| PRNF00990 |          | Naso-Flo Nasopharyngeal Airway Mixed Pack - 1 x Size 4.0 to 9.0 Airway and 1 x Size 4.0 to 9.0 Airway with Respiratory Indicator | Single | £35.00 |

Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

### Paediatric Emergency Care System Fully Kitted

- Designed by a team of UK Resuscitation Officers, Consultants and Seniors Nurses from PICU, ICU and A&E to provide a rapidly accessible, simple and effective system for those managing paediatric emergencies
- Aims to simplify the selection of the correct drugs and resuscitation equipment for paediatric patients, so reducing the stress levels of staff and improving patient safety.
- Holdall made from hard wearing material with anti-bacterial properties, featuring carry straps and reinforced zips
- Colour coded reference folder and 5 x single use tapes to determine the likely weight for any child and provide rapid calculation of drug dosing and selection of equipment
- Four colour coded equipment modules allow rapid access to the right equipment for that patient (see right for contents lists)
- Drug zones provide pre-calculated dosages for all the essential drugs needed to manage children from 3 kg to 36 kg (based on the BNF for Children and EPLS manual and ustilising the WET FLAG acronym taught on many advanced life support training programs)
- Online subscription available to keep your system up to date with the latest guidelines and evidence (free of charge for first year)



| Part No.  | Part No. NPC Code Description   |  | Qty    | Price    |  |
|-----------|---|--|--------|----------|--|
| PECS00001 | 0001 Paediatric Emergency Care System - Full IO Kit with Reference Folder and 5 x Tape Strips |  | Single | £1195.00 |  |
| PECS00199 | ECS00199 Single Patient Use Tape Strips for Paediatric Emergency Care System                  |  | 5      | £25.95   |  |

### Why Paediatric Emergency Care?

For hospital and pre-hospital staff, the call to a child who is severely ill or in cardiac arrest causes alarm. Emotional issues compound the complexity of dealing with paediatric emergencies, whether it is a baby with a severe infection or an intoxicated teenager with inflicted head injuries.

Whenever we meet a challenging and unfamiliar situation expert guidance is crucial and for those encountering sick children the Paediatric Emergency Care System offers a clear, comprehensive and rapidly accessible system to support care.

The Paediatric Emergency Care System is designed by a team of Resuscitation Officers and Lead Consultants. Not only does the system provide guidance on drug dosing but the colour coded tapes allow for rapid access to a guide weight for the child. All the common doses used in emergencies are there based on the British National Formulary for Children and Resuscitation Council EPLS course manual. The luxury of the dose being one vial is rare in paediatrics, however the Paediatric Emergency Care System makes drug dosing as easy and stress free as it can get.

The Paediatric Emergency Care System provides a rapidly accessible, simple and effective system for ambulance staff, emergency departments, theatre and paediatric teams to provide consistent and effective emergency care for children in the critical early hours of severe illness.

Dr Joe Brierly MRCP, MRCPCH, MA Consultant Intensivist Great Ormond Street Hospital for Children



Supplied with PRO-Breathe Layrngeal Airways as standard

#### Paediatric Emergency Care System

#### Front Pocket

Bone Injection Gun, Paediatric

Luer Lock Syringe (20 ml)

Extension Set with three way tap

PROACT Metal Max<sup>™</sup> Shears

PRO-Breathe® High Concentration Oxygen Mask (Adult & Paediatric

PRO-Breathe® Nebulizer Kit (Adult & Paediatric)

Pen Torch

PRO-Breathe® Manual Suction Pump

#### RED ZONE

| PRO-Breathe® Guedel Airwa  | $V_{\rm C}$ (Sizes 00 0) |
|----------------------------|--------------------------|
| FRO-Dieattie® Gueuei Aliwa | ays (Sizes 00, 0)        |

PROACT Metal Max<sup>™</sup> 100 Disposable Lary Blades (Miller 0, 1)

PROACT™ Metal Max+ Disposable Lary Handle with Batteries

PRO-Breathe® Single Patient Use ET Tubes Oral/Nasal Uncuffed (2.5mm, 3.0mm, 3.5mm)

PROACT<sup>™</sup> Metal Max<sup>™</sup> Disposable Forceps (Paediatric)

Syringes (2 x 2 ml, 5ml, 10ml, 20ml)

Cannula (2 x 20g, 22g, 24g)

Lubricant Gel (2 x 5g)

Wooden Tongue Depressor (2 x)

Prefilled Saline Syringe (4 x 5ml)

IV Dressing (2 x)

IV Swab (4 x)

#### GREEN ZONE

| PRO-Breathe® Guedel Airways (Sizes 1, 2)  |
|---|
| PROACT Metal Max <sup>™</sup> 100 Disposable Lary Blades (Miller 2, Mac 1)                |
| PROACT™ Metal Max+ Disposable Lary Handle with Batteries                                  |
| PRO-Breathe® Single Patient Use ET Tubes Oral/Nasal Uncuffed (4.5mm, 5.0mm, 5.5mm, 6.0mm) |
| PROACT™ Metal Max™ Disposable Forceps (Child)   |
| Syringes (2 x 2 ml, 5ml, 10ml, 20ml)  |
| Cannula (2 x 16g, 18g, 20g)   |
| Lubricant Gel (2 x 5g)  |
| Wooden Tongue Depressor (2 x)   |
| Prefilled Saline Syringe (4 x 10ml)   |
| IV Dressing (2 x)   |

### Suction Catheters, Funnel Connector (6 Fr)

Back Pocket

#### Centre Pocket

PRO-Breathe® Silicone Disposable Laryngeal Airways (Sizes 1.0, 1.5, 2.0, 2.5) PRO-Breathe® Intubating Stylet (6 Fr)

BVM Manual Resuscitator (Child 600ml Bag with 0, 1 & 2 Masks)

PRO-Breathe® Intubating Bougie (6 Fr, 535mm)

#### YELLOW ZONE

| PRO-Breathe® Guedel Airways (Sizes 0, 1)   |
|--|
| PROACT Metal Max <sup>™</sup> 100 Disposable Lary Blades (Miller 1, 2)             |
| PROACT™ Metal Max+ Disposable Lary Handle with Batteries                           |
| PRO-Breathe® Single Patient Use ET Tubes Oral/Nasal Uncuffed (3.5mm, 4.0mm, 4.5mm) |
| PROACT™ Metal Max™ Disposable Forceps (Child)                                      |
| Syringes (2 x 2 ml, 5ml, 10ml, 20ml)   |
| Cannula (2 x 18g, 20g, 22g)  |
| Lubricant Gel (2 x 5g)   |
| Wooden Tongue Depressor (2 x)  |
| Prefilled Saline Syringe (4 x 5ml)   |
| IV Dressing (2 x)  |
| IV Swab (4 x)  |
|  |

#### BLUE ZONE

| PRO-Breathe® Gued                          | lel Airways (Sizes 2, 3)                                 |
|--|--|
| PROACT Metal Max <sup>1</sup>              | ™ 100 Disposable Lary Blades (Miller 0, 1)               |
| PROACT™ Metal Ma                           | ax+ Disposable Lary Handle with Batteries                |
| PRO-Breathe® Single<br>(6.0mm, 6.5mm, 7.0n | e Patient Use ET Tubes Oral/Nasal Uncuffed<br>nm, 7.5mm) |
| PROACT™ Metal Ma                           | ax™ Disposable Forceps (Adult)                           |
| Syringes (2 x 2 ml, 5r                     | nl, 10ml, 20ml)  |
| Cannula (2 x 14g, 16g                      | g, 18g)  |
| Lubricant Gel (2 x 5g)                     | )  |
| Wooden Tongue Dep                          | ressor (2 x)   |
| Prefilled Saline Syring                    | ge (4 x 10ml)  |
| IV Dressing (2 x)                          |  |
| IV Swab (4 x)                              |  |

#### Other Items

IV Swab (4 x)

Drug and Reference Folder

Single Use Tapes (5 x)

Replace all equipment for one zone for £75.00 or contact us for pricing on individual items

# Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837



### PRO-Breathe® High Concentration Oxygen Mask Sets

- Soft PVC construction ensures a good fit whilst transparent material ensures patient response can be easily monitored
- Adjustable nose clip and elasticated head strap for added patient comfort, ideal for long term users
- Supplied with 2.1m crush resistant oxygen tubing for maximum patient safety
- ISO standard 22mm connectors
- Also available with safety vent to reduce re-breathing and allow exhaled gas to escape
- Recommended Flow Rate: 12 I/min





| Part No.  | NPC Code | Description   | Qty | Price  |
|-----------|----------|---|-----|--------|
| PB-333001 | FDD2247  | PRO-Breathe® High Concentration Oxygen Mask, Adult with 2.1m Tubing                       | 50  | £34.00 |
| PB-333003 | FDD2248  | PRO-Breathe® High Concentration Oxygen Mask, Paediatric with 2.1m Tubing                  | 50  | £34.00 |
| PB-23401  | FDD4078  | PRO-Breathe® High Concentration Oxygen Mask with Safety Vent, Adult with 2.1m Tubing      | 50  | £34.50 |
| PB-23402  | FDD2249  | PRO-Breathe® High Concentration Oxygen Mask with Safety Vent, Paediatric with 2.1m Tubing | 50  | £34.50 |

The

PRO-Breathe.

Range

### PRO-Breathe® Medium Concentration Oxygen Masks

- Transparent PVC construction ensures patient comfort and safety as their response can be easily monitored
- Adjustable nose clip and elasticated head strap for added patient comfort, ideal for long term users
- Supplied with 2.1m crush resistant oxygen tubing for maximum patient safety
- ISO standard 22mm connectors
- Recommended Flow Rate: 5 I/min

| Part No. | NPC Code | Description  | Qty | Price  |
|----------|----------|--|-----|--------|
| PB-23101 | FDD2252  | PRO-Breathe® Medium Concentration Oxygen Mask, Adult with 2.1m Tubing      | 50  | £24.95 |
| PB-23103 | FDD2251  | PRO-Breathe® Medium Concentration Oxygen Mask, Paediatric with 2.1m Tubing | 50  | £24.95 |

# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

123



### **Disposable Manual BVM Resuscitator Sets**

- Latex free medical grade PVC with polycarbonate shell finished to offer exceptional grip and feel
- Each BVM supplied with a range of 3 air cushion masks
- · Clear mask and valve housing offers excellent operational view
- · Anatomically shaped mask with soft adjustable air cushions
- · Superb seal and patient comfort
- Infant and Child sets feature a 40cm H<sub>2</sub>O pressure relief valve
- · Supplied bagged and compacted just pull out for use
- · Single use to help to prevent cross contamination





Disposable Manual BVM Resuscitator Set - Disposable, Infant 280ml Bag with Size 0, 1 & 2 Masks

Advice / Order Hotline: 01536 461981

FDE9873

CP683323

# Fax Us: 01536 461837

Single

Or Email Your Order: orders@proactmedical.co.uk

£7.95

### PROACT Patient Transfer Kit - Adult

- Designed for transport trolley and vehicles, offering a reliable and cost effective solution for improved patient safety and ease of use for adults
- Colour coded bags allow for easy identification
- The individual items will remain clean and secure in a pre sealed outer packet ready for use when required
- The kits deliver improved access to emergency products during transportation
   of patients
- Kits may be customised or replenished as needed. For part numbers and prices please visit <u>www.proactmedical.co.uk/patienttransferkit</u>



| Part No. | NPC<br>Code | Description   | Qty    | Price  |
|----------|-------------|---|--------|--------|
| PTK1561  |             | Adult Standard Kit (Incl BVM: 1500ml, Masks: 4, 5, 6, Guedels: 4, 5, 6, Oxygen Mask: High Concentration | Single | £19.95 |
| PTK1561X |             | Adult Kit with Suction (as above)   | Single | £39.95 |

### **PROACT Patient Transfer Kit - Paediatric** · Designed for transport trolley and vehicles, offering a reliable and cost effective solution for improved patient safety and ease of use for paediatrics · Colour coded bags allow for easy identification • The individual items will remain clean and secure in a pre sealed outer packet ready for use when required · The kits deliver improved access to emergency products during transportation of patients • Kits may be customised or replenished as needed. For part numbers AEDIÁTRIC and prices please visit www.proactmedical.co.uk/patienttransferkit Description NPC Qty Price Part No. PTK3222 Paediatric Standard Kit (Incl. BVM: 500ml, Masks: 1, 2, 3 Guedels: 0, 1, 2, Oxygen Mask: High Concentration) Single £19.95 PTK3222X Paediatric Kit with Suction (as above) £39.95 Single


### Single Use CPR Pocket Resuscitator

- Low resistance one-way valve and filter offers optimal hygiene and safety, whilst reducing contamination and the transmission of infection
- Fully assembled ready to use in brightly coloured hard case for easy location and protection
- Anatomically designed mask with pre-inflated cuff for a superior fit and seal
- Transparent allowing patient response to be easily monitored
- ISO standard 22mm fittings for use with a BVM resuscitator
- Suitable for both adults and paediatrics
- May be personalised with your choice of logo (minimum order 500)



Own branding/hospital organisation name etc available, minimum quantity 500 pieces. Please call Business to Business Sales Department for further details

| Part No.    | NPC Code | Description   | Qty    | Price  |
|-------------|----------|---|--------|--------|
| X1PBRM11410 |          | CPR Facemask - with Oxygen Inlet, Headstrap and One-way Valve in Carry Case | Single | £2.95  |
| PBRM11410   | FDD1672  | CPR Facemask - with Oxygen Inlet, Headstrap and One-way Valve in Carry Case | 12     | £34.35 |
| PBRM11501   |          | Mounting Bracket for PRO-Breathe CPR Mask, Stainless Steel                  | Single | £12.50 |
| PBRM11502   |          | One Way Valve with Filter for PRO-Breathe CPR Mask                          | Single | £12.00 |
| BMPN-WB     |          | Stainless Steel Wall Bracket - to hold CPR Face Mask                        | Single | £12.50 |
| BMPN-1141VL |          | One-way Valve with Filter for CPR Facemask - Disposable                     | Single | £12.00 |



# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

| PUMA Manual PRO-Breathes In Pump   | ATEX            |
|--|-----------------|
| where<br>rs help prevent infection   |                 |
|  |                 |
| otion Qty  | Price           |
| Option     Qty       Manual Suction Pump - includes disposable collection jar with adult & child Catheter     Single | Price<br>£15.95 |
|  |                 |

- Transparent tubing allows blockages to be visualised quickly
- Thick walls prevent the tube from collapsing under high negative pressure
  Flexible ribbed connectors provide a secure connection to the handle and
- source
- Full range of lengths and diameters available
- Supplied double bagged in individual easy access sterile sachets

| Part No.  | NPC Code | Description   | Qty | Price  |
|-----------|----------|---|-----|--------|
| PB-432001 | FWP355   | PRO-Breathe® Suction Tubing, 6.5 mm ID, 1.8m length | 20  | £12.50 |
| PB-432008 | FWP356   | PRO-Breathe® Suction Tubing, 6.5 mm ID, 3.0m length | 20  | £15.00 |

### PRO-Breathe® Single Use Suction Handles

- Transparent suction handles similar in shape to traditional metal Yankeur suckers
- · Available with plain or crown tip with or without vents to control suction · Also available packed with suction tubing and handles for maximum convenience
- · Supplied double bagged in individual easy access sterile sachets



| Part No.  | NPC Code | Description  | Qty | Price  |
|-----------|----------|--|-----|--------|
| PB-431001 |          | PRO-Breathe Yankauer Suction Handle, Vented Crown-Tip                          | 20  | £10.00 |
| PB-431002 |          | PRO-Breathe Yankauer Suction Handle, Non-Vented Crown-Tip                      | 20  | £10.00 |
| PB-431004 |          | PRO-Breathe Yankauer Suction Handle, Vented with Plain Tip                     | 20  | £10.00 |
| PB433005  |          | PRO-Breathe® Suction Tubing with Vented Yankauer Handle, 6.5mm ID, 3.0m length | 20  | £20.00 |

The

The

### PRO-Breathe® Single Use Suction Catheters

- · Manufactured from transparent medical grade PVC allowing clinicians to visualise any blockages quickly
- · Atraumatic tip with double offset eye to provide relief if the distal hole becomes occluded
- Smooth surface for easy insertion

Part No.

PB-372006

PB-372008

PB-372010

PB-372012

PB-372014

PB-372016

PB-372018

PB-374006 PB-374008

- Different connector ends available for compatibility with a range of suction units and aspirators
- · Colour coded according to size to make visual identification easy
- · Supplied sterile in individual easy access sachets





| NPC Code | Description   | Qty | Price  |
|----------|---|-----|--------|
| FSQ1262  | PROACT® Suction Catheters with Y Type Connector - size 6 Fr     | 100 | £14.00 |
| FSQ1263  | PROACT® Suction Catheters with Y Type Connector - size 8 Fr     | 100 | £14.00 |
| FSQ1264  | PROACT® Suction Catheters with Y Type Connector - size 10 Fr    | 100 | £14.00 |
| FSQ1265  | PROACT® Suction Catheters with Y Type Connector - size 12 Fr    | 100 | £14.00 |
| FSQ1266  | PROACT® Suction Catheters with Y Type Connector - size 14 Fr    | 100 | £14.00 |
| FSQ1267  | PROACT® Suction Catheters with Y Type Connector - size 16 Fr    | 100 | £14.00 |
| FSQ1268  | PROACT® Suction Catheters with Y Type Connector - size 18 Fr    | 100 | £14.00 |
|          |   |     |        |
| FSQ1269  | PROACT® Suction Catheters with Plain Type Connector - size 6 Fr | 100 | £15.00 |
| FSQ1270  | PROACT® Suction Catheters with Plain Type Connector - size 8 Fr | 100 | £15.00 |

| PB-374012       FSQ1272       PROACT® Suction Catheters with Plain Type Connector - size 12 Fr       100         PB-374014       FSQ1273       PROACT® Suction Catheters with Plain Type Connector - size 14 Fr       100         PB-374016       FSQ1274       PROACT® Suction Catheters with Plain Type Connector - size 16 Fr       100         PB-374018       FSQ1275       PROACT® Suction Catheters with Plain Type Connector - size 18 Fr       100 | PB-374010 | FSQ1271 | PROACT® Suction Catheters with Plain Type Connector - size 10 Fr | 100 |
|---|-----------|---------|--|-----|
| PB-374016       FSQ1274       PROACT® Suction Catheters with Plain Type Connector - size 16 Fr       100  | PB-374012 | FSQ1272 | PROACT® Suction Catheters with Plain Type Connector - size 12 Fr | 100 |
|   | PB-374014 | FSQ1273 | PROACT® Suction Catheters with Plain Type Connector - size 14 Fr | 100 |
| PB-374018         FSQ1275         PROACT® Suction Catheters with Plain Type Connector - size 18 Fr         100  | PB-374016 | FSQ1274 | PROACT® Suction Catheters with Plain Type Connector - size 16 Fr | 100 |
|   | PB-374018 | FSQ1275 | PROACT® Suction Catheters with Plain Type Connector - size 18 Fr | 100 |

Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837

Or Email Your Order: orders@proactmedical.co.uk

£15.00 £15.00 £15.00 £15.00 £15.00


### Essence Paramedic Kit Bag

- Compact holdall for general use
- · Features two zip up pockets on either end plus clear plastic wallet on top
- Three fixed internal dividers
- Semi rigid bottom offers protection
- Two carry handles plus adjustable shoulder strap
- Supplied in either standard nylon or a PVC washable alternative
- Dimensions: 44 x 24 x 20cm, weight: 0.9kg/1.4kg
- 1 Year Warranty for material and manufacturing faults





| Part No.       | NPC Code | Description                              | Qty    | Price  |
|----------------|----------|--|--------|--------|
| PROBAG-ESS-GN  |          | Essence Paramedic Bag - Green            | Single | £15.00 |
| PROBAG-ESS-GNW |          | Essence Paramedic Bag - Green - Washable | Single | £29.00 |



### **PROMed Paramedic Kit Bag**


- Robust backpack for professional use
- Two zip up side pockets and one front pocket with zip wallet
- Main internal compartment has rigid frame and protective padding to front
- · Supplied with movable dividers and five coloured inner pouches
- Padded shoulder straps with chest strap for maximum comfort
- Supplied in either standard nylon bag or a PVC washable alternative
- Dimensions: 48 x 35 x 23cm, weight: 2.3kg/3.0kg • 1 Year Warranty for material and manufacturing faults



| Part No.       | NPC Code | Description                             | Qty    | Price  |
|----------------|----------|---|--------|--------|
| PROBAG-PRM-RD  |          | PROMed Paramedic Bag - Red              | Single | £40.00 |
| PROBAG-PRM-GN  |          | PROMed Paramedic Bag - Green            | Single | £40.00 |
| PROBAG-PRM-RDW |          | PROMed Paramedic Bag - Red - Washable   | Single | £59.00 |
| PROBAG-PRM-GNW |          | PROMed Paramedic Bag - Green - Washable | Single | £59.00 |

| Sc  | lo Paran  | nedic Kit Bag  |
|---|---|--|
| <ul> <li>personnel</li> <li>Quick zip access to s</li> <li>Efficient internal layou<br/>blue 'Intubation' pouc</li> <li>Two front pockets wit</li> <li>Reflective tape for ad</li> <li>Rubber foot grips and</li> </ul> | pacious main o<br>ut includes thre<br>h and cylinder<br>h zip access<br>ded night time<br>I extra durable<br>us adjustable s<br>1 x 28 cm, weig | e colour coded internal pouches, one large<br>holder<br>safety<br>bottom<br>houlder straps and waist belt with quick re- |
| Part No.  | NPC Code  | Description  |
| PROBAG-SOL-BLW  |   | PROACT Paramedic Backpack, Solo, Bl  |

# Advice / Order Hotline: 01536 461981 Fax Us: 01536 461837



|  |                                    | Γ Autoclavable<br>ill Forceps                 | PROACT                    | NPC Code | Autoclavable |
|--|------------------------------------|---|---------------------------|----------|--------------|
| <ul> <li>Surgical stainless s</li> <li>Fully autoclavable</li> <li>Washer / disinfecto<br/>www.proactmedica</li> </ul> | up to 300 cycle<br>r compatible (s | es at up to 138°C<br>see user instructions at | 8                         |          |              |
| Part No.   | NPC Code                           | Description                                   |                           | Qty      | Price        |
| PROMAG250S   |                                    | PROACT® Autoclavable Adult Magill Force       | eps, 250mm with Small Tip | Single   | £4.95        |
| PROMAG250  | FSM1295                            | PROACT® Autoclavable Adult Magill Force       | eps, 250mm                | Single   | £4.95        |
| PROMAG200  | FSM1296                            | PROACT® Autoclavable Child Magill Force       | eps , 200mm               | Single   | £4.95        |
| PROMAG170  | FSM1297                            | PROACT® Autoclavable Paediatric Magill        | Forceps , 170mm           | Single   | £4.95        |
|  | PROAC                              | T Autoclavable                                |                           | 630      | $\bigcirc$   |

### PROACT Autoclavable Spencer Wells Forceps

Surgical stainless steel construction

• Fully autoclavable up to 300 cycles at up to 138°C

 Washer / disinfector compatible (see user instructions at www.proactmedical.co.uk/support)

| PRO | ACT        |
|-----|------------|
|     | $\bigcirc$ |
|     | D          |
|     |            |

| Part No. | NPC Code | Description  | Qty    | Price |
|----------|----------|--|--------|-------|
| PROSW125 |          | PROACT® Autoclavable Spencer Wells Forceps, 125mm (5") | Single | £5.95 |
| PROSW150 |          | PROACT® Autoclavable Spencer Wells Forceps, 150mm (6") | Single | £5.95 |
| PROSW200 |          | PROACT® Autoclavable Spencer Wells Forceps, 200mm (8") | Single | £5.95 |



# Advice / Order Hotline: 01536 461981

# Fax Us: 01536 461837

### PRO-Breathe® Head Positioning Device

- Supplied with mirror to provide a clear view of the face and eyes of the prone
  patient during surgery
- Soft comfortable foam and ergonomic design supports the head and neck whilst reducing pressure around the patients eyes and face
- Benefits whilst reducing the risk of nerve damage and maintaining the optimum airway during anaesthesia
- Allows for secure positioning of airway on either left or right side of patient
- Disposable product to aid infection control
- Supplied clinically clean to avoid sterile shelf life issues



PBHP00001

Code Description

--- PRO-Breathe Head Positioning Device

# Thomas (Laerdal) ET/LMA Tube Holder



- Wide velcro strap is comfortable but holds firm even when wet
- Protects patients teeth and gums while keeping the tube open
- Accommodates multiple sized ET tubes as well as other tubes and Laryngeal Masks
- BVM does not need to be removed to attach the Thomas Tube Holder
- Comes in adult and paediatric sizes

| A |  |
|---|--|





| 1 |  |
|---|--|
| K |  |
| C |  |
|   |  |

| Part No.     | NPC Code | Description                          | Qty | Price   |
|--------------|----------|--------------------------------------|-----|---------|
| LD-600-10025 | FDF1475  | Thomas Tube Holder - Adult Size      | 25  | £111.25 |
| LD-600-20025 | FDF1476  | Thomas Tube Holder - Paediatric Size | 25  | £111.25 |

### PROACT SAT (Safety Anaesthestic Trays) Antimicrobial Material

- Three individual troughs assist safe picking and storing of instruments, syringes
   and drug vials
- Antimicrobial material Biomaster protected with antimicrobial
- Ridged handles ensure a firm grip
- Constructed from high impact polystyrene
- Designed to be single use in order to avoid infection risks associated with re-use of such trays whilst also saving cleaning time
- Supplied clinically clean to eliminate sterile shelf life issues
- Multi pack of 300





# Advice / Order Hotline: 01536 461981

SAT-300


### Fax Us: 01536 461837

Accu-PRO

### Accu-PRO Reposable Pressure Infusion Bags

#### Available in colour coded 500ml, 1000ml or 3000ml bag sizes

- · Easy one handed inflation and deflation
- Easy to read colour coded gauge to indicate bladder pressure
- See through mesh material allows for easy loading and offers a clear view of fluid level
- IV fluid bag hook is durable and designed to fit all standard sized stands
- Space to write on patient name, date and solution
- New reposable design, eliminating time consuming cleaning and repair, whilst
   providing a patient dedicated solution to the problem of infection control
- May be cleaned and re-used up to 20 times see user instructions



| Part No.  | NPC Code | Description  | Qty | Price   |
|-----------|----------|--|-----|---------|
| APPI00500 | FFF538   | Accu-PRO Reposable Pressure infusion Bags - 500ml  | 10  | £99.00  |
| APPI01000 | FFF539   | Accu-PRO Reposable Pressure infusion Bags - 1000ml | 10  | £99.00  |
| APPI03000 | FFF476   | Accu-PRO Reposable Pressure infusion Bags - 3000ml | 12  | £216.00 |

The

### PRO-Breathe® Disposable One Piece Anaesthetic Masks

- · One-piece anatomical design with reliable soft, comfort seal
- Unique, ergonomic finger and thumb hand grip areas, for ease of use
- Colour coded for easy identification
- Correct stiffness and strength
- · Fully disposable helping to prevent infection and contamination
- Made from enviro-friendly materials (no PVC or Phlalates)
- · Large range of sizes available (neonate to large adult)



PRO-Breathe

Range

| Part No.  | NPC Code | Description   | Qty | Price  |
|-----------|----------|---|-----|--------|
| PBAM00031 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 1 (Neonate)      | 50  | £29.50 |
| PBAM00032 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 2 (Infant)       | 50  | £29.50 |
| PBAM00033 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 3 (Child)        | 50  | £29.50 |
| PBAM00034 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 4 (Small Adult)  | 50  | £29.50 |
| PBAM00035 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 5 (Medium Adult) | 50  | £29.50 |
| PBAM00036 |          | PRO-Breathe® Anaesthetic Mask, Disposable, One Piece, Size 6 (Large Adult)  | 50  | £29.50 |

### PRO-Breathe® Disposable Anaesthetic Masks with Air Cushion

· Transparent design with a safe view of the interior

Adjustable air cushion for added patient comfortPressure adjust valve giving superb seal

· Fully disposable helping prevent infection and contamination

· Large range of sizes, 0 to 6 (premature to large adult)

· Flexible assisting in correct sealing

Neutral scented

PRO-Breathes Range

The



Part No. NPC Code PBAM00010 FDD2687 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 0 (Neonate) 50 £50.00 PBAM00011 FDD2688 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 1 (Infant) 50 £50.00 PBAM00012 FDD2689 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 2 (Child) 50 £50.00 PBAM00013 £50.00 FDD2690 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 3 (Small Adult) 50 PBAM00014 FDD2691 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 4 (Medium Adult) 50 £50.00 PBAM00015 £50.00 FDD2692 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 5 (Large Adult) 50 PBAM00016 FDD2693 PRO-Breathe® Anaesthetic Mask, Disposable with Adjustable Air Cushion, Size 6 (XL Adult) 50 £50.00

# Advice / Order Hotline: 01536 461981

### Fax Us: 01536 461837

# NHS Supply Chain

#### The NHS Supply Chain & PROACT

In order to make it as easy as possible for you to order from the NHS Supply Chain catalogue, we have compiled a list of the NPC codes relating to our products on the following pages.

| PROACT Part No.   | Description  | NHSSC NPC CODE   |
|---|--|------------------|
| Pulse Oximetry & Capnogr  | aphy   |                  |
| 9590-BK   | Nonin Onyx Vantage 9590 Finger Oximeter, Black, with Carry Case  | FBC134           |
| 9550  | Nonin 9550 Onyx II™ Finger Pulse Oximeter with Soft Carry Case   | FBC135           |
| 9570-G-EN   | Nonin GO2™ Finger Pulse Oximeter, Green (no Case)  | FBC189           |
| 8500  | Nonin 8500 Pulse Oximeter  | FBC138           |
| 2500  | Nonin 2500 PalmSAT™ Pulse Oximeter with Memory   | FBC136           |
| 2500A   | Nonin 2500A PalmSAT™ Pulse Oximeter with Alarms  | FBC137           |
| 7500  | 7500 Table Top / Bedside Pulse Oximeter with Alarms  | FBC139           |
| 7500FO  | Nonin 7500FO MRi Pulse Oximeter with Alarms & 72 Hour Memory   | FBC184           |
| 3150  | WristOx2 including Soft Sensor. Wrist Straps, AAA Batteries, 3 year warranty (2 on sensor)   | FBC331           |
| 3150Kit   | WristOx2 Kit including Soft Sensor. Wrist Straps, AAA Batteries, 3 year warranty (2 on sensor)   | FBC332           |
| 2500C-UNIV  | Charge Stand Kit (Complete for Nonin 2500 Series PalmSAT Monitors)   | FBC333           |
| CR-PC900P-31  | Creative PC-900P SpO2 and NIBP Monitor with Alarms and memory includes Adult Soft Sensor and NIBP cuff   | FBC334           |
| 3000FC-30   | Nonin Adult/Paediatric Fibre Optic Mri Compatible Sensor (30ft cable)  | FBC185           |
| 3000AA-1  | Nonin Finger Clip Sensor, Adult (1m Cable)   | FBC089           |
| 3000AP  | Nonin Finger Clip Sensor, Paediatric (1m Cable)  | FBC186           |
| 8000SL-1  | Nonin Soft Rubber Sensor Large Adult (1m Cable)  | FBC091           |
| 3000SS-1  | Nonin Soft Rubber Sensor Small (1m Cable)  | FBC092           |
| 3000J   | Nonin Reusable Flex Sensor, Adult (1m Cable)   | FBC187           |
| 3000JFW   | Single Patient Use Adhesive Flexiwrap™ for use with Nonin Adult Flex Sensor (Pack of 25)   | FBC188           |
| 3008J   | Nonin Resuable Flex Sensor, Infant (1m Cable)  | FBC100           |
| 3000Q   | Nonin Ear Clip Sensor - 1m Cable - 90 day warranty   | FBC328           |
| JNI-EXT-1   | Nonin Reusable SpO2 Extension Cable (1m Cable)   | FBC101           |
| 2231-1  | Envitec Nonin Compatible Disposable SpO2 Sensors, Adult (45cm cable)   | FBC180           |
| 2231-2  | Envitec Nonin Compatible Disposable SpO2 Sensors, Paediatric (45cm cable)  | FBC183           |
| 2231-5  | Envitec Nonin Compatible Disposable SpO2 Sensors, Infant (45cm cable)  | FBC181           |
| 2231-6  | Envitec Nonin Compatible Disposable SpO2 Sensors, Neonatal (45cm cable)  | FBC182           |
| Capnography   |  |                  |
| 9847  | Nonin 9847 Pulse Oximeter and CO2 Detector with Alarms   | FBC267           |
| QPS8002   | Universal gas sampling line male/male luers 1.27mm id x 2.0m (antimicrobial)   | FDC829           |
| QPS8003   | Universal gas sampling line male/male luers 1.27mm id x 3.0m (antimicrobial)   | FDC830           |
| QPS8103   | Universal gas sampling line male/female luers 1.27mm id x 3.0m (antimicrobial)   | FDC831           |
| Blood Pressure Monitoring   |  | -                |
| TL-3602SHP  | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Lg Adult   | FFF244           |
| L-3602XLSHP   | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Lg Adult XL  | FBF273           |
| TL-3603SHP  | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Adult  | FFF243           |
| FL-3603XLSHP  | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Adult XL   | FBF272           |
| L-3604SHP   | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Sm Adult   | FFF242           |
| L-3605SHP   | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Child  | FBF276           |
| TL-3606SHP  | Welch Allyn Trimline Reusable® Cuff, 1 tube, w/bayonet fitting, Infant   | FBF270           |
| TL-3602CK   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/screw connectors, Lg Adult  | FFF502           |
| TL-3602XLCK   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/screw connectors, Lg Adult XL   | FBF269           |
| TL-3603CK   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/screw connectors, Adult   | FFF501           |
|   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/screw connectors, Adult XL  | FBF268           |
| IL-3603XLCK   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/screw connectors, Sm Adult  | FFF537           |
|   |  |                  |
| TL-3604CK   | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors. Thigh  | FBF345           |
| FL-3604CK<br>FL-3600DX  | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors, Thigh<br>Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors. Lq Adult              | FBF345<br>FBF280 |
| TL-3603XLCK<br>TL-3604CK<br>TL-3600DX<br>TL-3602DX<br>TL-3602XLDX | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors, Lg Adult   | FBF280           |
| FL-3604CK<br>FL-3600DX<br>FL-3602DX<br>FL-3602XLDX                | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors, Lg Adult           Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors, Lg Adult XL | FBF280<br>FBF279 |
| FL-3604CK<br>FL-3600DX<br>FL-3602DX                               | Welch Allyn Trimline Reusable® Cuff, 2 tube, w/mated submin connectors, Lg Adult   | FBF280           |

| PROACT Part No.        | Description   | NHSSC NPC CODE   |
|------------------------|---|------------------|
| TL-39230               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Lg Adult                         | FFF311           |
| TL-39060               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Lg Adult XL                      | FBF258           |
| TL-39048               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Adult                            | FFF310           |
| TL-39019               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connectr, Adult XL                          | FBF257           |
| TL-39085               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Sm Adult                         | FFF309           |
| TL-39100               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Child                            | FBF261           |
| TL-39045               | Welch Allyn Trimline Disposable® Soft Cuff, 1 tube w/Rectus connector, Infant                           | FBF255           |
| TL-39072               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/screw connectors, Thigh                          | FFF313           |
| TL-39071               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/screw connectors, Lg Adult XL                    | FBF256           |
| TL-39023               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/screw connectors, Adult                          | FFF315           |
| TL-39012               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/screw connectors, Sm Adult                       | FFF314           |
| TL-39010               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/screw connectors, Infant, Adult                  | FBF250           |
| TL39053                | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes. extra long double hose with screw connector, Adult | FBF251           |
| TL-39035               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Lg Adult                | FBF266           |
| TL-39036               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Lg Adult XL             | FBF262           |
| TL-39033               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Adult                   | FBF259           |
| TL-39034               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Adult XL                | FBF260           |
| TL-39032               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Sm Adult                | FBF254           |
| TL-39031               | Welch Allyn Trimline Disposable® Soft Cuff, 2 tubes, w/mated submin connectors, Child                   | FBF253           |
| TL-39202               | Welch Allyn Trimline Disposable® Soft Isolation Cuff, 2 tubes, w/screw connectors & clamp, Lg Adult     | FBF265           |
| TL-39222               | Welch Allyn Trimline Disposable® Soft Isolation Cuff, 1 tube, w/Rectus connector, Lg Adult              | FBF271           |
| TL-39223               | Welch Allyn Trimline Disposable® Soft Isolation Cuff, 1 tube, w/Rectus connector, Adult                 | FBF264           |
| TL-99875               | Disposable Neonatal Vinyl Cuff, 2 tubes w/male slip connectors, Size 4                                  | FFF307           |
| TL-99873               | Disposable Neonatal Vinyl Cuff, 2 tubes w/male slip connectors, Size 3                                  | FFF306           |
| TL-99818               | Disposable Neonatal Vinyl Cuff, 2 tubes w/male slip connectors, Size 2                                  | FFF305           |
| TL-39194               | Disposable Neonatal Soft Cuff, 1 tube w/male slip connector, Size 5                                     | FBF249           |
| TL-39193               | Disposable Neonatal Soft Cuff, 1 tube w/male slip connector, Size 4                                     | FBF248           |
| TL-39192               | Disposable Neonatal Soft Cuff, 1 tube w/male slip connector, Size 3                                     | FBF247           |
| TL-39191               | Disposable Neonatal Soft Cuff, 1 tube w/male slip connector, Size 2                                     | FBF242           |
| TL-1389                | Horseshoe Tubing, plastic, Blue, 0.160" I.D. Tubing (Pack of 10)  | FFF358           |
| BK2004                 | Aneroid Sphygmomanometer, Desk Model with Square Dial, supplied with Adult Cuff                         | FFE494           |
| BK2003                 | Aneroid Sphygmomanometer, Stand Model with Square Dial, supplied with Adult Cuff                        | FFE818           |
| BK2012                 | Aneroid Sphygmomanometer, Palm Type, supplied with Adult Cuff and Carry Case                            | FFE496           |
| BK2001                 | Aneroid Sphygmomanometer, Pocket Model with Clip, supplied with Adult Cult and Carry Case               | FFE498           |
| UA-705                 | A&D UA-705 Blood Pressure Monitor, Semi-Automatic   | FFE811           |
| UA-767PLUS30           |   |                  |
|                        | A&D UA-767 Plus 30 Blood Pressure Monitor, Automatic  | FFE812           |
|                        | Cuff for A&D Personal BP Monitors, Standard Adult (22-32cm)   | FFE813<br>FFE814 |
|                        | Cuff for A&D Personal BP Monitors, Large Adult (32-45cm)  |                  |
| UA-CUFBOXCH            | Cuff for A&D Personal BP Monitors, Small (18-22cm)  | FFE816           |
| TM-2655P               | A&D TM-2655P Blood Pressure Monitor & Printer, Automatic with Stand                                     | FFE817           |
| Stethoscopes           |   |                  |
| CK-603PBK              | Spirit Lightweight Single Head Nurses Stethoscope (Black)   | FFE791           |
| CK-601PBK              | Spirit Lightweight Dual Head Doctors Stethoscope (Black)  | FFE227           |
| CK-649BK               | Spirit Sprague Rappaport Stethoscope (Black)  | FFE225           |
| CK-S601PFBK            | Spirit Dual Head Pressure Sensitive Professional Stethoscope (Black)                                    | FFE792           |
| CK-S747PBK             | Spirit Deluxe Series Dual Head Cardiology Stethoscope (Black)   | FFE228           |
| Temperature Monitoring |   |                  |
| BK8005                 | Infrared Forehead Theromometer (No Contact)   | FWH126           |
| MSR613XC               | MSR ST613 Tympanic Ear Thermometer WITH CARRY CASE  | FWH132           |
| MSRPC500T              | Probe Covers for MSR ST613 Tympanic Thermometer (25 x Pack of 20)                                       | FWH131           |
| MSRST833A              | MSR 60 Second Rigid Tip Thermometer   | FWH124           |
| MSRST833ACS            | MSR 60 Second Flexible Tip Thermometer  | FWH127           |
| MSRST8731S             | MSR 10 Second Flexible Tip Thermometer  | FWH129           |
| MSRST8C-MO             | MSR 10 Second Bendable Animal Thermometer, Monkey   | FWH130           |
| MSRST8S31CS            | MSR Shaker ECO Thermometer, 10 Second Flexible Tip  | FWH128           |
| MSRPC500S              | Probe Covers for 5, 6, 10 and 60 Second Thermometers (25 x Pack of 20)                                  | FWH125           |
| EV-TVL119175S          | Bridge Temperature Probes, General Purpose, 12Fr  | FKA409           |

| PROACT Part No.  | Description   | NHSSC NPC CODE                |
|--|---|-------------------------------|
| EV-TVM119175S  | Bridge Temperature Probes, General Purpose, 09Fr  | FKA408                        |
| EV-TSS119095S  | BRIDGE Disposable Skin Temperature Probes, 5mm  | FKA418                        |
| EV-TSM119095S  | BRIDGE Disposable Skin Temperature Probes, 7mm  | FKA417                        |
| EV-TSL119095S  | BRIDGE Disposable Skin Temperature Probes, 10mm   | FKA416                        |
| PU122308   | PROACT Foley Catheter, Two-Way with Temperature Probe, 8 Fr, 3-5ml  | FKA410                        |
| PU122310   | PROACT Foley Catheter, Two-Way with Temperature Probe, 10 Fr, 3-5ml   | FKA411                        |
| PU122312   | PROACT Foley Catheter, Two-Way with Temperature Probe, 12 Fr, 5-10ml  | FKA412                        |
| PU122314   | PROACT Foley Catheter, Two-Way with Temperature Probe, 14 Fr, 5-10ml  | FKA413                        |
| PU122316   | PROACT Foley Catheter, Two-Way with Temperature Probe, 16 Fr, 5-10ml  | FKA414                        |
| PU122318   | PROACT Foley Catheter, Two-Way with Temperature Probe, 18 Fr, 5-10ml  | FKA415                        |
| APTI00513  | Interface Cable for Temperature Probes, Philips / HP, 3m Cable  | FKA420                        |
| APTI00313  | Interface Cable for Temperature Probes, 6.3mm Jack, (90° angle), 3m Cable   | FKA419                        |
| APTI00313  |   | FKA413                        |
|  | Interface Cable for Temperature Probes, GE 11 Pin, 3m Cable   | FRA421                        |
| Laryngoscopes  |   |                               |
| MMCV90MAC1   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Mac 1   | FSM1706                       |
| MMCV90MAC2   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Mac 2   | FSM098                        |
| HMM90MAC3  | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Mac 3   | FSM099                        |
| MMCV90MAC4   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Mac 4   | FSM100                        |
| MMCV90MIL00  | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Miller 00   | FSM1265                       |
| MMCV90MIL0   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Miller 0  | FSM144                        |
| MMCV90MIL1   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Miller 1  | FSM101                        |
| MMCV90MIL2   | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Miller 2  | FSM102                        |
| HMM90MIL3  | PROACT Metal Max 90 meLED Laryngoscope Blade, Disposable, Miller 3  | FSM145                        |
| HMMC90MAC2   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 2  | FSM705                        |
| HMMC90MAC3   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 3  | FSM706                        |
| HMMC90MAC4   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 4  | FSM707                        |
| HMMC90MIL0   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 0   | FSM708                        |
|  |   |                               |
| HMMC90MIL1   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 1   | FSM709                        |
| HMMC90MIL2   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 2   | FSM710                        |
| HMMC90MIL3   | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 3   | FSM711                        |
| HMMC90MAC3B  | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 3 with Batteries   | FSM712                        |
| HMMC90MAC4B  | PROACT Metal Max 90 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 4 with Batteries   | FSM713                        |
| HMMCB90MAC1  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Mac 1   | FSM1266                       |
| HMMCB90MAC2  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Mac 2   | FSM1267                       |
| HMMCB90MAC3  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Mac 3   | FSM1268                       |
| HMMCB90MAC4  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Mac 4   | FSM1698                       |
| HMMCB90MIL00   | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Miller 00   | FSM1270                       |
| HMMCB90MIL0  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Miller 0  | FSM1270                       |
| HMMCB90MIL1  | PROACT Metal Max+ Combi meLED Laryngoscope Blade and Handle Set, Disposable with Batteries, Miller 1  | FSM1271                       |
| HMM100MAC2   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Mac 2  | FSM085                        |
|  |   |                               |
| HMM100MAC3   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Mac 3  | FSM086                        |
| HMM100MAC4   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Mac 4  | FSM087                        |
| HMM100MIL0   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Miller 0   | FSM150                        |
| HMM100MIL1   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Miller 1   | FSM096                        |
| HMM100MIL2   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Miller 2   | FSM097                        |
| HMM100MIL3   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Miller 3   | FSM151                        |
| HMMC100MAC2  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 2   | FSM181                        |
| HMMC100MAC3  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 3   | FSM182                        |
| HMMC100MAC4  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 4   | FSM183                        |
| HMMC100MIL0  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 0  | FSM184                        |
| HMMC100MIL1  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 1  | FSM185                        |
| HMMC100MIL2  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 2  | FSM186                        |
| HMMC100MIL3  | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Miller 3  | FSM1272                       |
| HMMC100MAC3B   | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Marci 3<br>PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Marci 3 with Batteries   | FSM1628                       |
|  |   |                               |
| HMMC100MAC4B   | PROACT Metal Max 100 Combi meLED Laryngoscope Blade and Handle Set, Disposable, Mac 4 with Batteries  | FSM1629                       |
| HMMLT100MAC3-1   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Lever Tip Mac 3 (Each)   | FSM720                        |
| HMMLT100MAC3   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Lever Tip Mac 3  | FSM173                        |
| HMMLT100MAC4-1   | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Lever Tip Mac 4 (Each)   | FSM721                        |
|  | PROACT Metal Max 100 meLED Laryngoscope Blade, Disposable, Lever Tip Mac 4  | FSM174                        |
| HMMLT100MAC4   | PROACT Green System Layrngoscope Blade, Autoclavable MAC3   | FSM1703                       |
|  |   |                               |
| HGSPOLIOMAC3   | PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 0   | FSM1704                       |
| HGSPOLIOMAC3   |   | FSM1704<br>FSM1705            |
| HGSPOLIOMAC3<br>HMM100RS0<br>HMM100RS1                           | PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 0           PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 1   |                               |
| MMGS90LT2  | PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 0         PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 1         PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Lever Tip Mac 2 (Each)   | FSM1705<br>FSM1708            |
| HGSPOLIOMAC3<br>HMM100RS0<br>HMM100RS1<br>MMGS90LT2<br>MMGS90LT3 | PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 0         PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 1         PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Lever Tip Mac 2 (Each)         PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Lever Tip Mac 3 (Each) | FSM1705<br>FSM1708<br>FSM1709 |
| HGSPOLIOMAC3<br>HMM100RS0<br>HMM100RS1<br>MMGS90LT2              | PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 0         PROACT Metal Max 100 Laryngoscope Blade, Disposable, Robertshaw 1         PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Lever Tip Mac 2 (Each)   | FSM1705<br>FSM1708            |

| PROACT Part No.  | Description   | NHSSC NPC CODE |
|------------------|---|----------------|
| MMCVH001         | PROACT Metal Max Laryngoscope Handle, Disposable, Adult   | FSM164         |
| MMCVH002         | PROACT Metal Max Laryngoscope Handle, Disposable, Paediatric  | FSM165         |
| HMM5521-B        | PROACT Metal Max Laryngoscope Handle, Disposable with Batteries, Adult                                    | FSM166         |
| HMM5522-B        | PROACT Metal Max Laryngoscope Handle, Disposable with Batteries, Paediatric                               | FSM168         |
| MMCVHB01         | PROACT Metal Max+ Laryngoscope Handle, Disposable with Li-ion Batteries, Adult                            | FSM1293        |
| MMCVHB02         | PROACT Metal Max+ Laryngoscope Handle, Disposable with Li-ion Batteries, Paediatric                       | FSM1737        |
| H5521            | PROACT Standardline Laryngoscope Handle, Reusable, Adult  | FSM1288        |
| H5522            | PROACT Standardline Laryngoscope Handle, Reusable, Paediatric   | FSM1289        |
| H5523            | PROACT Standardline Laryngoscope Handle, Reusable, Stubby   | FSM1290        |
| HYCVH001         | PROACT Hydra Laryngoscope Handle, Autoclavable, Adult   | FSM070         |
| HYCVH002         | PROACT Hydra Laryngoscope Handle, Autoclavable, Paediatric  | FSM187         |
| HMMGS90MAC0      | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 0 with Paediatric Handle & Batteries | FSM1273        |
| MMGS90MAC1       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 1                                    | FSM729         |
| MMGS90MAC2       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 2                                    | FSM089         |
| MMGS90MAC3       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 3                                    | FSM090         |
| MMGS90MAC4       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 4                                    | FSM091         |
| HMMGS90MAC5      | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mac 5                                    | FSM1278        |
| MMGS90MIL00      | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 00                                   | FSM1707        |
| MMGS90MIL0       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 0                                    | FSM146         |
| MMGS90MIL1       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 1                                    | FSM092         |
| MMGS90MIL2       | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 2                                    | FSM093         |
| HMMGS90MIL3      | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 3                                    | FSM147         |
| HMMGS90MIL4      | PROACT Metal Max Green System 90 Laryngoscope Blade, Disposable, Mil 4                                    | FSM1283        |
| HMMGS100MAC1     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 1                                   | FSM1284        |
| HMMGS100MAC2     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 2                                   | FSM082         |
| HMMGS100MAC3     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 3                                   | FSM083         |
| HMMGS100MAC4     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mac 4                                   | FSM084         |
| HMMGS100MIL0     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 0                                   | FSM148         |
| HMMGS100MIL1     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 1                                   | FSM094         |
| HMMGS100MIL2     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 2                                   | FSM095         |
| HMMGS100MIL3     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 3                                   | FSM149         |
| HMMGS100MIL4     | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Mil 4                                   | FSM1285        |
| HPCMAC2          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 2   | FSM156         |
| HPCMAC3          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 3   | FSM157         |
| HPCMAC4          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mac 4   | FSM158         |
| HPCMIL0          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 0   | FSM159         |
| HPCMIL1          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 1   | FSM160         |
| HPCMIL2          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 2   | FSM161         |
| HPCMIL3          | PROACT HPC Green System Laryngoscope Blade, Disposable, Mil 3   | FSM162         |
| HMMGSLT100MAC3-1 | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Lever Tip Mac 3 (Each)                  | FSM745         |
| HMMGSLT100MAC3   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Lever Tip Mac 3                         | FSM175         |
| HMMGSLT100MAC4-1 | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Lever Tip Mac 4 (Each)                  | FSM746         |
| HMMGSLT100MAC4   | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Lever Tip Mac 4                         | FSM176         |
| HMMGS100RS0      | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Robertshaw 0                            | FSM1286        |
| HMMGS100RS1      | PROACT Metal Max Green System 100 Laryngoscope Blade, Disposable, Robertshaw 1                            | FSM1287        |
| HMM4551          | PROACT Metal Max Green System LED Laryngoscope Handles, Disposable, Adult                                 | FSM1697        |
| H4551            | PROACT Metal Max Green System LED Laryngoscope Handles, Reusable, Adult                                   | FSM730         |
| H4552            | PROACT Metal Max Green System LED Laryngoscope Handles, Reusable, Paediatric                              | FSM731         |
| H4553            | PROACT Metal Max Green System LED Laryngoscope Handles, Reusable, Stubby                                  | FSM1736        |

| Airway Management    |   |         |
|----------------------|---|---------|
| PD-LA6310            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 1.0   | FDD1084 |
| PD-LA6315            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 1.5   | FDD1085 |
| PD-LA6320            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 2.0   | FDD1086 |
| PD-LA6325            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 2.5   | FDD1087 |
| PD-LA6330            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 3.0   | FDD1088 |
| PD-LA6340            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 4.0   | FDD1089 |
| PD-LA6350            | PRO-Breathe Laryngeal Airways, Standard Single Use PVC, 5.0   | FDD1090 |
| PAD-LA6310           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 1.0   | FDD2573 |
| PAD-LA6315           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 1.5   | FDD2574 |
| PAD-LA6320           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 2.0   | FDD2575 |
| PAD-LA6325           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 2.5   | FDD2576 |
| PAD-LA6330           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 3.0   | FDD2579 |
| PAD-LA6340           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 4.0   | FDD2582 |
| PAD-LA6350           | PRO-Breathe Laryngeal Airways, Armoured Single Use PVC, 5.0   | FDD2584 |
| SD-LA6310            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 1.0  | FDD1091 |
| SD-LA6315            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 1.5  | FDD1092 |
| SD-LA6320            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 2.0  | FDD1093 |
| SD-LA6325            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 2.5  | FDD1094 |
| SD-LA6330            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 3.0  | FDD1095 |
| SD-LA6340            | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 4.0  | FDD1096 |
| SD-LA6350            |   | FDD1097 |
|                      | PRO-Breathe Laryngeal Airways, Standard Single Use Silicone, 5.0  |         |
| SAD-LA6310           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 1.0  | FDD2577 |
| SAD-LA6315           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 1.5  | FDD2578 |
| SAD-LA6320           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 2.0  | FDD2580 |
| SAD-LA6325           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 2.5  | FDD2581 |
| SAD-LA6330           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 3.0  | FDD2583 |
| SAD-LA6340           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 4.0  | FDD2585 |
| SAD-LA6350           | PRO-Breathe Laryngeal Airways, Armoured Single Use Silicone, 5.0  | FDD2586 |
| SR-LA6310            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 1.0  | FDD1077 |
| SR-LA6315            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 1.5  | FDD1078 |
| SR-LA6320            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 2.0  | FDD1079 |
| SR-LA6325            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 2.5  | FDD1080 |
| SR-LA6330            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 3.0  | FDD1081 |
| SR-LA6340            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 4.0  | FDD1082 |
| SR-LA6350            | PRO-Breathe Laryngeal Airways, Standard Autoclavable Silicone, 5.0  | FDD1083 |
| SAR-LA6310           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 1.0  | FDD1098 |
| SAR-LA6315           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 1.5  | FDD1099 |
| SAR-LA6320           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 2.0  | FDD1100 |
| SAR-LA6325           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 2.5  | FDD1101 |
| SAR-LA6330           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 3.0  | FDD1102 |
| SAR-LA6340           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 4.0  | FDD1103 |
| SAR-LA6350           | PRO-Breathe Laryngeal Airways, Armoured Autoclavable Silicone, 5.0  | FDD1104 |
| PB-21099             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 3.0mm  | FDF1444 |
| PB-21100             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 3.5mm  | FDF1400 |
| PB-21101             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 4.0mm  | FDF1063 |
| PB-21102             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 4.5mm  | FDF1064 |
| PB-21103             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 5.0mm  | FDF1065 |
| PB-21104             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 5.5mm  | FDF1066 |
| PB-21105             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 6.0mm  | FDF1067 |
| PB-21106             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 6.5mm  | FDF1068 |
| PB-21107             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 7.0mm  | FDF1069 |
| PB-21108             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 7.5mm  | FDF1070 |
| PB-21109             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 8.0mm  | FDF1071 |
| PB-21109             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 8.5mm  | FDF1072 |
| PB-21110<br>PB-21111 | PRO-breathe Endotracheal Tubes, Oral/Nasal Cuffed, 9.0mm PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 9.0mm | FDF1072 |
| PB-21112             | PRO-breathe Endotracheal Tubes, Oral/Nasal Cuffed, 9.5mm PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 9.5mm | FDF1073 |
|                      |   |         |
| PB-21113             | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed, 10.0mm   | FDF1075 |

| PROACT Part No. | Description   | NHSSC NPC CODE |
|-----------------|---|----------------|
| PB-21114        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 2.0mm              | FDF1047        |
| PB-21115        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 2.5mm              | FDF1048        |
| PB-21116        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 3.0mm              | FDF1049        |
| PB-21117        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 3.5mm              | FDF1050        |
| PB-21118        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 4.0mm              | FDF1051        |
| PB-21119        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 4.5mm              | FDF1052        |
| PB-21120        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 5.0mm              | FDF1053        |
| PB-21121        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 5.5mm              | FDF1054        |
| PB-21122        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 6.0mm              | FDF1055        |
| PB-21123        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 6.5mm              | FDF1056        |
| PB-21124        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 7.0mm              | FDF1057        |
| PB-21125        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 7.5mm              | FDF1058        |
| PB-21126        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 8.0mm              | FDF1059        |
| PB-21127        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 8.5mm              | FDF1060        |
| PB-21128        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 9.0mm              | FDF1061        |
| PB-21129        | PRO-Breathe Endotracheal Tubes, Oral/Nasal Uncuffed, 9.5mm              | FDF1062        |
| PB-21328-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 4.0mm   | FDF1093        |
| PB-21327-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 4.5mm   | FDF1094        |
| PB-21326-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 5.0mm   | FDF1095        |
| PB-21325-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 5.5mm   | FDF1096        |
| PB-21301-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 6.0mm   | FDF1097        |
| PB-21302-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 6.5mm   | FDF1098        |
| PB-21303-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 7.0mm   | FDF1099        |
| PB-21304-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 7.5mm   | FDF1100        |
| PB-21305-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 8.0mm   | FDF1101        |
| PB-21321-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 8.5mm   | FDF1102        |
| PB-21322-NPF    | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Cuffed, 9.0mm   | FDF1103        |
| PB-213030U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 3.0mm | FDF1450        |
| PB-213035U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 3.5mm | FDF1451        |
| PB-213040U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 4.0mm | FDF1452        |
| PB-213045U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 4.5mm | FDF1453        |
| PB-213050U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 5.0mm | FDF1454        |
| PB-213055U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 5.5mm | FDF1455        |
| PB-213060U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 6.0mm | FDF1456        |
| PB-213065U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 6.5mm | FDF1457        |
| PB-213070U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 7.0mm | FDF1458        |
| PB-213075U      | PRO-Breathe Endotracheal Tubes, Preformed Nasal (North) Uncuffed, 7.5mm | FDF1459        |
| PB-21200-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 3.5mm    | FDF1445        |
| PB-21201-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 4.0mm    | FDF1082        |
| PB-21202-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 4.5mm    | FDF1083        |
| PB-21203-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 5.0mm    | FDF1084        |
| PB-21204-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 5.5mm    | FDF1085        |
| PB-21205-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 6.0mm    | FDF1086        |
| PB-21206-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 6.5mm    | FDF1087        |
| PB-21207-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 7.0mm    | FDF1088        |
| PB-21208-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 7.5mm    | FDF1089        |
| PB-21209-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 8.0mm    | FDF1090        |
| PB-21210-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 8.5mm    | FDF1091        |
| PB-21211-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 9.0mm    | FDF1092        |
| PB-21212-PF     | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Cuffed, 9.5mm    | FDF1446        |
| PB-212030U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 3.0mm  | FDF1447        |
| PB-212035U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 3.5mm  | FDF1393        |
| PB-212040U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 4.0mm  | FDF1394        |
| PB-212045U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 4.5mm  | FDF1395        |
| PB-212050U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 5.0mm  | FDF1396        |
| PB-212055U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 5.5mm  | FDF1397        |
| PB-212060U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 6.0mm  | FDF1398        |
| PB-212065U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 6.5mm  | FDF1399        |
| PB-212070U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 7.0mm  | FDF1448        |
| PB-212075U      | PRO-Breathe Endotracheal Tubes, Preformed Oral (South) Uncuffed, 7.5mm  | FDF1449        |
| PB-21397        | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 3.0mm     | FDF1461        |
| PB-21398        | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 3.5mm     | FDF1462        |
| PB-21399        | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 4.0mm     | FDF1463        |

| PROACT Part No.   | Description   | NHSSC NPC CODE                       |
|---|---|--------------------------------------|
| PB-21400  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 4.5mm   | FDF1464                              |
| PB-21401  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 5.0mm   | FDG874                               |
| PB-21402  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 5.5mm   | FDG875                               |
| PB-21403  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 6.0mm   | FDG876                               |
| PB-21404  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 6.5mm   | FDG877                               |
| PB-21405  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 7.0mm   | FDG878                               |
| PB-21406  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 7.5mm   | FDG879                               |
| PB-21407  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 8.0mm   | FDG880                               |
| PB-21408  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 8.5mm   | FDG881                               |
| PB-21409  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 9.0mm   | FDG882                               |
| PB-21410  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Cuffed, 9.5mm   | FDG885                               |
| PB-21411  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 3.0mm   | FDF1076                              |
| PB-21412  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 3.5mm   | FDF1077                              |
| PB-21413  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 4.0mm   | FDF1078                              |
| PB-21414  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 4.5mm   | FDF1079                              |
| PB-21415  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 5.0mm   | FDF1080                              |
| PB-21416  | PRO-Breathe Endotracheal Tubes, Armourflex Oral/Nasal Uncuffed, 5.5mm   | FDF1081                              |
| PB-217060   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 6.0mm   | FDF1405                              |
| PB-217065   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 6.5mm   | FDF1406                              |
| PB-217070   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 7.0mm   | FDF1407                              |
| PB-217075   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 7.5mm   | FDF1408                              |
| PB-217080   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 8.0mm   | FDF1409                              |
| PB-217080<br>PB-217085  | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 8.5mm   | FDF1409                              |
| PB-217085   | PRO-Breathe Endotracheal Tubes, Oral/Nasal Cuffed with Suction, 9.0mm   | FDF1410                              |
| PB-231028   | PRO-Breathe Endobronchial Tubes, Ural/Nasal Cuffed with Suction, 9.0mm PRO-Breathe Endobronchial Tubes, Left Sided, 28 Fr   | FDF1411<br>FDF1143                   |
| PB-231028<br>PB-231032  |   | FDF1143<br>FDF1144                   |
|   | PRO-Breathe Endobronchial Tubes, Left Sided, 32 Fr  |                                      |
| PB-231035   | PRO-Breathe Endobronchial Tubes, Left Sided, 35 Fr  | FDF1145                              |
| PB-231037   | PRO-Breathe Endobronchial Tubes, Left Sided, 37 Fr  | FDF1146                              |
| PB-231039   | PRO-Breathe Endobronchial Tubes, Left Sided, 39 Fr  | FDF1147                              |
| PB-231041   | PRO-Breathe Endobronchial Tubes, Left Sided, 41 Fr  | FDF1148                              |
| PB-232028   | PRO-Breathe Endobronchial Tubes, Right Sided, 28 Fr   | FDF1149                              |
| PB-232032   | PRO-Breathe Endobronchial Tubes, Right Sided, 32 Fr   | FDF1150                              |
| PB-232035   | PRO-Breathe Endobronchial Tubes, Right Sided, 35 Fr   | FDF1151                              |
| PB-232037   | PRO-Breathe Endobronchial Tubes, Right Sided, 37 Fr   | FDF1152                              |
| PB-232039   | PRO-Breathe Endobronchial Tubes, Right Sided, 39 Fr   | FDF1153                              |
| PB-232041   | PRO-Breathe Endobronchial Tubes, Right Sided, 41 Fr   | FDF1154                              |
| PBEB00007   | PRO-Breathe® Endobrochial Blocker, 07Fr   | FDF1878                              |
| PBEB00009   | PRO-Breathe® Endobrochial Blocker, 09Fr   | FDF1879                              |
| PBS6FR  | PRO-Breathe Intubating Stylets, 6 Fr  | FDF1111                              |
| PBS10FR   | PRO-Breathe Intubating Stylets, 10 Fr   | FDF1112                              |
| PBS14FR   | PRO-Breathe Intubating Stylets, 14 Fr   | FDF1113                              |
| PBB6CH535   | PRO-Breathe ET Tube Introducer (Bougie), Angled, 6 Fr, 535mm  | FDF1106                              |
| PBB10CH700  | PRO-Breathe ET Tube Introducer (Bougie), Angled, 10 Fr, 700mm   | FDF1107                              |
| PBB15CH700  | PRO-Breathe ET Tube Introducer (Bougie), Angled, 15 Fr, 700mm   | FDF1108                              |
| PBBH10CH700   | PRO-Breathe ET Tube Introducer (Bougie), Vented, 10 Fr, 700mm   | FDF1109                              |
| PBBH15CH700   | PRO-Breathe ET Tube Introducer (Bougie), Vented ,15 Fr, 700mm   | FDF1110                              |
| PBI105470   | PRO-Breathe Premium ET Tube Introducer (Bougie), Straight, 5 Fr, 470mm  | FDF1423                              |
| PBI110600   | PRO-Breathe Premium ET Tube Introducer (Bougie), Straight, 10 Fr, 600mm   | FDF1424                              |
| PBI110800   | PRO-Breathe Premium ET Tube Introducer (Bougie), Straight, 10 Fr, 800mm   | FDF1425                              |
| PBI115600   | PRO-Breathe Premium ET Tube Introducer (Bougie), Straight, 15 Fr, 600mm   | FDF1425                              |
| PBI115800<br>PBI115800  |   | FDF1426                              |
| PBI115800<br>PBI210600  | PRO-Breathe Premium ET Tube Introducer (Bougie), Straight, 15 Fr, 800mm   | FDF1427<br>FDF1428                   |
|   | PRO-Breathe Premium ET Tube Introducer (Bougie), Angled, 10 Fr, 600mm   |                                      |
| PBI210800   | PRO-Breathe Premium ET Tube Introducer (Bougie), Angled, 10 Fr, 800mm   | FDF1429                              |
| PBI215600   | PRO-Breathe Premium ET Tube Introducer (Bougie), Angled, 15 Fr, 600mm   | FDF1430                              |
| PBI215800   | PRO-Breathe Premium ET Tube Introducer (Bougie), Angled, 15 Fr, 800mm   | FDF1431                              |
| PBI314750   | PRO-Breathe Premium ET Tube Introducer (Bougie), Vented, 14 Fr, 750mm   | FDF1432                              |
| PB24101-50  | PRO-Breathe Oropharyngeal Airways, Guedel 000 (40mm)  | FDB358                               |
| PB24102-50  | PRO-Breathe Oropharyngeal Airways, Guedel 00 (50mm)   | FDB361                               |
| PB24103-50  | PRO-Breathe Oropharyngeal Airways, Guedel 0 (60mm)  | FDB362                               |
| PB24104-50  | PRO-Breathe Oropharyngeal Airways, Guedel 1 (70mm)  | FDB425                               |
| PB24105-50  | PRO-Breathe Oropharyngeal Airways, Guedel 2 (80mm)  | FDB364                               |
| PB24106-50  | PRO-Breathe Oropharyngeal Airways, Guedel 3 (90mm)  | FDB366                               |
| PB24107-50  | PRO-Breathe Oropharyngeal Airways, Guedel 4 (100mm)   | FDB369                               |
|   | PRO-Breathe Oropharyngeal Airways, Guedel 5 (110mm)   | FDB426                               |
| PB24108-50  | PRO-Breathe Oropharyngeal Airways, Guedel 6 (120mm)   | FDB424                               |
|   | The Break orophalyngear and yo, ededer o (120mm)  |                                      |
| PB24108-50  | PRO-Breathe Nasopharyngeal Airways, Size 6.0  | FDB000                               |
| PB24108-50<br>PB24109-50  |   | FDB000<br>FDB285                     |
| PB24108-50<br>PB24109-50<br>PBNP00060   | PRO-Breathe Nasopharyngeal Airways, Size 6.0         PRO-Breathe Nasopharyngeal Airways, Size 7.0   |                                      |
| PB24108-50<br>PB24109-50<br>PBNP00060<br>PBNP00070<br>PBNP00080   | PRO-Breathe Nasopharyngeal Airways, Size 6.0         PRO-Breathe Nasopharyngeal Airways, Size 7.0         PRO-Breathe Nasopharyngeal Airways, Size 8.0  | FDB285<br>FDB287                     |
| PB24108-50           PB24109-50           PBNP00060           PBNP00070           PBNP00080           PBNP00090                     | PRO-Breathe Nasopharyngeal Airways, Size 6.0         PRO-Breathe Nasopharyngeal Airways, Size 7.0         PRO-Breathe Nasopharyngeal Airways, Size 8.0         PRO-Breathe Nasopharyngeal Airways, Size 9.0   | FDB285<br>FDB287<br>FDB289           |
| PB24108-50           PB24109-50           PBNP00060           PBNP00070           PBNP00080           PBNP00090           PRNF00104 | PRO-Breathe Nasopharyngeal Airways, Size 6.0         PRO-Breathe Nasopharyngeal Airways, Size 7.0         PRO-Breathe Nasopharyngeal Airways, Size 8.0         PRO-Breathe Nasopharyngeal Airways, Size 9.0         Naso-Flo Nasopharyngeal Airway with O2 Port, Size 4.0 | FDB285<br>FDB287<br>FDB289<br>FDB524 |
| PB24108-50           PB24109-50           PBNP00060           PBNP00070           PBNP00080           PBNP00090                     | PRO-Breathe Nasopharyngeal Airways, Size 6.0         PRO-Breathe Nasopharyngeal Airways, Size 7.0         PRO-Breathe Nasopharyngeal Airways, Size 8.0         PRO-Breathe Nasopharyngeal Airways, Size 9.0   | FDB285<br>FDB287<br>FDB289           |

| PROACT Part No.          | Description   | NHSSC NPC CODE |
|--------------------------|---|----------------|
| PRNF00108                | Naso-Flo Nasopharyngeal Airway with O2 Port, Size 8.0                                   | FDB528         |
| PRNF00108                | Naso-Flo Nasopharyngeal Airway with 02 Port, Size 9.0                                   | FDB520         |
| PRNF00109<br>PRNF00204   | Naso-Flo Nasopharyngeal Airway with 02 Port, Size 9.0                                   | FDB530         |
| PRNF00205                | Naso-Flo Nasopharyngeal Airway with 02 Port and Respiratory Indicator, Size 4.0         | FDB532         |
| PRNF00206                | Naso-Flo Nasopharyngeal Airway with 02 Port and Respiratory Indicator, Size 6.0         | FDB532         |
| PRNF00207                | Naso-Flo Nasopharyngeal Airway with 02 Port and Respiratory Indicator, Size 7.0         | FDB534         |
| PRNF00208                | Naso-Flo Nasopharyngeal Airway with 02 Port and Respiratory Indicator, Size 7.0         | FDB535         |
| PRNF00209                | Naso-Flo Nasopharyngeal Airway with 02 Port and Respiratory Indicator, Size 9.0         | FDB536         |
| NS-NPG06                 | NasoSafe® Nasopharyngeal Aiways, Size 6.0   | FDB378         |
| NS-NPG07                 | NasoSafe® Nasopharyngeal Aiways, Size 7.0   | FDB379         |
| NS-NPG08                 | NasoSafe® Nasopharyngeal Aiways, Size 8.0   | FDB381         |
| NS-NPG09                 | NasoSafe® Nasopharyngeal Aiways, Size 9.0   | FDB382         |
| Recovery & Resuscitation |   | I              |
| LD-600-10025             | Thomas Tube Holder, Adult   | FDF1475        |
| LD-600-20025             | Thomas Tube Holder, Paediatric  | FDF1476        |
| PBBF11504                | PRO-Breathe® Bacterial/Viral Filter with Mouthpiece                                     | FTC469         |
| PBNC10121                | PRO-Breathe Nasal Cannula, Straight Prongs, Adult (2.1m)                                | FDD2257        |
| PBNC10221                | PRO-Breathe Nasal Cannula, Straight Prongs, Paediatric (2.1m)                           | FDD2259        |
| PBNC20121                | PRO-Breathe Nasal Cannula, Curved Prongs, Adult (2.1m)                                  | FDD2253        |
| PBNC20221                | PRO-Breathe Nasal Cannula, Curved Prongs, Paediatric (2.1m)                             | FDD2255        |
| PBNC20421                | PRO-Breathe Nasal Cannula, Curved prongs, Neonate (2.1m)                                | FDD2254        |
| PB-333001                | PRO-Breathe Oxygen Mask, High Concentration, Adult                                      | FDD2247        |
| PB-333003                | PRO-Breathe Oxygen Mask, High Concentration, Paediatric                                 | FDD2248        |
| PB-23401                 | PRO-Breathe Oxygen Mask, High Concentration with Safety Vent, Adult                     | FDD4078        |
| PB-23402                 | PRO-Breathe Oxygen Mask, High Concentration with Safety Vent, Paediatric                | FDD2249        |
| PB23101                  | PRO-Breathe Oxygen Mask, Medium Concentration, Adult                                    | FDD2252        |
| PB23103                  | PRO-Breathe Oxygen Mask, Medium Concentration, Adult                                    | FDD2251        |
| PB27001                  | PRO-Breathe Oxygen Tubing, 2.1m   | FDD2263        |
| PB27002                  | PRO-Breathe Oxygen Tubing, 4.5m   | FDD2264        |
| PB-343002                | PRO-Breathe Nebulizer Kit, Chamber, Mask & Oxygen Tubing, Adult                         | FDE056         |
| PB-343003                | PRO-Breathe Nebulizer Kit, Chamber, Mask & Oxygen Tubing, Paediatric                    | FDD2260        |
| PB-29003                 | PRO-Breathe Nebulizer Kit, Chamber, Mouthpiece & Oxygen Tubing, 6ml                     | FDD2261        |
| CP681313N                | PROACT BVM Resuscitator Set, Disposable, Adult 1600ml Bag with Size 4 & 5 Masks         | FDE9872        |
| BM-BE2503-2              | PROACT BVM Resuscitator Set, Disposable, Adult 1000ml Bag with Size 4 & 5 Masks         | FDE9875        |
| CP682313                 | PROACT BVM Resuscitator Set, Disposable, Child 550ml Bag with Size 0, 1 & 3 Masks       | FDE9874        |
| CP683323                 | PROACT BVM Resuscitator Set, Disposable, Infant 280ml Bag with Size 0, 1 & 2 Masks      | FDE9873        |
| PBRM11410                | PRO-Breathe CPR Mask, Adult in Hard Carry Case  | FDD1672        |
| PB-372006                | PRO-Breathe® Suction Catheters, Y Type Connector, 6 Fr                                  | FSQ1262        |
| PB-372008                | PRO-Breathe® Suction Catheters, Y Type Connector, 6 Fr                                  | FSQ1263        |
| PB-372010                | PRO-Breathe® Suction Catheters, Y Type Connector, 10 Fr                                 | FSQ1264        |
| PB-372012                | PRO-Breathe® Suction Catheters, Y Type Connector, 12 Fr                                 | FSQ1265        |
| PB-372014                | PRO-Breathe® Suction Catheters, Y Type Connector, 14 Fr                                 | FSQ1266        |
| PB-372016                | PRO-Breathe® Suction Catheters, Y Type Connector, 16 Fr                                 | FSQ1267        |
| PB-372018                | PRO-Breathe® Suction Catheters, Y Type Connector, 18 Fr                                 | FSQ1268        |
| PB-374006                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 6 Fr                            | FSQ1269        |
| PB-374008                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 8 Fr                            | FSQ1270        |
| PB-374010                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 10 Fr                           | FSQ1271        |
| PB-374012                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 12 Fr                           | FSQ1272        |
| PB-374014                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 14 Fr                           | FSQ1273        |
| PB-374016                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 16 Fr                           | FSQ1274        |
| PB-374018                | PRO-Breathe® Suction Catheters, Plain/Funnel Connector, 18 Fr                           | FSQ1275        |
| PB-432001                | PRO-Breathe® Suction Tubing, 6.5 mm ID, 1.8m length                                     | FWP355         |
| PB-432008                | PRO-Breathe® Suction Tubing, 6.5 mm ID, 3.0m length                                     | FWP356         |
| Theatre Consumables      |   |                |
| HMMPROMAGA-10            | PROACT Metal Max Magill Forceps, Disposable, 250mm (Adult)                              | FFT081         |
| HMMPROMAGC-10            | PROACT Metal Max Magill Forceps, Disposable, 200mm (Child)                              | FFT082         |
| HMMPROMAGP-10            | PROACT Metal Max Magill Forceps, Disposable, 170mm (Paediatric)                         | FFT000         |
| PROMAG250                | PROACT Magill Forceps, Autoclavable, 250mm (Adult)                                      | FSM1295        |
| PROMAG200                | PROACT Magill Forceps, Autoclavable, 200mm (Child)                                      | FSM1296        |
| PROMAG170                | PROACT Magill Forceps, Autoclavable, 170mm (Paediatric)                                 | FSM1297        |
| APP100500                | Accu-PRO Pressure Infusion Bags, Disposable, 500ml                                      | FFF538         |
| APPI01000                | Accu-PRO Pressure Infusion Bags, Disposable, 1000ml                                     | FFF539         |
| APP103000                | Accu-PRO Pressure Infusion Bags, Disposable, 3000ml                                     | FFF476         |
| SAT-300                  | PROACT Anaesthetic Trays, Safety Antimicrobial  | FDE631         |
| PBAM00010                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 0 (Neonate)      | FDD2687        |
| PBAM00011                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 1 (Infant)       | FDD2688        |
| PBAM00012                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 2 (Child)        | FDD2689        |
| PBAM00013                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 3 (Small Adult)  | FDD2690        |
| PBAM00014                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 4 (Medium Adult) | FDD2691        |
| PBAM00015                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 5 (Large Adult)  | FDD2692        |
| PBAM00016                | PRO-Breathe Anaesthetic Mask, Disposable with Adjustable Cushion, Size 6 (XL Adult)     | FDD2693        |

#### Proact Medical Limited (The Supplier) Terms and Conditions for the Supply of Goods

Interpretation

In Definitions. In these Conditions, the following definitions apply: Business Day means a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business

Conditions means the terms and conditions set out in this document as amended from time to time in accordance with clause 11.6.

Contract means the contract between the Supplier and the Customer for the sale and purchase of the Goods in accordance with these Conditions. Customer means the person or firm who purchases the Goods from the Supplier.

Force Majeure Event means has the meaning given in clause 10.

Goods means the goods (or any part of them) set out in the Order. Order means the Customer's order for the Goods, as set out in the Order. Specification means any specification for the Goods, including any related plans and drawings, that is agreed in writing by the Customer and the Supplier.

Supplier means Proact Medical Limited, a company registered in England and Wales under company number 03096460. 1.2 Construction. In these Conditions, the following rules apply: (a) A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).

(b) A reference to a party includes its personal representatives, successors or permitted assigns

(c) A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.

(d) Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms (e) A reference to writing or written includes faxes and Supplier acknowledged e-mail

Basis of Contract

These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing,

The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order and any applicable Specification [submitted by the Customer] are complete and accurate.
 The Order shall only be deemed to be accepted when the Supplier issues the first of either a written acceptance of the Order, Delivery Note or Invoice, at which point the Contract shall come into existence.

2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or Any samples, drawings, descriptive matter, or advertising produced by the Supplier and any descriptions or illustrations contained in the Supplier's catalogues or brochures are produced for the sole purpose

of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force 2.6 Any quotation for the Goods given by the Supplier shall not constitute an offer. A quotation shall only be valid for a period of 30 Days from its date of issue unless otherwise stated in writing on the quotation.

Goods

The Goods are described in the Supplier's catalogue or on the Supplier's website, as modified by any applicable Specification

3.2 To the extent that the Goods are to be manufactured in accordance with a Specification supplied by the Customer shall indemnify the Supplier against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by the Supplier in connection with any claim made against the Supplier for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the Supplier's use of the Specification. This clause 3.1 shall survive termination of the Contract

The Supplier reserves the right to amend the specification of the Goods if required by any applicable statutory or regulatory requirements. 3.3

4 Delivery

41 The Supplier shall ensure that:

(a) each delivery of the Goods is accompanied by a delivery note which shows the date of the Order, all relevant Customer and Supplier reference numbers and the type and quantity of the Goods, including the code number of the Goods, where applicable.
 4.2 The Supplier shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (Delivery Location).

 (a) Delivery of the Goods shall be completed:
 (a) where the Delivery Location is a location other than the Supplier's premises, on the Goods' arrival at the Delivery Location; or (b) where the Delivery Location is the Supplier's premises, on the completion of loading of the Goods at the Delivery Location

4.4 Any dates quoted for delivery are approximate only and the time of delivery is not of the essence. The Supplier shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure
 Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
 4.5 The Supplier shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and the supplice shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and the supplice shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and the supplice shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and the supplice shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate deliverties and the supplice shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier shall have no liability

4.6 If the Customer fails to take delivery of the Goods within three Business Days of the Supplier notifying the Customer that the Goods are ready (where the Delivery Location is the Supplier's premises) or fails to accept delivery of the Goods on the date that the Supplier attempts to deliver them (where the Delivery Location is somewhere other than the Supplier's premises), then, except where such failure or delay is caused by a Force Majeure Event or the Supplier's failure to comply with its obligations under the Contract.

(a) delivery of the Goods shall be deemed to have been completed at 9.00 am on the third Business Day after the day on which the Supplier notified the Customer that the Goods were ready (where the Delivery Location is the Supplier's premises) or at 9.00am on the date that the Supplier first attempted to deliver the Goods (where the Delivery Location is somewhere other than the Supplier's premises); and (b) the Supplier shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance).

4.7 If 10 Business Days after the day on which the Supplier first attempts delivery of the Goods on rotifies that the Customer that they are available for collection (as the case may be) the Customer has not accepted or taken delivery of them, the Supplier first attempts delivery of the Goods on rotifies that the Customer that they are available for collection (as the case may be) the Customer has not accepted or taken delivery of them, the Supplier first attempts delivery of the Goods on rotifies that the Customer that they are available for collection (as the case may be) the Customer has not accepted or taken delivery of the Goods or charge the Customer for any shortfall below the price of the Goods and, after deducting reasonable storage and selling costs, account to the Customer for any excess over the price of the Goods or charge the Customer for any shortfall below the price of the Goods.

48 The Supplier may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment

4.9 In the event that any Goods are damaged in transit, the Customer shall notify the Supplier of the nature of such damage (providing such evidence as the Supplier shall, acting reasonably, require) within three Business Days of delivery. The Supplier should be under no liability to replace any damaged Goods or refund the price paid for any damaged Goods unless such notification is made within the timescale referred to above.

Quality 1 The Supplier warrants that on delivery, and for a period of 12 months from the date of delivery or, if different, such period stated in any applicable Specification (warranty period), the Goods shall: (a) Conform in all material respects with their description and any applicable Specification; and
 (b) be free from material defects in design, material and workmanship.
 5.2 Subject to clause 5.3, if:

(a) the Customer gives notice in writing to the Supplier during the warranty period within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in clause 5.1; (b) the Supplier is given a reasonable opportunity of examining such Goods; and (c) the Customer (when approved to do so by the Supplier) returns such Goods to the Supplier's place of business at the Customer's cost after first contacting the Supplier for a Return Authorisation Number

(RAN) which must be clearly marked and any returned goods outer packaging. Failure to use the Supplier's RAN System will result in any return goods being potentially rejected. See Supplier's Catalogue for Returns of Goods Procedure details or call Supplier for further information. The Supplier shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full. Any non-defective Goods returned due to ordering error must only be returned when ap-proved for return by the Supplier and issued with a Return Authorisation Number (RAN). The Supplier reserves the right to refuse such returns and also may apply a minimum 15% restocking fee for any approved return by the Supplier and issued with a Return Additionation Number (XMV). The Supplier reserves the right to reduce such returns and also they apply a minimum row resolving tech any proved returns. Returns are only accepted and approved if they are in new condition, un-used, complete and with undamaged and un-marked packaging. Once they have been inspected as such by the Supplier, the Supplier may reject (or offer revised settlement value against) any returned goods that do not meet these requirements even if a RAN has been previously issued. 5.3 The Supplier shall not be liable for Goods' failure to comply with the warranty set out in clause 5.1 in any of the following events:

(a) the Customer makes any further use of such Goods after giving notice in accordance with clause 5.2; (b) the defect arises because the Customer failed to follow the Supplier's oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same;

(c) the defect arises as a result of the Supplier following any drawing, design or Specification supplied by the Customer;

- (c) the detect arises as a result of the Supplier following any drawing, design of Specification supplied by the Customer;
   (d) the Customer alters or repairs such Goods without the written consent of the Supplier;
   (e) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or
   (f) the Goods differ from their description or any applicable Specification as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.
   5.4 Except as provided in this clause 5, the Supplier shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in clause 5.1.
   5.5 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.
   5.6 These Conditions shall apply to any repaired or replacement Goods supplied by the Supplier.

Title and risk

The risk in the Goods shall pass to the Customer on completion of delivery Title to the Goods shall not pass to the Customer until the Supplier has received payment in full (in cash or cleared funds) for:

(a) the Goods; and

(b) any other goods or services that the Supplier has supplied to the Customer [in respect of which payment has become due].
 (a) Intil title to the Goods has passed to the Customer, the Customer shall:
 (a) hold the Goods on a fiduciary basis as the Supplier's bailee;

(b) store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Supplier's property;
 (c) not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
 (d) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;

(e) notify the Supplier immediately if it becomes subject to any of the events listed in clause 8.2; and (f) give the Supplier such information relating to the Goods as the Supplier may require from time to time but the Customer may resell or use the Goods in the ordinary course of its business.

6.4 If before title to the Goods passes to the Customer the Customer becomes subject to any of the events listed in clause 8.2, or the Supplier reasonably believes that any such event is about to happen and notifies the Customer accordingly, then, provided that the Goods have not been resold, or inrevocably incorporated into another product, and without limiting any other right or remedy the Supplier may have, the Supplier may at any time require the Customer to deliver up the Goods and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.

### Terms & Conditions

Price and payment

7 Price and payment
7.1 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price set out in the Supplier's published price list in force as at the date of delivery.
7.2 The Supplier may, by giving notice to the Customer at any time up to 3 Business Days before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:

(a) any factor beyond the Supplier's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
(b) any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the Supplier dequate or accurate information or instructions.
(c) any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate information or instructions.
7.3 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Customer.
7.4 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced from the Supplier such additional amounts in respect of value added tax (VAT). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional amounts in respect of value added tax (VAT).

7.5 The Customer must pay for the Goods immediately following the Supplier's acceptance of the Order unless the Supplier has expressly agreed to provide credit to the Customer.
 7.5 Where the Supplier has expressly agreed to provide credit to the Customer.

(a) the Supplier may invoice the Customer for the Goods on or at any time after the dispatch of goods; and
 (b) The Customer shall pay the invoice in full and in cleared funds within 30 Days of the date of the invoice.
 7.7 Payment of the price of the Goods shall be made to the bank account nominated in writing by the Supplier. Time of payment is of the essence.

7.8 If the Customer fails to make any payment due to the Supplier under the Contract by the due date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above Lloyds Bank PLC's base rate from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.

7.9 The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). The Supplier may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Supplier to the Customer.
 8 Customer's insolvency or incapacity
 8.1 If the Customer becomes subject to any of the events listed in clause 8.2, or the Supplier reasonably believes that the Customer is about to become subject to any of them and notifies the Customer accord-

ingly, then, without limiting any other right or remedy available to the Supplier, the Supplier may cancel or suspend all further deliveries under the Contract or under any other contract between the Customer and the Supplier without incurring any liability to the Customer, and all outstanding sums in respect of Goods delivered to the Customer shall become immediately due. 8.2 For the purposes of clause 8.1, the relevant events are:

(a) the Customer suspends, or threatens to suspend, payment of its debts, or is unable to pay its debts as they fall due or admits inability to pay its debts, or (being a company or limited liability partnership) is (a) the Customer suspense, or interacting to suspend, payment or its decits, or its decits, or its decits as they raid due or autinitis interacting to pay its decits, or its

struction of the Customer]

(c) (being a company) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Customer, other than for the sole purpose of a scheme for a sol-(d) (being an individual) the Customer with one or more other companies or the solvent reconstruction of the Customer; (d) (being an individual) the Customer is the subject of a bankruptcy petition or order; (e) a creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its

(f) (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer,

(g) (being a company) the holder of a qualifying charge over the Customer's assets has become entitled to appoint or has appointed an administrative receiver; (h) a person becomes entitled to appoint a receiver over the Customer's assets or a receiver is appointed over the Customer's assets; (i) any event occurs, or proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause (a)8.2(a) to clause 8.2(h) (inclusive):

(i) the Customer suspends, threatens to suspends, ceases or threatens to cease to carry on all or a substantial part of its business; (k) the Customer's financial position deteriorates to such an extent that in the Supplier's opinion the Customer's capability to adequately fulfil its obligations under the Contract has been placed in jeopardy; and (i) (being an individual) the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legisla-

suon. 8.3 Termination of the Contract, however arising, shall not affect any of the parties' rights and remedies that have accrued as at termination. Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

9 Limitation of liability

9 Limitation of liability
 9.1 Nothing in these Conditions shall limit or exclude the Supplier's liability for:
 (a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
 (b) fraud or fraudulent misrepresentation;

(c) breach of the terms implied by section 12 of the Sale of Goods Act 1979; (d) defective products under the Consumer Protection Act 1987; or (e) any matter in respect of which it would be unlawful for the Supplier to exclude or restrict liability.

9.2 Subject to clause 9.1:

(a) the Supplier shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or con-sequential loss arising under or in connection with the Contract; and

(b) the Supplier's total liability to the Customer in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the price of the Goods. 10 Force majeure

Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Maieure Event. A Force Maieure Event means any vertice party and so that so that is the source of the sou quakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.
 General
 Assignment and other dealings.

(a) The Supplier may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract. (b) The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written con-sent of the Supplier.

11.2 Notices.

11.2 Notices.
(a) Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first class post or other next working day delivery service, commercial courier, fax or acknowledged e-mail.
(b) A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 11.2(a); if sent by pre-paid first class post or other next working day delivery service, a 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by fax one Business Day after transmission.

(c) The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action. 11.3 Severance.

(a) If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforce-

(b) If any provision or part-provision of this Contract is invalid, illegal or unenforceable, the parties shall negotiate in good faith to amend such provision so that, as amended, it is legal, valid and enforceable, and, to the greatest extent possible, achieves the intended commercial result of the original provision.

11.4 Waiver. A waiver of any right or remedy under the Contract or law is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

Third party rights. A person who is not a party to the Contract shall not have any rights to enforce its terms.
 Variation. Except as set out in these Conditions, no variation of the Contract, including the introduction of any additional terms and conditions, shall be effective unless it is in writing and signed by the Sup-

plier. 11.7 Governing law. The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and con-

strued in accordance with the law of England and Wales. 11.8 Jurisdiction. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this Contract or its subject matter or formation (including non-contractual disputes or claims).

11.9 \*Price Match. Only when and if offered in writing from time to time, the Supplier will beat or match any competitor's price for the exact same equivalent product except where limited special offers may be of-fered or if prices are linked to volume or time if different. This offer does not apply if the matched price is less than the Supplier's cost price or if a competitor is "dumping stock" for whatever reason, in the opinion of the Supplier.

11.10 Trade Marks. The Supplier recognises and respects the ownership of all Registered Trademarks contained within any Supplier Catalogues, Brochures, Marketing or Communication and herein to be the property of their respective owners and do not imply any endorsement or affiliation with the Supplier or any other company or person/s.

Address: PROACT Medical Ltd 9-13 Oakley Hay Lodge, Great Folds Road, Oakley Hay Business Park, Corby, Northants NN18 9AS. UK

Tel: 01536 461981 Fax: 01536 461837

web: www.proactmedical.co.uk

e-mail: sales@proactmedical.co.uk

VAT No: GB663285519

Company Registration No: 3096460

Registered Office: 9-13 Oakley Hay Lodge. Great Folds Road, Oakley Hay Business Park, Corby, Northants NN18 9AS. UK



Use the **PROACT** Support website for immediate access to up to date instructions for use and technical information, translated into 12 languages

Easy and convenient download options for the entire PRO-Breathe and Metal Max range.



www.proactmedical.co.uk/support